## 1998 Crop Input Costs Summary for Idaho

by

Paul E. Patterson and Robert L. Smathers

Department of Agricultural Economics and Rural Sociology

University of Idaho

A. E. Extension Series No. 99-03 January 1999

The authors would like to thank all the private companies and individuals who provided information or assisted with this publication. Funds from the Idaho Potato Commission, BDK-900, paid a portion of the survey costs on which this publication is based. The assistance of the Idaho Potato Commission is greatly appreciated.

#### 1998 Crop Input Costs Summary for Idaho

#### Paul E. Patterson and Robert L. Smathers

#### Background

The objective of this publication is to provide producers, lenders, agribusinesses and University of Idaho researchers and Extension personnel with information needed to develop or modify traditional or alternative cost of production estimates. This publication contains operating input costs used in the production of crops in Idaho. These include: herbicides, fungicides, insecticides/nematicides, fertilizer, seed, interest rates, labor costs, gasoline and diesel, water assessments, chemical and fertilizer custom applications and crop insurance rates.

The University of Idaho develops and publishes costs and returns (CAR) estimates -- also referred to as enterprise budgets -- for many of the major crops grown within the state. These CAR estimates are revised and published every other year in odd-numbered years. The latest revision was completed in the fall of 1997. Livestock CAR estimates are revised and published in even-numbered years. Pages 15 and 16 list current CAR estimates, the cost of the CAR estimates and how to order them, and how to obtain them from the Internet at no cost.

Idaho costs and returns estimates are developed for four regional areas of the state. Not only are there differences in crop production practices by region, but the crops produced can vary significantly between regions because of climatic and soil conditions. The four regional areas include: 1) Southwestern Idaho (SWI) with primary emphasis on Canyon and Elmore counties, 2) Southcentral Idaho (SCI) with primary emphasis on Jerome, Twin Falls, Cassia and Minidoka counties, 3) Southeastern Idaho (SEI) with primary emphasis on Power, Bingham, Bonneville, Madison, Fremont and Jefferson counties, and Northern Idaho (NI) with primary emphasis on Benewah, Bonner, Boundary, Clearwater, Kootenai and Latah counties.

#### Procedure

The input cost data, interest rates and insurance rates provided in this publication are averages reported for a given region. The data was obtained by confidential surveys conducted during the summer and early fall of 1998. Sample selection was not on a random basis, nor was the sample stratified according to characteristics of the firms. The objective of the survey was to obtain information across each of the geographic regions, as well as from a variety of different firms within a region. Firms with multiple outlets in a given geographic area were only sampled once.

Five primary types of businesses were surveyed. These were 1) irrigation districts or canal companies, 2) aerial applicators, 3) agricultural lenders, 4) farm chemical and fertilizer dealers and 5) seed dealers. The price for seed potatoes was obtained from a survey of Idaho seed potato growers. The seed potato prices shown in Table 11 include the cost of uncut seed, plus transportation to the respective regions from the seed area.

#### **Input Costs With No Regional Variation**

Some input prices do not vary significantly between areas of the state. This is true for interest rates and labor. Fuel prices across Southern Idaho are also fairly similar, but typically higher by 6-8 cents per gallon in Northern Idaho. Inputs that vary little by region are found in Table 2. All other inputs are priced by region.

#### Interest Rates

Most agricultural lenders apply a risk rating to customers to determine the appropriate interest rate to charge. The more secure the loan, the lower the interest rate paid by the customer. Loan volume is also considered. A customer borrowing more money generally receives a more favorable interest rate. Rates also vary depending on whether the rate is variable or fixed over the loan period.

Average interest rates charged on operating and intermediate term loans are shown in Table 2. Operating loan interest rates among lenders surveyed ranged between 8.0 percent and 11.00 percent. A typical rate was 9.5 percent. This rate pertains to a fixed interest rate loan for a low credit risk customer borrowing a moderate to high loan amount. The interest on variable rate loans is on a prime plus basis, typically 1-3 percent above prime. The prime rate at the time of the survey was 8.0 percent. Interest rates on intermediate loans, money borrowed from one to five years, varied from 7.50 to 10.50 percent. A typical rate was 9.00 percent. This rate assumes a fixed rate loan for a low credit risk borrower.

#### Labor

Labor charges vary according to the type of job and the skill of the laborer. Three categories of labor are shown in Table 2. Other labor pertains to unskilled, temporary labor hired to help during planting or harvesting. Irrigation labor is the hourly equivalent paid to move handlines and wheellines, or to manage center pivots. Machinery labor includes skilled labor to operate tractors, machinery and trucks. The labor costs shown in Table 2, are based on a 1993 survey of growers in southern Idaho, updated using the wage rate index found in USDA's "Agricultural Prices." The rates include a base wage rate, plus the employers payroll tax contribution and other benefits. The value of benefits varies by the class of labor. The benefit rate is 20 percent for other labor, 25 percent for irrigation labor and 35 percent for machinery labor. These benefit rates also came from the 1993 survey.

#### **Other Input With Regional Variation**

Tables 4 and 5 include the costs for a variety of different inputs that do not fit one of the input specific categories found in Tables 6 through 12, or in the case of fertilizer, they summarize data found else where. Some items are specific to a particular commodity, such as cutting and treating potato seed. Others, such as fumigation, can apply to a variety of different crops.

### Custom Rates

A custom rate charge to apply chemicals and fertilizer is found in many of the crop CAR estimates. Table 3 contains aerial application rates, while Table 4 contains the custom charges made to apply chemicals and fertilizers by various ground methods. Application charges vary by the quantity applied and for by type of material. The charge for applying liquid materials falls into the four size categories shown in Table 3: 3-gallon, 5-gallon, 7-gallon, and 10-gallon rates. Application of dry material is typically charged on a per pound basis with a minimum per acre charge. The minimum per acre charge on dry material is generally based on 100 pounds of material. Many custom aerial applicators have a sliding scale, charging less for a large acreage and more for smaller jobs. They may also charge less when fields are large and easily accessible, compared with small or irregular shaped fields. These same factors help explain some of the regional cost differences. Fields in Eastern Idaho tend to be large, while those in Western Idaho, and to some extent Southcentral Idaho, are smaller. The standard charge in Eastern Idaho is for large fields, while the standard charge in Western Idaho is for small fields.

Table 4 lists the cost of applying chemicals and fertilizer by various ground application methods. This data was obtained primarily from fertilizer and chemical retailers who also apply the product. For some regions, Table 4 also contains the costs of other types of services, including: the cost per ton to impregnate fertilizer

with a herbicide, the cost to apply sulfuric acid to kill potato vines, the charge for precision irrigation services and the cost to run a soil sample.

#### Irrigation Water Assessments

An average water assessment charge per acre for each region is shown in Table 5. Assessments on a per share of water basis were converted to a per acre charge. All of the canal companies and irrigation districts surveyed deliver water in an open ditch to the farmer.

Water assessments reported by the seven water organizations surveyed in Southwestern Idaho ranged from a low of \$10.50 per acre to a high of \$32.95. Note: The \$10.50 per acre charge resulted from a \$10 per acre reduction for 1998 because of a surplus. The range in water assessments reported by the four water organizations in Southcentral Idaho ranged from \$19.50 to \$35.00 per acre. Water charges in Southeastern Idaho were considerably lower than the other two areas of southern Idaho, ranging from \$8.55 to \$9.50 per acre. Four water organizations were surveyed in Southeastern Idaho.

## Fertilizer Component Prices

The component fertilizer prices, shown in Table 5, can be used to revise cost estimates where fertilizer is specified by element, not by total pounds of material. Table 10 contains the price per ton of various source materials as well as the price per pound for micronutrients. The component price will vary depending on the source material. The pre-plant nitrogen price in Table 5 is based on ammonium nitrate (34-0-0), post-plant nitrogen price is based on Solution 32 (32-0-0), dry phosphate price is based on 11-52-0 with the nitrogen valued at the price of nitrogen in ammonium nitrate, liquid phosphate price is based on 10-34-0 with the nitrogen valued at the price of ammonium nitrate, potash price is based on Muriate of potash (0-0-60), and sulfur is based on ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium sulfate with the nitrogen valued at the price of ammonium nitrate.

#### **Herbicide Costs**

Table 6 shows the price per pound for dry material and the price per quart for liquid herbicides. The price of liquids was generally based on a 2-1/2 gallon container price and prices were rounded to the nearest \$.05. While the list of herbicides is not all encompassing, it covers a wide range of products currently used on row crops, small grains and other crops for which the University of Idaho has developed CAR estimates.

#### **Fungicides Prices**

Prices per pound or per quart for commonly used fungicides are found in Table 7. Prices for the liquid materials were based on a 2-1/2 gallon container price and rounded to the nearest \$.05.

## **Insecticides and Nematicides Prices**

Insecticide and nematicide prices for 1997 are shown in Table 8. Dry material is priced on a per pound basis and the price of liquids is based on a 2-1/2 gallon container price. Prices were rounded to the nearest \$.05.

#### **Surfactant Prices**

Prices per quart for commonly used surfactants are found in Table 9. Prices for liquid materials are based on a 2-1/2 gallon container price and rounded to the nearest \$.05.

#### **Fertilizer Prices**

Table 10 contains the 1998 price information on fertilizers. The prices for the macronutrients are per ton for the total material. The formulation of the various materials is also shown. Prices for micronutrients (trace elements) are given per pound of element. Some caution is advised on the prices for the trace elements. The price variation was extreme and there may have been subtle but important differences in the source material that we were not aware of.

#### Seed Prices

Table 11 contains 1998 seed prices by region. Prices are per pound or per hundred weight, except for sugarbeets which is given on a per unit basis. Seed prices were obtained only for those crops for which the University of Idaho presently publishes a CAR estimate. *Please keep in mind is that there is a great deal of variability in seed prices, particularly among different varieties.* The seed prices in Table 11 should be considered representative, but they are by no means comprehensive.

#### **Crop Insurance**

Crop insurance rates vary considerably even within a narrow geographic area. The variability is even greater when an entire region of the state is considered. The per acre crop insurance costs for the various crops, shown in Table 12, are calculated using "typical" insurance rates and crop values for 1998. Those typical rates and values were obtained from crop insurance companies in each region.

The insurance is based on hail-fire, not multiple peril. The values in Table 12 should not be used uncritically as insurance rates reflect risk. Higher insurance costs should be used in areas with high loss potential and vice versa for lower risk areas.

## **Costs and Returns Estimates**

A list of Idaho crop and livestock CAR estimates currently available are found on page 15. These are listed by type of livestock and by region in the case of crops. CAR estimates can be ordered individually, by region or for the entire state, as shown on page 16. CAR estimates can also be obtained at county Extension offices as well.

#### **Further Information**

For additional information about publications and other resource materials available from the College of Agriculture, contact Ag Publications, University of Idaho, Moscow, ID 83844-2240 (885-7982).

If you have any questions or comments regarding the information contained in this publication, contact Paul Patterson at the Idaho Falls R & E Center, 1776 Science Center Drive, Idaho Falls, ID 83402 (529-8376).

|   | <u>NI*</u> | <u>SWI*</u> | <u>SCI*</u> | SEI* | TOTAL |
|---|------------|-------------|-------------|------|-------|
| Irrigation Districts or Canal Companies | 0          | 7           | 4           | 4    | 15    |
| Agricultural Lenders**                  | -          | -           | -           | -    | 6     |
| Chemical & Fertilizer Dealers           | 5          | 4           | 5           | 4    | 18    |

## Table 1. Major Crop Input Survey Respondents by Area, 1998.

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI) and Southeastern Idaho (SEI). \*\* One regional bank was contacted in each area, except Northern Idaho. The other 3 lending institutions operate statewide.

| <b>Fable 2. Input Costs With No Regional Variation, 199</b> | 8. |
|---|----|
|---|----|

| Operating Interest                | 9.5%    |
|-----------------------------------|---------|
| Intermediate Term Interest        | 9.00%   |
| Machinery Labor*                  | \$12.85 |
| Irrigation Labor*                 | \$ 8.40 |
| Other Labor*                      | \$ 7.85 |
| Gasoline - bulk delivery**        | \$ 1.18 |
| Diesel-bulk delivery**            | \$ .72  |
| Cut & Treat Seed Potatoes per cwt | \$ 1.70 |

\* Labor includes a base wage plus 20 percent for taxes and benefits on other labor, 25 percent on irrigation labor, and 35 percent on machinery labor. \*\* Gasoline price includes road use tax, diesel price does not.

|            | Price per acre   | <u>NI*</u> | SWI*   | SCI*   | SEI*   |
|------------|------------------|------------|--------|--------|--------|
| Liquid M   | aterial:**       |            |        |        |        |
| 3-gallon:  | Standard         | \$4.75     | \$5.95 | \$6.00 | \$4.75 |
| 5-gallon:  | Standard         | \$5.25     | \$6.90 | \$6.75 | \$5.50 |
| 7-gallon:  | Standard         | \$5.75     | \$7.60 | \$7.70 | \$6.00 |
| 10-gallon: | Standard         | \$6.80     | \$8.55 | \$8.70 | \$6.85 |
| Dry Mate   | rial:            |            |        |        |        |
|            | Minimum per acre | \$4.80     | \$6.25 | \$7.25 | \$5.75 |
|            | Price per lb     | \$0.05     | \$0.05 | \$0.05 | \$0.06 |

# \*\*Table 3. Aerial Application Custom Rates, 1998.

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI), and Southeastern Idaho (SEI).

\*\* Rates for liquid rounded to nearest \$.05

|                                     | <u>NI*</u> | SWI*    | SCI*    | SEI*    |
|-------------------------------------|------------|---------|---------|---------|
| Dry Fertilizer Application          |            |         |         |         |
| Broadcast                           | \$5.50     | \$6.50  | \$5.50  | \$5.25  |
| Spinner Truck                       |            | \$6.50  | \$4.25  | \$4.80  |
| Spinner Cart                        | \$1.50     | \$2.70  | \$1.10  | \$1.30  |
| Air Machine                         | \$4.70     | \$6.15  | \$5.20  | \$5.30  |
| Custom Fertilize/Cultivate          | \$6.75     |         |         |         |
| Liquid Fertilizer Application       |            |         |         |         |
| Anhydrous                           | \$8.75     | \$11.40 | \$9.00  |         |
| Anhydrous - plow down               |            |         |         |         |
| Markout                             |            | \$14.00 | \$16.50 | \$14.00 |
| Sidedress                           |            | \$9.60  | \$11.00 | \$14.00 |
| Shank-in                            |            | \$11.50 |         |         |
| Chemical Application                |            |         |         |         |
| Ground Spray: Grain                 | \$4.60     | \$7.65  | \$5.40  | \$4.85  |
| Ground Spray: Potatoes/Sugarbeets   |            | \$7.65  | \$5.65  | \$5.20  |
| Ground Spray & Incorporate          |            | \$8.65  | \$14.00 | \$14.00 |
| Fumigate: Deep injection            |            | \$21.00 | \$28.75 | \$30.00 |
| Fumigate: Bedding Row               |            | \$16.50 | \$17.00 | \$15.00 |
| Other                               |            |         |         |         |
| Impregnate Fertilizer - per ton     |            | \$4.65  | \$.80   | \$1.50  |
| Apply Sulfuric Acid                 |            |         | \$7.50  |         |
| Apply Sulfuric Acid - includes acid |            | \$15.00 | \$25.25 | \$23.50 |

## Table 4. Fertilizer & Chemical Custom Application Rates Per Acre By Region, 1998.

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI) and Southeastern Idaho (SEI).

# Table 5. Water Assessments and Fertilizer Component Prices By Region, 1998.

|   | <u>NI*</u> | SWI*    | SCI*    | SEI*    |
|---|------------|---------|---------|---------|
| Water Assessment/acre                   |            | \$25.90 | \$25.15 | \$ 8.95 |
| Pre-plant Nitrogen per lb** (46-0-0-0)  | \$ .26     | \$.24   | \$ .23  | \$ .23  |
| Post-plant Nitrogen per lb** (32-0-0-0) |            | \$.29   | \$.28   | \$ .29  |
| Phosphate per lb** (Dry: 11-52-0)       | \$.26      | \$ .25  | \$.23   | \$ .24  |
| Phosphate per lb** (Liquid: 10-34-0)    | \$ .27     | \$.34   | \$.34   | \$.31   |
| Potassium per lb** (0-0-60)             | \$.17      | \$ .16  | \$.15   | \$ .15  |
| Sulfur per lb                           | \$ .20     | \$ .15  | \$ .13  | \$ .16  |

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI) and Southeastern Idaho (SEI). \*\* Fertilizer prices are for pounds of element applied and are based on values found in Table 10.

Price per pound will vary depending on source material. Nitrogen in 11-52-0, 10-34-0 and 20-0-0-24 was valued at cost of urea.

| Product           | Unit | <u>NI*</u> | SWI*    | SCI*    | SEI*    |
|-------------------|------|------------|---------|---------|---------|
| 2,4-DB            | qt   | \$9.40     | \$10.05 | \$9.00  | \$8.15  |
| 2,4-D Amine (4lb) | qt   | \$3.65     | \$3.15  | \$3.05  | \$3.40  |
| 2,4-D Ester (LV4) | qt   | \$4.40     | \$4.00  | \$3.65  | \$3.85  |
| 2,4-D Ester (LV6) | qt   |            | \$4.65  | \$4.95  | \$5.30  |
| Accent            | OZ   |            | \$33.15 | \$32.10 | \$33.70 |
| Ally              | OZ   | \$26.70    | \$29.60 | \$22.65 | \$23.85 |
| Assert            | qt   | \$35.40    | \$33.75 | \$33.15 | \$32.60 |
| Atrazine 4L       | qt   | \$4.00     | \$3.90  | \$3.85  | \$3.50  |
| Atrazine 90 DF    | lb   | \$3.50     | \$2.90  | \$2.95  |         |
| Avenge            | qt   | \$13.60    | \$13.05 | \$12.50 | \$12.40 |
| Balan             | lb   | \$9.50     | \$9.95  |         | \$10.50 |
| Banvel 4EC        | qt   | \$25.50    | \$23.15 | \$22.55 | \$23.60 |
| Banvel SGF        | at   | \$12.10    |         | \$10.65 | \$10.90 |
| Basagran          | qt   | \$21.70    | \$19.70 | \$19.20 | \$19.65 |
| Betamix           | at   |            | \$26.95 | \$25.25 | \$25.50 |
| Betamix Progress  | at   |            | \$31.15 | \$29.60 | \$29.75 |
| Bladex 4L         | at   |            | \$8.15  | \$8.20  | \$8.15  |
| Bronate (21b)     | at   | \$13.60    | \$12.30 | \$11.70 | \$12.00 |
| Buctril (2lb)     | at   | \$17.05    | \$15.30 | \$13.25 | \$17.15 |
| Curtail           | at   | \$11.35    | \$10.10 | \$9.95  | \$10.40 |
| Curtail M         | at   | \$11.05    | \$10.45 | \$10.20 | \$11.15 |
| Dacthal (4lb)     | lb   |            | \$10.00 |         | \$13.00 |
| Diquat            | at   | \$23.05    | \$21.45 | \$22.00 | \$21.15 |
| Direx (80DF)      | lb   |            | \$1.15  | \$1.55  |         |
| Direx (4lb)       | at   | \$6.90     | \$5.60  |         | \$4.40  |
| Dual 8E           | at   | \$18.55    | \$18.75 | \$18.80 | \$18.35 |
| Eptam 7E          | at   | \$9.20     | \$8.45  | \$8.25  | \$8.85  |
| Eradicane 6.7E    | at   | \$7.85     | \$8.00  | \$7.60  | \$7.65  |
| Express           | OZ   | \$18.65    | \$18.10 | \$17.65 | \$18.50 |
| Far-Go 10G        | Ib   | \$1.05     |         | \$1.00  | \$0.95  |
| Far-Go L          | at   | \$11.35    |         | \$10.85 | \$11.45 |
| Glean             | OZ   | \$18.85    |         | \$15.70 | \$17.70 |
| Harmony Extra     | OZ   | \$14.85    | \$14.40 | \$14.25 | \$14.65 |
| Hoelon 3EC        | at   | \$17.05    | \$17.05 | \$15.75 | \$17.00 |
| Karmex 80DF       | lb   |            | \$4.85  | \$5.20  | \$5.20  |
| Landmaster BW     | at   | \$5.60     | \$5.90  | \$6.15  | \$6.10  |
| Lasso             | at   | \$6.40     | \$6.45  | \$6.75  | \$6.65  |
| Lexone DF         | lb   | +5110      | \$20.20 | 21.05   | \$20.55 |
| Matrix            | 07   |            | \$12.85 | \$12.95 | \$14.80 |

Table 6. Herbicide Prices By Region, 1998.

| Product               | Unit | <u>NI*</u> | <u>SWI*</u> | <u>SCI*</u> | SEI*     |
|-----------------------|------|------------|-------------|-------------|----------|
| MCPA-Amine            | at   | \$4.75     | \$4,15      | \$3.80      | \$4.05   |
| MCPA-Ester            | at   | \$5.20     | \$4.40      | \$4.55      | \$4.65   |
| MCPA 2 lb Sodium Salt | at   | \$2.70     | \$2.70      |             | \$2.45   |
| MCPb                  | qt   |            |             | \$9.75      | \$9.00   |
| MH-30                 | lb   |            | \$5.40      | \$5.30      | \$4.50   |
| Nortron SC            | qt   |            | \$49.70     | \$46.05     | \$47.50  |
| Poast                 | qt   | \$26.05    | \$20.65     | \$21.65     | \$23.00  |
| Poast Plus            | qt   | \$15.15    | \$13.60     | \$13.70     | \$13.95  |
| Princep               | lb   | \$5.30     | \$4.45      | \$4.75      | \$4.50   |
| Prowl 3.3             | qt   | \$8.35     | \$7.05      | \$6.90      | \$7.70   |
| Pursuit               | OZ   | \$18.90    | \$16.55     | \$16.35     | \$16.65  |
| Pyramin DF            | lb   |            |             | \$15.15     | \$15.50  |
| Ro-Neet               | qt   |            | \$14.95     | \$14.55     | \$15.60  |
| Roundup Ultra         | qt   | \$12.80    | \$12.20     | \$12.85     | \$13.15  |
| Sencor DF (Lexone)    | lb   | \$23.55    | \$20.70     | \$20.65     | \$20.35  |
| Sencor 4L (Lexone)    | qt   | \$29.80    | \$28.60     | \$27.85     | \$29.55  |
| Sinbar 80W            | lb   | \$31.90    | \$27.75     |             | \$29.00  |
| Sonalan               | qt   | \$9.25     | \$8.35      | \$8.45      | \$8.25   |
| Stinger               | qt   | \$137.80   | \$128.35    | \$124.85    | \$125.00 |
| Telar                 | OZ   | \$25.50    |             |             |          |
| Tordon                | qt   | \$24.85    | \$9.55      | \$20.90     | \$23.45  |
| Treflan 4 Ec          | qt   | \$7.20     | \$5.75      | \$7.30      | \$7.80   |
| Treflan MTF           | qt   | \$9.75     | \$6.20      | \$8.30      | \$7.45   |
| Velpar L              | qt   | \$16.25    | \$15.30     | \$15.10     | \$14.80  |
| Weedmaster            | qt   | \$8.50     | \$8.75      | \$8.65      | \$6.75   |
| Weedone 638           | qt   | \$6.10     | \$6.30      | \$6.25      | 6.55     |

| Ta | able | 6.  | Herbicide   | Prices I | By Region.    | 1998. (cont.)     |
|----|------|-----|-------------|----------|---------------|-------------------|
| _  |      | ••• | ALCA DAGAGE |          | - A - Charles | A > > 0 ( COALON) |

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI), and Southeastern Idaho (SEI).

| Product                | Unit | <u>NI*</u> | SWI*    | SCI*    | SEI*    |
|------------------------|------|------------|---------|---------|---------|
| Acrobat MZ             | lb   |            | \$11.20 | \$12.60 | \$12.00 |
| Bayleton               | lb   | \$69.10    | \$61.90 | \$61.25 | \$63.00 |
| Benlate 50W            | lb   | \$19.85    | \$18.90 | \$18.50 | \$18.00 |
| Bravo 720              | qt   | \$14.95    | \$14.35 | \$13.50 | \$12.00 |
| Bravo Zn               | qt   |            |         |         | \$9.80  |
| Bravo Ultrex           | lb   |            | \$6.85  | \$7.20  | \$7.90  |
| Bravo Weather Stik     | lb   |            | \$12.90 | \$13.05 | \$13.30 |
| Copper Count N         | qt   |            | \$3.40  | \$3.55  | \$4.00  |
| Curzate 60 DF          | lb   |            | \$33.10 | \$32.00 | \$30.05 |
| Curzate M8             | lb   |            | \$7.95  |         |         |
| Dithane DF             | lb   |            |         | \$3.30  | \$2.90  |
| Dithane F45            | qt   |            | \$4.05  | \$4.10  | \$3.90  |
| Kocide DF              | lb   |            | \$2.95  | \$3.15  | \$2.90  |
| Kocide 4.5 LF          | qt   |            | \$7.10  | \$7.60  | \$6.35  |
| Manex 4F               | lb   |            | \$15.30 |         | \$15.00 |
| Manex C-8 72 WP        | lb   |            | \$7.70  | \$16.20 | \$8.00  |
| Penncozeb 85           | lb   |            | \$3.10  | \$3.15  |         |
| Polyram 80DF           | lb   |            | \$3.10  | \$3.60  |         |
| Ridomil Gold MZ72      | lb   |            | \$11.05 | \$11.40 | \$10.45 |
| Ridomil Gold/Bravo 81W | lb   |            | \$16.45 | \$16.95 | \$15.40 |
| Ridomil/Copper 70W     | lb   |            | \$11.95 | \$13.10 | \$11.40 |
| Rovral 4L              | qt   |            | \$45.45 | \$44.70 | \$44.00 |
| Super Tin 80WP         | lb   |            | \$27.15 | \$32.50 | \$29.15 |
| Tattoo C               | qt   |            |         | \$22.25 | \$20.95 |
| Terranil               | qt   |            | \$13.95 | \$12.55 | \$11.95 |
| Tilt                   | qt   | \$92.65    | \$95.90 | \$82.85 | \$90.75 |
| Tops 2.5               | lb   |            |         | \$1.45  | \$1.65  |
| Tops 5                 | lb   |            |         |         | \$3.25  |
| Tops MZ                | lb   |            |         | \$2.00  | \$2.10  |
| Topsin M 4.5 WSB       | lb   |            |         | \$18.90 |         |
| Topsin M4.5 WSB        | qt   |            | \$26.65 |         |         |

# Table 7. Fungicide Prices By Region, 1997.

# FUMIGANTS: Price per qt..

| Metam Sodium | qt |        | \$0.85 | \$0.85 |
|--------------|----|--------|--------|--------|
| Telone II    | qt | \$2.75 | \$2.65 | \$2.75 |
| Telone C17   | qt | \$3.63 |        |        |
| Vapam        | qt |        | \$0.80 | \$0.60 |
| Vapam 32%    | qt | \$0.94 | \$0.85 | \$0.80 |

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI) and Southeastern Idaho (SEI).

| Product                | <u>Unit</u> | <u>NI*</u> | <u>SWI*</u> | <u>SCI*</u> | SEI*     |
|------------------------|-------------|------------|-------------|-------------|----------|
| Admire                 | qt          |            |             | \$152.60    | \$161.05 |
| Ambush 2E              | qt          |            | \$31.00     | \$30.15     | \$32.50  |
| Ammo                   | qt          |            | \$68.25     |             | \$67.50  |
| Asana XL               | qt          | \$44.65    | \$36.65     | \$37.35     | \$36.85  |
| Capture                | qt          | \$145.25   | \$133.15    | \$131.95    | \$132.50 |
| Comite                 | qt          |            | \$20.65     |             | \$20.75  |
| Counter 20CR L-n-L     | lb          |            | \$2.75      | \$2.75      | \$2.95   |
| Counter 15G L-n-L      | lb          |            | \$2.15      | \$1.90      | \$2.00   |
| Cygon 400 (Dimethoate) | qt          | \$10.20    | \$9.25      | \$8.30      | \$9.70   |
| Dibrom                 | qt          |            | \$18.70     |             | \$18.25  |
| Di-Syston L 8E         | qt          | \$21.35    | \$19.45     | \$18.25     | \$19.70  |
| Di-Syston 15G          | lb          | \$2.10     | \$1.80      | \$1.70      | \$1.70   |
| Dyfonate 4EC           | qt          |            | \$13.05     | \$13.50     |          |
| Dyfonate 10G           |             |            |             | \$1.45      |          |
| Dyfonate 15G           | lb          |            |             | \$1.90      |          |
| Furadan 4F             | qt          |            | \$19.10     | \$18.65     | \$19.75  |
| Guthion 50WP           | lb          | \$9.00     | \$8.55      | \$8.95      | \$8.75   |
| Imidan 70WP            | lb          | \$7.40     | \$6.20      | \$6.70      | \$7.00   |
| Lorsban 4E             | qt          | \$12.85    | \$12.50     | \$12.75     | \$12.80  |
| Lorsban 15G            | lb          |            | \$1.95      | \$1.90      | \$2.00   |
| Malathion (5 lb)       | qt          |            | \$6.70      | \$6.50      | \$5.55   |
| Malathion 8EC          | qt          | \$7.65     | \$8.30      | \$8.80      |          |
| Malathion 57EC         | qt          |            | \$6.10      | \$6.25      | \$6.40   |
| Metasystox R           | qt          |            | \$16.50     | \$12.15     | \$15.65  |
| Mocap 10G              | lb          |            | \$1.55      | \$1.35      | \$1.45   |
| Mocap L 6EC            | qt          |            | \$17.80     | \$16.80     | \$17.90  |
| Monitor 4              | qt          |            | \$19.05     | \$20.00     | \$20.45  |
| Orthene                |             |            | \$11.60     |             | \$11.60  |
| Parathion 4EC          | qt          |            |             |             | \$9.15   |
| Methyl Parathion       | qt          | \$10.35    |             |             |          |
| Penncap-M              | qt          | \$8.95     | \$7.00      |             | \$7.50   |
| Phorate 20G            | lb          |            | \$1.90      | \$1.70      | \$1.65   |
| Pounce 3.2EC           | qt          | \$51.05    | \$51.55     | \$51.15     | \$52.50  |
| Provado                |             |            | \$131.75    | \$135.65    | \$128.30 |
| Reldan 3%              | lb          | \$2.50     | \$2.25      | \$2.30      | \$2.35   |
| Reldan L               | qt          | \$53.85    |             | \$56.00     | \$52.80  |
| Sevin 4F               | qt          | \$7.35     | \$6.15      |             |          |
| Sevin XLR              | qt          | \$8.35     | \$7.25      | \$7.50      | \$7.40   |

Table 8. Insecticide & Nematicide Prices By Region, 1998.

| Product            | Unit | <u>NI*</u> | SWI*   | SCI*   | SEI*   |
|--------------------|------|------------|--------|--------|--------|
| Supracide          | qt   |            | \$1.65 |        | \$1.65 |
| Temik 15G (L-n-L)  | lb   |            | \$3.60 | \$3.45 | \$3.70 |
| Thimet 20G (L-n-L) | lb   | \$2.25     | \$2.30 | \$2.10 | \$2.05 |
| Thiodan 3EC        | qt   | \$9.55     | \$9.55 | \$9.10 | \$8.60 |
| Thiodan 50WP       | lb   |            | \$6.85 |        |        |

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI), and Southeastern Idaho (SEI).

# Table 9. Stickers/Spreaders Prices By Region, 1998

| Product        | Unit | <u>NI*</u> | SWI*   | SCI*   | SEI*   |
|----------------|------|------------|--------|--------|--------|
| Ad-met         | qt   |            | \$5.20 |        |        |
| Ad-here        | qt   |            | \$6.85 |        |        |
| Excel 90       | qt   |            |        | \$5.00 | \$5.00 |
| Meth. Seed Oil | qt   |            |        | \$3.15 |        |
| Mor-Act        | qt   |            | \$1.65 |        |        |
| Para Spread    | qt   |            | \$2.90 |        |        |
| Preference     | qt   |            | \$3.25 |        | \$3.50 |
| Prime Oil      | qt   |            |        | \$2.50 |        |
| R-11           | qt   |            | \$4.00 |        |        |
| R-56           | qt   |            | \$5.45 |        |        |

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI), and Southeastern Idaho (SEI).

| Product                             | <u>NI*</u> | SWI*   | SCI*   | SEI*   |
|-------------------------------------|------------|--------|--------|--------|
| Nitrogen: Price per ton             | -          |        |        |        |
| Ammonium Nitrate (34-0-0-0)         | \$190      | \$236  | \$193  | \$184  |
| Ammonium Sulfate (20-0-0-24)        | \$199      | \$193  | \$180  | \$183  |
| Urea (46-0-0-0)                     | \$240      | \$225  | \$209  | \$213  |
| 26-0-0-6                            | \$198      | \$187  | \$160  |        |
| Anhydrous Ammonia (82%)             | \$452      | \$418  | \$257  | \$385  |
| Aqua Ammonia (21%)                  |            | \$120  |        |        |
| Solution 32 (32-0-0-0)              |            | \$183  | \$179  | \$183  |
| Thio Sul (12-0-0-26)                |            | \$200  | \$179  | \$181  |
| Nitrogen, Liquid: Price per gallon  |            |        |        |        |
| Aqua Ammonia (21%)                  | \$0.32     |        |        |        |
| Solution 32 (32-0-0-0)              | \$1.35     | \$1.05 |        |        |
| Thio Sul (12-0-0-26)                | \$1.18     | \$1.00 |        |        |
| Phosphate, Dry: Price per ton       |            |        |        |        |
| 16-20-0                             | \$240      | \$230  | \$230  | \$222  |
| 11-52-0                             | \$327      | \$310  | \$289  | \$298  |
| 10-34-0                             | \$233      | \$305  | \$280  | \$292  |
| 3-30-0-4                            |            | \$250  | \$227  |        |
| Phosphate, Liquid: Price per gallon |            |        |        |        |
| 10-34-0                             | \$2.02     |        |        |        |
| Potash: Price per ton               |            |        |        |        |
| Muriate of Potash (0-0-60-0)        | \$202      | \$187  | \$185  | \$178  |
| Sulfate of Potash (0-0-50-17)       |            | \$310  | \$293  | \$298  |
| Liquid Potash                       |            | \$85   | \$76   | \$81   |
| Trace: Price per lb. of element     |            |        |        |        |
| Zinc                                | \$1.15     | \$1.00 | \$1.25 | \$1.20 |
| Manganese                           | \$0.96     | \$1.30 | \$1.80 | \$1.50 |
| Boron                               | \$2.95     | \$4.05 | \$3.80 | \$3.35 |
| Copper                              | \$4.60     | \$4.45 | \$4.50 | \$4.90 |
| Iron                                | \$1.60     | \$1.50 |        |        |
| Sulfur                              |            | \$0.15 | \$0.13 | \$.16  |
| Gypsum                              |            | \$0.04 |        |        |

# Table 10. Fertilizer Prices By Region, 1998.

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI) and Southeastern Idaho (SEI).

|  | Unit | <u>NI*</u> | <u>SWI*</u> | <u>SCI*</u> | SEI*   |
|--|------|------------|-------------|-------------|--------|
| Alfalfa (private)                      | lb   | \$2.50     | \$2.20      | \$2.35      | \$2.40 |
| Alfalfa (public)                       | lb   | \$1.75     | \$1.65      | \$1.65      | \$1.60 |
| Barley: Feed                           | lb   | \$0.16     | \$0.12      | \$0.13      | \$0.13 |
| Barley: Malting (private)              | lb   |            |             | \$0.15      | \$0.15 |
| Dry Beans                              | lb   |            | \$0.34      | \$0.32      |        |
| Canola                                 | lb   |            |             |             |        |
| Clover:Red                             | lb   |            |             |             |        |
| Clover: Ladino                         | lb   |            |             |             |        |
| Field Corn                             | lb   |            | \$1.60      |             |        |
| Silage Corn                            | lb   |            | \$1.60      |             |        |
| Garbono Beans                          | lb   | \$0.50     |             |             |        |
| Blue Grass (common)                    | lb   | \$0.70     |             |             |        |
| Blue Grass (proprietary)               | lb   | \$2.00     |             |             |        |
| Orchard Grass                          | lb   | \$1.00     |             |             |        |
| Timothy Grass                          | lb   | \$0.60     |             |             |        |
| Lentils                                | lb   | \$0.21     |             |             |        |
| Oats                                   | lb   | \$0.17     |             |             |        |
| Dry Peas                               | lb   | \$0.20     |             |             |        |
| Rapeseed Seed                          | lb   | \$0.20     |             |             |        |
| Sugarbeet Pelleted Seed                | unit |            |             |             |        |
| <sup>1/</sup> Potatoes: Chipping G-4   | cwt  |            |             |             | \$9.00 |
| <sup>1/</sup> Potatoes: R. Burbank G-3 | cwt  |            | \$7.50      | \$7.00      | \$6.00 |
| <sup>1/</sup> Potatoes: R. Burbank G-2 | cwt  |            |             |             | \$7.40 |
| <sup>1/</sup> Potatoes: Shepody G-4    | cwt  |            | \$8.00      | \$7.50      | \$6.50 |
| <sup>1/</sup> Potatoes: Shepody G-3    | cwt  |            | \$9.00      | \$8.50      | \$7.50 |
| Wheat: Hard Red Spring                 | lb   | \$0.18     |             | \$0.17      | \$0.16 |
| Wheat: Hard Red Winter                 | lb   |            |             |             | \$0.15 |
| Wheat: Soft White Spring               | lb   | \$0.15     | \$0.13      | \$0.13      | \$0.13 |
| Wheat: Soft White Winter               | lb   | \$0.15     | \$0.12      | \$0.12      | \$0.13 |

# Table 11. Seed Prices By Region, 1998.

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI), and Southeastern Idaho (SEI).

1/ Seed potato prices include a base price plus transportation. Transportation and handling costs for SWI, SCI, and SEI are \$3.00, \$2.50, and \$1.50 respectively.

|                     | <u>NI*</u> | <u>SWI*</u> | <u>SCI*</u> | SEI*    |
|---------------------|------------|-------------|-------------|---------|
| Alfalfa Seed        |            | \$ 4.25     | \$ 4.50     |         |
| Feed Barley         |            | \$ 2.25     | \$ 4.00     | \$ 3.90 |
| Dryland Barley      | \$ 1.78    |             | \$ 4.10     | \$ 3.90 |
| Malting Barley      |            |             | \$ 4.00     | \$ 3.90 |
| Field Corn          |            | \$ 1.05     | \$ 3.35     |         |
| Sweet Corn          |            |             | \$ 3.00     |         |
| Dry Beans           |            | \$ 2.50     | \$ 3.00     |         |
| Lentils             | \$ 3.50    |             |             |         |
| Oats                | \$ 1.00    |             |             |         |
| Onions              |            | \$ 2.10     |             |         |
| Green Peas          |            |             | \$ 5.00     |         |
| Pea Seed            | \$ 3.25    |             | \$ 5.00     | \$ 4.50 |
| Commercial Potatoes |            | \$ 1.50     | \$ 2.00     | \$ 2.00 |
| Seed Potatoes       |            |             |             | \$ 2.50 |
| Sugarbeets          |            | \$ 2.00     | \$ 3.50     | \$ 4.00 |
| Wheat               |            | \$ 1.50     | \$ 2.00     | \$ 2.00 |
| Dryland Wheat       | \$ 1.00    |             | \$ 4.10     | \$ 2.00 |

Table 12. Insurance Rates Per \$100 of Crop Value By Region, 1998.

\* Northern Idaho (NI), Southwestern Idaho (SWI), Southcentral Idaho (SCI) and Southeastern Idaho (SEI).

## **CROP AND LIVESTOCK COSTS AND RETURNS ESTIMATES ORDER FORM**

On the following page is a list of costs and returns (CAR) estimates available through the University of Idaho Department of Agricultural Economics and Rural Sociology. These same CAR estimates are also available on a diskette that can be used with the Enterprise Budget Worksheet Program. CAR estimates are also available at no charge on the Agricultural Economics Department homepage in PDF format. The URL is: http://www.uidaho.edu/ag/agecon

| To order: | Check the  | appropriate | box | next | to | the | items | desired, | or | circle | the | publication | number | on | the | following |
|-----------|--|-------------|-----|------|----|-----|-------|----------|----|--------|-----|-------------|--------|----|-----|-----------|
|           | page and mail this order form and your check to: |             |     |      |    |     |       |          |    |        |     |             |        |    |     |           |

Bob Smathers Department of Agricultural Economics & Rural Sociology University of Idaho Moscow, ID 83844-2334

| Make c               | heck payable to   | b: Bursar, Uni<br>*Idaho resid                             | versity of Idaho.<br>dents add 5% for s    | Price includes pales tax.           | postage   |                       |                         |                  |
|----------------------|---|--|--|-------------------------------------|-----------|-----------------------|-------------------------|------------------|
|                      | District I Crop CAR Estimates - Northern Idaho: 18 budgets  |  |  |                                     |           |                       |                         | \$9.00           |
|                      | District II Cro   | op CAR Estimat   | es - Southwestern                          | Idaho: 18 budge                     | ts        |                       |                         | \$10.00          |
|                      | District III C  | op CAR Estima  | tes - Southcentral 1                       | Idaho: 27 budge                     | ets       |                       |                         | \$13.00          |
|                      | District IV Cr<br>(District Cro   | op CAR Estima<br>p Budgets are s                           | tes - Southeastern<br>ent in a report cov  | Idaho: 16 budg<br>ver with fastener | ets<br>s) |                       |                         | \$9.00           |
|                      | Livestock CA  | R Estimates: 20  | ) budgets (Includes                        | s 3-ring binder)                    |           |                       |                         | \$14.00          |
|                      | Enterprise Bu   | dget Worksheet   | Computer Program                           | m                                   |           |                       |                         | \$25.00          |
|                      | Data Disk: \$   | 5.00 each  | Indicated size of                          | of disks: 5-                        | 1/4" or   | 3-1/2"                |                         |                  |
|                      | □ a. D<br>□ b. D<br>□ c. D  | istrict I Crops<br>District II Crops<br>District III Crops |  |                                     | l. Distr  | ict IV Crops<br>stock |                         |                  |
|                      | Crop and Live<br>(Includes 3-)  | estock CAR Esti  | mates Notebook .<br>all crop & livestoc    | k CAR Estimate                      | s)        |                       |                         | \$50.00          |
|                      | Crop and Livestock CAR Estimates Notebook + Enterprise<br>Budget Worksheet Program and Data Disks |  |  |                                     |           |                       |                         |                  |
| If indiv<br>priced a | idual CAR Est<br>at 40 cents each   | imates are desir<br>for crops and 5                        | ed instead, please<br>0 cents each for liv | indicate their p<br>vestock.        | ublicati  | on number be          | low. Individual (       | CAR Estimates an |
| EBB                  | EBB_  | EBB  | EBB  | EBB                                 |           | EBB                   | EBB                     | 1000             |
| EBB                  | EBB_  | EBB  | EBB  | EBB_                                | _         | EBB                   | EBB                     | _                |
| EBB                  | EBB_  | EBB  | EBB_                                       | EBB_                                |           | EBB                   | EBB                     | -                |
| Name:                |   |  |  | Institution:                        | _         |                       |                         | _                |
| Mailing              | Address:  |  |  | Phone Numbe                         | r:        | _                     |                         | -                |
|                      |   |  |  |                                     |           | Pat\data\inco         | osts \cics98.doc. 1/25/ | 99               |

# Publications

| Crop CAR Estimates | <u>s (1997)</u>                            | EBB6-AE1-97       | Alfalfa Hay Establishment w/Barley          |  |  |  |
|--------------------|--|-------------------|---|--|--|--|
| NORTHERN IDAH      | O - DISTRICT I                             | EDD0-AE2-97       | Anana Hay Establishment w/Oats              |  |  |  |
| FRR1.GR.97         | Garbonzo Beans                             | COLUMNE           | NIDANO DISTRICT IV                          |  |  |  |
| EBB1-SC-9          | Spring Canola                              | SOUTHEASTER       | NIDAHO - DISTRICTIV                         |  |  |  |
| EBB1-1 0.07        | I ontile                                   | EBB4-P01-97       | Russet Burbank Comm. Potatoes: No Storage   |  |  |  |
| EBB1-5P-97         | Spring Peas                                | EBB4-P02-97       | R. Burbank Comm. Potatoes: On-Farm Storage  |  |  |  |
| EBB1-WR-97         | Winter Raneseed                            | EBB4-P03-97       | Chipping Potatoes: On-Farm Storage          |  |  |  |
| EBB1-RSL07         | Bluegrass Seed. Irrigated                  | EBB4-P04-97       | G-3 Russet Burbank Seed Potatoes            |  |  |  |
| EBD1-DS1-97        | Bluegrass Seed. Fitigated                  | EBB4-Su-97        | Sugarbeets                                  |  |  |  |
| EBB1-BS-07         | Bluegrass Seed                             | EBB4-PS-97        | Dry Pea Seed                                |  |  |  |
| EDD1-DS-57         | Bluegrass Seed Establishment               | EBB4-SC-97        | Spring Canola                               |  |  |  |
| EBB1-DSE-57        | Timothy Gross Soud                         | EBB4-SCD-97       | Spring Canola: Dryland                      |  |  |  |
| EBB1.TSE.07        | Timothy Grass Seed Establishment           | EBB4-FB-97        | Feed Barley                                 |  |  |  |
| EDD1-13E-57        | Food Borley                                | EBB4-FBD-97       | Feed Barley: Dryland                        |  |  |  |
| EBB1-00-07         | Oats                                       | EBB4-MB-97        | Malting Barley                              |  |  |  |
| EDDI-OA-57         | Cals<br>Soft White Winter Wheet            | EBB4-HRS-97       | Hard Red Spring Wheat                       |  |  |  |
| EBBLAH 07          | Alfalfa Hay Production                     | EBB4-SWS-97       | Soft white Spring wheat                     |  |  |  |
| EDDI-AH-97         | Alfalfa Hay Establishment                  | EBB4-WWD-97       | Summer Fallow-Winter Wheat: Dryland         |  |  |  |
| EDDI-AE-97         | Cross Hoy Production                       | EBB4-AH-97        | Alfalfa Hay Production                      |  |  |  |
| EDDI-GH-9/         | Grass Hay Froduction                       | EBB4-AE-97        | Alfalfa Hay Establishment in Grain Stubble  |  |  |  |
| EDDI-GHE-9/        | Grass Hay Establishment                    |                   |   |  |  |  |
| SOUTHWESTERN       | IDAHO - DISTRICT II                        | Linesteek CAD E   | stimates (1909)                             |  |  |  |
| EBB2-DB-97         | Commercial Dry Beans                       | EDD D1 00         | Dairy Entermise Annual Car Budget           |  |  |  |
| EBB2-CSi-97        | Corn Silage                                | EDD-D1-98         | 20 000 mered Mills Amere of Holdstein Hand  |  |  |  |
| EBB2-EC-97         | Field Corn                                 | EDD DA 60         | 20,000 pound Milk Average Hoistein Herd     |  |  |  |
| EBB2-00-97         | Onions                                     | EBB-D2-98         | Dairy Enterprise Annual Cow Budget          |  |  |  |
| EBB2-01-97         | Busset Burbank Comm Potatoes: No Storage   | EDD D2 00         | 22,000 pound Milk Average Holstein Herd     |  |  |  |
| EDD2-101-97        | Shapady Commercial Batataas: No Storage    | EBB-D3-98         | Dairy Enterprise Annual Cow Budget          |  |  |  |
| EDD2-102-7/        | Superboste                                 |                   | 15,000 pound Milk Average Jersey Herd       |  |  |  |
| EDD2-30-97         | Mint                                       | EBB-DR1-98        | Holstein Replacement Enterprise Budget      |  |  |  |
| EBB2-MI-9/         | Mint Establishment                         | EBB-DR2-98        | Jersey Replacement Enterprise Budget        |  |  |  |
| EDD2-MIE-9/        | Alfalfa Saad                               | EBB-CC1-98        | Cow-Calf—250 Cow                            |  |  |  |
| EDB2-A5-97         | Fred Boyley                                |                   | Summer on Private Range                     |  |  |  |
| EBB2-FB-9/         | Feed Darley                                | Sector Sector     | Winter Feeding Necessary                    |  |  |  |
| EBB2-SW-97         | Spring wheat                               | EBB-CC2-98        | Cow-Calf—200 Cow                            |  |  |  |
| EBB2-WW-9/         | winter wheat                               |                   | Summer on Private Pasture and Federal Range |  |  |  |
| EBB2-AH-9/         | Alfalfa Hay Production                     |                   | Winter Feeding Necessary                    |  |  |  |
| EBB2-AE1-97        | Alfalfa Hay Establishment                  | EBB-CC3-98        | Cow-Calf—500 Cow                            |  |  |  |
| EBB2-AE2-97        | Alfalfa Establishment w/Oats               |                   | Summer on Federal Range                     |  |  |  |
| EBB2-Pa-97         | Pasture                                    |                   | Winter on Federal and Private Range         |  |  |  |
| EBB2-PaE-97        | Pasture Establishment                      | EBB-CC4-98        | Cow-Calf—500 Cow                            |  |  |  |
| EBB2-Fu-98         | Fuji Apple Production                      |                   | Summer on Federal and State Range           |  |  |  |
| CONTRACTOR         | DANO DISTRICT III                          |                   | Winter Feeding Necessary                    |  |  |  |
| SOUTHCENTRAL       | IDAHO · DISTRICT III                       | EBB-CC5-98        | Cow-Calf—300 Cow                            |  |  |  |
| EBB3-DB-97         | Commercial Dry Beans                       |                   | Summer on Federal and State Range           |  |  |  |
| EBB3-CS-97         | Corn Silage                                |                   | Winter on Harvested Feeds & Crop Aftermath  |  |  |  |
| EBB3-FC-97         | Field Corn                                 | <b>EBB-ST1-98</b> | Stocker-200 Head                            |  |  |  |
| EBB3-SC-97         | Sweet Corn                                 |                   | Wintered to go to Feedlot                   |  |  |  |
| EBB3-PS-97         | Dry Pea Seed                               |                   | Bought in Winter, Sold in Fall              |  |  |  |
| EBB3-Po1-97        | Russet Burbank Comm. Potatoes: No Storage  | EBB-ST2-98        | Stocker-200 Head                            |  |  |  |
| EBB3-Po2-97        | R. Burbank Comm. Potatoes: On-Farm Storage |                   | Wintered to go to Feedlot                   |  |  |  |
| EBB3-Su-97         | Sugarbeets                                 |                   | Bought in Fall, Sold in Spring              |  |  |  |
| EBB3-AS-97         | Alfalfa Seed                               | EBB-ST3-98        | Stocker-200 Head                            |  |  |  |
| EBB3-BS-97         | Blue Grass Seed                            |                   | No Wintering                                |  |  |  |
| EBB3-BSE-97        | Blue Grass Seed Establishment              |                   | Bought in Spring, Sold in Fall              |  |  |  |
| EBB3-FB-97         | Feed Barley                                | <b>EBB-FL1-98</b> | Idaho Cattle Feedlot                        |  |  |  |
| EBB3-MB-97         | Malting Barley                             |                   | Calf to Slaughter: Concentrate Ration       |  |  |  |
| EBB3-HRS-97        | Hard Red Spring Wheat                      | <b>EBB-FL2-98</b> | Idaho Cattle Feedlot                        |  |  |  |
| EBB3-SWS-97        | Soft White Spring Wheat                    |                   | Yearling to Slaughter: Concentrate Ration   |  |  |  |
| EBB3-SWW-97        | Soft White Winter Wheat                    | EBB-SR1-98        | Sheep-Range                                 |  |  |  |
| EBB3-AH-97         | Alfalfa Hay Production                     | and a reference   | Ewes on Range and Lambs on Drylot           |  |  |  |
| EBB3-AE1-97        | Alfalfa Hay Establishment w/Peas           |                   | Winter Feeding Necessary                    |  |  |  |
| EBB3-AE2-97        | Alfalfa Hay Est. following Winter Wheat    | EBB-SR4-98        | Sheen-Range                                 |  |  |  |
|                    |  | 222 011170        | Ewes on range and Lambs on Pasture          |  |  |  |
| Blaine & Lin       | coln Counties                              |                   | Wintered on Alfalfa Pasture                 |  |  |  |
| EBB5-MB-97         | Malting Barley                             | EBB.SF1-08        | Sheen-Farm Flock                            |  |  |  |
| EBB5-SW-97         | Spring Wheat                               | LDD-311-90        | Ewes on Pasture and Lambe on Devlat         |  |  |  |
| EBB5-AH-97         | Alfalfa Hay Production                     | FRR SWI 09        | Swine Budget                                |  |  |  |
| EBB5-AE-97         | Alfalfa Hay Establishment                  | 100-011-90        | 100 Sow Farrow to Finish                    |  |  |  |
|                    |  |                   | Total Confinement                           |  |  |  |
|                    |  | FRR CWA 00        | Swine Budget                                |  |  |  |
| Lemhi, Cust        | er & Butte Counties                        | 200-3114-90       | 150 Sow Farrow to Finish                    |  |  |  |
| EBB6-FB-97         | Feed Barley                                |                   | Semi-Confinement                            |  |  |  |
| EBB6-AH-97         | Alfalfa Hay Production                     |                   | Open Front Facilities                       |  |  |  |
|                    |  |                   | open rion racintes                          |  |  |  |

.