

CAMAS PRAIRIE RAILROAD CO.

Employees' Time Table

Effective June 19, 1932

12:01 A. M. "Pacific Time"

For the Government and Information of Employees only, and not intended for the use of the public
The Company reserves the right to vary from this Time Table at pleasure

R. E. HANRAHAN, *Manager*

Westward

FIRST SUBDIVISION

Eastward

THIRD CLASS					Second Class	FIRST CLASS					Station Numbers	Distance from Stites	Water, Fuel, Scales Tables, Wyes, Yard Limits.	Time Table No. 72 Effective June 19, 1932 Succeeding No. 71					Distance from Arrow	Distance from Lewiston	Capacity of Side Tracks	FIRST CLASS					Second Class	THIRD CLASS	
885 Freight	857 Freight		661 N. P. Freight		323 Passenger	343 Passenger	311 N. P. Passenger	327 Motor Passenger	313 N. P. Passenger							STATIONS							312 N. P. Passenger	324 Passenger	344 Passenger	328 Motor Passenger	314 N. P. Passenger		662 N. P. Freight
Tuesdays Thursdays Saturdays	Tuesdays Thursdays Saturdays		Ex. Sun.		Daily	Daily	Daily	Daily	Daily				TELEGRAPH OFFICES and CALLS				Daily	Daily	Daily	Daily	Daily		Ex. Sun.		Mondays Wed'n'days Fridays	Mondays Wed'n'days Fridays			
AM 6.00					PM 12.30 324					CS 66	0.0	C	St STITES D	62.7	76.2	46	PM 12.10 323									PM 2.30			
6.15					s 12.40					CS 63	3.2	W2 1/2 M W	Ko KOOSKIA D	59.5	73.0	32	s 11.59										2.20		
6.50					s 1.00					CS 55	11.2		Ka KAMIAH D	51.5	65.0	26	s 11.29										1.50		
7.05					f 1.19					CS 49	17.0		TRAMWAY	45.7	59.2	23	f 11.17										1.30		
7.11					f 1.24 886					CS 47	18.4		PARDEE	44.3	57.8	Spur 8	f 11.13										1.24 323		
7.35					f 1.40					CS 41	24.5		CHAPIN	38.2	51.7	Spur 20	f 10.55										1.00		
7.40					s 1.44					CS 40	25.4		Gr GREER D	37.3	50.8	26	s 10.52										12.45		
8.00					f 1.52					CS 37	29.4		PENOYER	33.3	46.8	Spur 2	f 10.42										12.25		
8.10					f 1.55					CS 34	31.0		JORDAN	31.7	45.2	Spur 6	f 10.35										12.15		
9.50					s 2.09			AM 7.05		CS 32	33.7	W C T X	Of OROFINO P.D	29.0	42.5	232	s 10.30				PM 2.40						PM 12.01		
10.16 324					f 2.19			s 7.13		CS 28	37.4		AHSAHKA	25.3	38.8	38	s 10.16 885				s 2.31						AM 11.10		
10.35					f 2.25 328			f 7.18		CS 26	40.2		MAGILL	22.5	36.0	Spur 7	f 10.09				f 2.25 323						11.00		
10.45					f 2.33			s 7.24		CS 23	42.4		Pk PECK D	20.3	33.8	49	s 10.04				s 2.18						10.55		
11.15					s 2.49			s 7.40		CS 17	49.3	W	Ln LENORE D	13.4	26.9	15	s 9.46				s 2.00						10.30		
11.25					s 2.53			f 7.44		CS 15	51.0		AGATHA	11.7	25.2	17	f 9.40				f 1.56						10.20		
11.35					f 2.55			f 7.46		CS 14	52.0		DOLOMITE	10.7	24.2	Spur 6	f 9.37				f 1.53						10.15		
AM 11.50					f 3.06			f 7.56		CS 9	56.8		CHEERYLANE	5.9	19.4	Spur 6	f 9.25				f 1.44						10.05		
PM 12.00			N. P.		f 3.16		N. P.	f 8.01	N. P.	CS 7	59.1		MYRTLE	3.6	17.1	14	N. P.	f 9.19			f 1.40	N. P.	N. P.				9.55		
12.25	See Page 3		AM 3.20		s 3.22 314	See Page 3	PM 1.30 328	s 8.12 312	AM 1.30	CS 3	62.7	Y X	Rw ARROW P.D	0.0	13.5	85	AM 8.12 327	s 9.09	See Page 3	s 1.30 311	PM 3.22 323		PM 7.00	See Page 3		9.40			
12.40	AM 9.41		3.35		s 3.30	PM 3.04	s 1.38	s 8.20	s 1.38	CP 83	65.9	Y X	SPALDING P.		10.3	0	s 8.01	s 9.01	s 9.06	s 1.22	s 3.10		6.52	AM 7.25 327		9.25			
1.19 328	9.45		3.45		f 3.33	f 3.07 314	f 1.41	f 8.23	f 1.41	CP 82	66.8	X	NORTH LAPWAI P.		9.4	25	f 7.58	f 8.58	f 9.03	f 1.19 885	f 3.07 343		6.49		7.22	9.22			
1.32	10.00		4.00		3.45	3.19	1.54	8.35	1.54		73.1	X	FOREBAY P.		3.1	200	7.46	8.45	8.50	1.06	2.55		6.33		7.05	9.05			
1.40	AM 10.05		AM 4.05		3.48	3.22	1.57	8.37	1.57		74.7	O W C T X	Fy EASTLEWISTON P.D N.		1.5	450	7.43	8.43 886	8.48 886	1.03	2.52		6.30		7.00	AM 9.00 324 L 327 344			
					3.52	3.25	2.00	8.40	2.00	CP 72	76.2	X	Wn De LEWISTON P. DN		0.0		AM 7.40	AM 8.40 327 L	AM 8.45 327 L	PM 1.00	2.50								
Tuesdays Thursdays Saturdays	Tuesdays Thursdays Saturdays		Ex. Sun.		Daily	Daily	Daily	Daily	Daily				Time Over District				.32	3.30	.21	1.40	.32		.30		.25	5.30			
7.40	.24		.45		3.22	.21	.30	1.35	.30				Average Speed Per Hour				25.3	21.8	29.4	25.5	25.3		24.0		21.1	13.6			

Eastward Trains Are Superior to Trains of the Same Class in Opposite Direction.

Westward

SECOND SUBDIVISION

Eastward

Third Class		First Class		Water, Fuel, Scales, Tables, Wyes and Yard Limits	Station Numbers	Distance from Grangeville	Time Table No. 72 Effective June 19, 1932 Succeeding No. 71		Distance from Spalding	Capacity of Side Tracks	First Class		Third Class		
857 Freight		343 Passenger					STATIONS				344 Passenger		858 Freight		
Tuesdays Thursdays Saturday		Daily		Telegraph Offices and Calls		Daily		Mondays Wedn'sdys Friday							
AM L	4.30	PM L	12.21 344	W Y	C P	0.0	Ge	GRANGEVILLE	D	66.5	60	PM A	12.01 343	PM A	2.00
	5.00	s	12.38		C P	7.1	Fn	FENN	D	59.4	35	s	11.38		1.37
	5.30	s	12.57		C P	15.6	Co	COTTONWOOD	D	50.9	50	s	11.19		1.12
	5.40		1.02 858		C P	17.9		ROCK SPUR		48.6	10		11.12		1.02 343
	5.50		1.07		C P	20.7		SAND SPUR		45.8	10		11.07		12.50
	6.05	s	1.15	W X	C P	24.2	Rg.	FERDINAND	D	42.3	20	s	11.01		12.40
	6.35	s	1.34	X	C P	32.1	Vo	CRAIGMONT	D	34.4	30	s	10.44	PM	12.10
	7.00	s	1.44	X	C P	36.6		CRAIG JUNCTION	P	29.9	9	s	10.34	AM	11.40
				X	C P	36.9		CLICKS		29.6	6				
	7.30	s	1.54	W YCX	C P	40.4	Ru	REUBENS	P D	26.1	30	s	10.24		11.20
	8.00		2.12	w	C P	47.0		NUCRAG	P	19.5	11		10.00		10.20
	8.35	s	2.35	w	C P	54.5	Cu	CULDESAC	D	12.0	20	s	9.40 858		9.40 344
	8.45	f	2.40		C P	57.0		JACQUES		9.5	8	f	9.31		8.07
	8.55	f	2.43		C P	58.6		BUNDY		7.9	15	f	9.27		8.00
	9.20 344	f	2.50		C P	61.2		SWEETWATER		5.3	20	f	9.20 857		7.50
	9.30	s	2.56	X	C P	63.0	Fi	FORT LAPWAI	D	3.5	25	s	9.14		7.40
	9.41 AM A	s	3.04 PM A	YX	C P	66.5		SPALDING	P	0.0	No Sdg.	s	9.06 AM L	AM L	7.25 AM L
	Tuesdays Thursdays Saturday See Page 2		Daily See Page 2										Daily See Page 2		Mondays Wedn'sdys Friday See Page 2
	5.11		2.43					66.5					2.55		6.35
	12.8		24.5					Time Over District					23.1		10.1
								Average Speed Per Hour							

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION

SPECIAL INSTRUCTIONS PAGES 4, 5 and 6

Westward

THIRD SUBDIVISION

Eastward

Second Class		First Class		Water, Fuel, Scales, Tables, Wyes and Yard Limits	Station Numbers	Distance from Lewiston	Time Table No. 72 Effective June 19, 1932 Succeeding No. 71		Distance from Riparia	Capacity of Side Tracks	First Class		Second Class		
859 Freight		73 O. W. Mixed					STATIONS				74 O. W. Mixed		860 Freight		
Daily		Daily		Telegraph Offices and Calls		Daily		Daily							
PM L	7.00	PM L	7.40	O W C TX	C P	0.0	De Wn	LEWISTON	P DN	72.0	450	AM A	7.30	AM A	3.45
	7.03		7.43		C P	1.0		TRANSFER		71.0	15		7.27		3.42
	7.18	f	7.52		C P	6.1		WILMA	P	65.9	70	f	7.19		3.27
	7.28	f	7.58		C P	9.5		ALPOWA		62.5	4	f	7.14		3.17
	7.31	f	8.00		C P	10.3		MOSES		61.7	70	f	7.13		3.14
	7.51	f	8.13	w	C P	17.1		INDIAN		54.9	70	f	7.03		2.54
	8.07	f	8.24		C P	22.5		BISHOP	P	49.5	70	f	6.53		2.38
	8.12	f	8.27		C P	24.3		TRUAX		47.7	14	f	6.50		2.33
	8.23	f	8.34		C P	28.1		CRUM		43.9	75	f	6.43		2.22
	8.26	f	8.36		4 P	29.1		WAWAWAI	P	42.9	14	f	6.41		2.19
	8.29	f	8.38		C P	30.1		INTERIOR		41.9	19	f	6.39		2.16
	8.36	f	8.45		C P	33.8		BOYART		38.2	2	f	6.32		2.05
	8.41	s	8.49	w	C P	36.0		ALMOTA	P	36.0	70	s	6.28		1.59
	8.56 73	f	8.56 859		C P	39.9		SCHULTZ		32.2	3	f	6.21		1.48
	9.06	f	9.02		C P	42.8		SWIFT		29.2	70	f	6.15		1.39
	9.21	f	9.12		C P	48.1		PENAWAWA	P	23.9	70	f	6.05		1.24
	9.37	f	9.22		C P	53.3		PURRINGTON		18.7	12	f	5.55		1.09
	9.46	f	9.27		C P	56.1		PEYTON		15.9	4	f	5.50		1.01
	9.50	f	9.30	w	C P	57.5		CENTRAL FERRY	P	14.5	70	f	5.47		12.57
	10.06	f	9.38		C P	62.4		RIDPATH		9.6	28	f	5.38		12.43
PM A	10.30	PM A	10.00	C Y WX	C P	72.0	Ax	RIPARIA	P DN	0.0	70	AM L	5.20	AM L	12.15
	Daily		Daily					72.0				Daily		Daily	
	3.30		2.20					Time Over District				2.10		3.30	
	20.6		30.9					Average Speed Per Hour				33.2		20.6	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION EXCEPT NO. 859 IS SUPERIOR TO NO. 860.

SPECIAL INSTRUCTIONS PAGES 4, 5 and 6

GENERAL INSTRUCTIONS

Employees will be governed by the Operating Department Rules and Regulations of the Northern Pacific Railway and must provide themselves with a copy of the Book of Rules and Regulations of the Operating Department of that Company. On the tracks of the Oregon-Washington Railroad and Navigation Company at Riparia, employees will be governed by the Transportation Department Rules of that company and current time-table of its Washington division and must provide themselves with a copy of the Transportation Department Rules and current time-table of the Washington Division of the O. W. R. & N. Company.

SPECIAL INSTRUCTIONS

ALL SUBDIVISIONS

1. Except as otherwise provided enginemen will only be required to consult register at initial or starting point.
2. Conductors of work trains will issue instructions to their flagmen in writing except when flagman goes back immediately to stop an approaching train.
3. When necessary to take slack of freight trains with helper on rear, it should be done by the helper engine.
4. Before moving a work or wrecking train, the whistle signal (14-b) or (14-h) must be sounded for the protection of men working about such train.
5. Derail switches must be kept in derail position when not in use.

FIRST SUBDIVISION

1. **AT ARROW**—Time of trains applies at Junction switch... Unless otherwise specified, right of track and meet orders will be fulfilled at the Junction switch.
2. **AT FOREBAY**—Time of trains applies at cross-over switch.

3 SPEED RESTRICTIONS:

LOCATION	Maximum Speed		REMARKS
	Miles per Hour		
	Pasgr.	Frt.	
At any point	15	15	Engines running backward.
Between Lewiston and Orofino..	35	25	On tangents, except Motor car trains 45 miles per hour.
	25	20	On curves of over 3 degrees.
	20	20	When handling wrecker, ditcher or pile driver.
Between Orofino and Stites	25	20	On tangents, except trains handling poles and refrigerator cars 15 miles per hour.
	20	15	On curves of over 3 degrees.
	12	12	When handling wrecker, ditcher or pile driver.
At Lewiston	4	4	Over 18th Street crossing.
At East Lewiston	15	15	Over east switch.
At Arrow, over Bridge "O"	10	10	Engines OW class "MK" and N. P. class "W" and heavier.
At Orofino, over Bridge 29-1	8	8	Engines OW class "MK" and N. P. class "W."
At Clearwater River, over Bridge 50-1	8	8	Double header engines weighing 135,000 on drivers or heavier.

4. BRIDGE AND ENGINE RESTRICTIONS:

At Magill, OW class "MK" and N. P. class "W" engines, or heavier, not permitted on spur.
 At Orofino, engines heavier than N. P. class "F-1" will not go east of Kerr Gifford Spur.
 On Bridge 29-1, engines heavier than OW class "MK" and N. P. class "W" not permitted.

Westward		FOURTH SUBDIVISION			Eastward			
Water, Fuel, Scales Tables, Wyes and Yard Limits	Station Numbers	Distance from Headquarters	Time Table No. 72 Effective June 19, 1932 Succeeding No. 71			Distance from Orofino	Capacity of Side Track	Camas Prairie or Industry
			STATIONS					
			TELEGRAPH OFFICES AND CALLS					
W C X Y	C H 40	0.0	HQ	HEADQUARTERS	P-D	40.0	138	
				2.0				
	C H 38	2.0		DEER CREEK	P	38.0	CTCo	
				2.1				
	C H 36	4.1		GRAVEL SPUR		35.9	6	
				1.8				
	C H 34	5.9		SUMMIT	P	34.1	56	
				1.5				
	C H 33	7.4		CARDIFF	P	32.6	Spur 11	Cardiff
				1.5				
	C H 32	8.9		HELPHREY		31.1	Spur 5	
				.4				
	C H 31	9.3		KINNEY JUNCTION	P	30.7		C T Co
				.7				
	C H 30	10.0		FERGUSON	P	30.0		C T Co
				.1				
	C H 29	10.1		REVLING		29.9	12	
				1.1				
W Y X	C H 28	11.2		JAYPE	P	28.8	110	
				2.2				
	C H 26	13.4		THREE MILE		26.6	6	
				4.7				
	C H 22	18.1		PLACER		21.9	Spur 8	
				.3				
	C H 21½	18.4		POORMAN		21.6	10	C T Co
				2.1				
	C H 19	20.5		HALEY		19.5	12	
				.7				
	C H 18	21.2		COW CREEK	P	18.8	Spur 8	
				4.2				
W	C H 15	25.4		RUDO	P	14.6	80	
				.1				
	C H 14	25.5		ROSS		14.5	Spur 2	
				1.7				
	C H 13	27.2		OLSON 2		12.8	Spur 3	
				.6				
	C H 12	27.8		OLSON 1		12.2	Spur 2	
				1.2				
	C. H. 11	29.0		LIME MOUNTAIN		11.0	Spur 6	
				1.4				
	C H 10	30.4		CEDAR CANYON		9.6	Spur 15	
				3.6				
	C H 6	34.0		FOHL	P	6.0	Spur 12	
				6.0				
W C T X	C S 32	40.0		OROFINO	P	0.0		

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION
 SPECIAL INSTRUCTIONS PAGES 4, 5 and 6

5. SPECIAL STOPS AND CONNECTIONS:

No. 311 will stop at North Lapwai to let off passengers from points east of Arrow.

No. 312, 324 and 344 will wait ten minutes at Lewiston for mail connections from Riparia.

Nos. 323, 327, 324 and 328 will stop on flag at Myrtle Bridge Fir Bluff, Big George, and at school house, just west of Dolomite.

No. 327 stop at Old Poor Farm between North Lapwai and Forebay to pick up cream.

No. 328 will handle empty cream cans and stop to put them off.

6. REGISTER STATIONS:

Lewiston—For first class trains and Passenger extras.

East Lewiston—For second class and inferior trains except Passenger extras.

Spalding.

Arrow.

Orofino.

Stites.

7. BULLETIN STATIONS: Lewiston, East Lewiston, Orofino, Stites.

8. YARD LIMITS: Tracks between yard limit signs east of Spalding on both the first and second subdivisions and yard limit signs west of North Lapwai will be operated as one yard.

Tracks between yard limit signs west of Lewiston and east of Forebay will be operated as one yard.

9. DERAIL SWITCHES:

Lewiston—West end of Northwest Cities Gas spur.

Dolomite—On Spur 423 ft. from head block.

Lenore—West end of warehouse track.

10. STANDARD TIME CLOCKS:

Lewiston, East Lewiston, Orofino, Stites.

11. WATCH INSPECTORS:

Lewiston, M. L. Haines.

Orofino, J. R. Hughes.

**SPECIAL INSTRUCTIONS
SECOND SUBDIVISION**

1. SPEED RESTRICTIONS:

LOCATION	Maximum Speed Miles per Hour		REMARKS
	Pasgr.	Frts.	
At any point	15 20	15 20	Engines running backward. When handling wrecker, ditcher or pile driver.
Between Spalding and Grangeville	35 25	25 20	On tangents. On curves of over 3 degrees.
Descending mountain Reubens to Culdesac			Passenger trains any one mile in three (3) minutes, and freight trains any one mile in four (4) minutes.
Through Tunnels 1 and 7	15	15	In both directions.

2. MOUNTAIN GRADES:

Light engines must not run backward.

Westward freight trains will stop as follows to cool wheels: Nucrag—10 minutes, and longer if wheels are found to be overheated. Culdesac—15 minutes.

At Culdesac and Reubens the normal position of train order signal will be "STOP" while operators are on duty. No eastward train will pass Culdesac nor westward train pass Reubens when operators are on duty, without a Form "A" clearance card authorized by the train dispatcher, except, when communication fails operator may issue clearance card endorsed "Means of communication have failed—Proceed at restricted speed." Clearance card should also show the time of departure of any preceding trains between points named. When operators are not on duty no trains will pass either Culdesac or Reubens in the direction named unless authorized by train order to do so.

Trains must not meet at Nucrag except by train order (Form S-A) and the first train arriving under such order must report its arrival promptly.

Operator at Culdesac will not report any westward train clear at that station until it is clear of the main track or the rear end of the train has passed the telegraph office 300 feet.

3. PUSHER DISTRICT: Between Lewiston and Reubens.

4. REGISTER STATIONS: Spalding, Grangeville.

5. BULLETIN STATIONS: Grangeville.

6. YARD LIMITS: Tracks between yard limit signs east of Craig Junction and west of Clicks will be operated as one yard.

Tracks between yard limit signs east of Spalding on both the first and second subdivisions and yard limit signs west of North Lapwai will be operated as one yard.

7. IMPAIRED CLEARANCE: Tunnel seven.

8. DERAIL SWITCHES:

Fort Lapwai—West end of siding.

Sweetwater—West end of siding.

Bundy—West end of siding.

Jacques—West end of spur.

Culdesac—West end of siding.

West end of House track.

West end of Mill spur.

West end of Oil track.

Nucrag—West end of siding.

Reubens—West end of siding.

Clicks—West end.

Craig Junction—West end of transfer track.

Craigmont—East end of transfer track.

Cottonwood—East end of stock track.

Grangeville—West end of coal incline.

West end of Farmer Union Warehouse track.

9. Grangeville—When cars are being loaded from Farmers Union Warehouse, all trains using this track will spot not less than two cars with brakes securely set, eight car lengths west of this warehouse.

**SPECIAL INSTRUCTIONS
THIRD SUBDIVISION**

1. AT RIPARIA:

N. P. Switch to Camas Prairie main track must be kept locked.

2. BRIDGE AND ENGINE RESTRICTIONS:

At Riparia, on Snake River Bridge engines heavier than 150,000 pounds on drivers not permitted.

Engines heavier than 153,000 pounds must not go on icing track.

3. SPEED RESTRICTIONS:

LOCATION	Maximum Speed Miles per Hour		REMARKS
	Pasgr.	Frts.	
At any point	With care		At restricted speed when sand is blowing.
	15	15	Engines running backward.
	20	20	When handling wrecker, ditcher or pile driver.
Between Riparia and Lewiston. Over curve approaches each end of Bridge 71.23 over Clear- water River. Lewiston	45	35	
At Riparia	30	30	
	15	15	On Wye track.

4. REGISTER STATIONS:

Riparia, Lewiston, for first class trains and passenger extras.

East Lewiston, for second class and inferior trains.

5. BETWEEN LEWISTON AND EAST LEWISTON:

Second class and inferior trains must be governed by Rule S-93.

6. BULLETIN STATIONS:

Lewiston, East Lewiston, Riparia.

7. STANDARD TIME CLOCKS:

Lewiston, East Lewiston.

8. WATCH INSPECTOR:

Lewiston, M. L. Haines.

SPECIAL INSTRUCTIONS

FOURTH SUBDIVISION

1. SPEED RESTRICTIONS:

LOCATION	Maximum Speed Miles per Hour		REMARKS
	Pasgr.	Frts.	
At any point	15	15	Engines running backward.
Between Orofino and Jaype	20	20	When handling wrecker, ditcher or pile driver.
On descending grade between Orofino and Jaype	20	20	Looking out for slides and washouts.
Between Jaype and Headquarters	12	12	
At Orofino, over Johnson Street	5	5	
On curve at M. P. 3 between Orofino and Fohl	8	8	
From M. P. 5 to Bridge 5, between Orofino and Fohl	10	10	
At Rock Crusher, first crossing west of Jaype	5	5	Looking out for tractors crossing track.
On curve at M. P. 35, between Summit and Headquarters ..	8	8	

2. BRIDGE AND ENGINE RESTRICTIONS:

On Spurs in east end of Jaype Yard and C. T. Co., Spurs between Jaype and Headquarters, Camas Prairie engines not permitted.

3. MOUNTAIN GRADES:

Westward trains must stop at Rudo to inspect train.

4. PUSHER DISTRICT: Between Orofino and Headquarters.

5. REGISTER STATIONS: Orofino, Headquarters.

6. BULLETIN STATIONS: Orofino, Headquarters.

7. YARD LIMITS: Tracks between yard limit signs east of Kinney Junction and west of Jaype will be operated as one yard.

8. DERAIL SWITCHES:

Orofino—West end of run around track. West end of material track.

Standard Oil spur west end.

Fohl—West end.

Lime Mountain—West end.

Rudo—West end, in pocket of siding.

Haley—West end of siding.

Poorman—West end.

Placer—West end.

Three Mile—West end.

Jaype—110 feet East of West Main track switch on West lead track.

Reving—West end of siding.

Cardiff—West end.

Summit—West end in pocket siding.

9. STANDARD TIME CLOCKS:

Orofino.

10. WATCH INSPECTORS:

Orofino, J. R. Hughes.

SPEED TABLE

	Time Per Mile		Miles Per Hour
	Minutes	Seconds	
1	..		60
1	1		59
1	2		58
1	3		57.1
1	4		56.2
1	5		55.3
1	6		54.5
1	7		53.7
1	8		52.9
1	9		51.1
1	10		50.4
1	12		50
1	15		48
1	20		45
1	25		42.3
1	30		40
1	40		36
1	45		34.3
1	50		32.7
2		30
2	10		27.6
2	15		26.6
2	20		25.7
2	30		24
2	40		22.5
2	45		21.8
2	50		21.2
3		20
3	9		19
3	20		18
3	31		17
3	45		16
4		15
5		12
6		10
7	30		8
10		6

TONNAGE RATING OF FREIGHT ENGINES

SUB DIVISION	DISTRICT	CLASS OF ENGINE										
		O. W. MK	N. P. W	O. W. 730 768 CLASS	N. P. T S-4	O. W. 1742-60 707-23 CLASS	S-1 S-2 S-3	E-1	E-2 E-3 D-2 D-3	B	C	
FIRST EASTWARD	Lewiston to Arrow	2500	2400	2000		1800	1800	1700	1200	1100	1000	900
	Arrow to Orofino	3200	3000	2400		2150	2150	1950	1400	1200	1100	1000
	Orofino to Stites								1400	1200	1100	1000
FIRST WESTWARD	Stites to Orofino		Train	Limit	Sixty	Cars						
	Orofino to Lewiston						No	Limit				
SECOND EASTWARD	Spalding to Sweetwater	1100	1000	900		700	700	640	540	480	450	405
	Sweetwater to Culdesac	780	760	680		500	500	450	350	300	250	200
	Culdesac to Reubens	550	500	450		250	250	200	150	125	100	75
	Reubens to Craigmont.....	1500	1400	1250		950	950	800	700	650	575	525
SECOND WESTWARD	Craigmont to Reubens	1800	1650	1450		950	950	850	750	700	625	575
	Reubens to Culdesac		Fifty cars, maximum 3,000 tons									
	Culdesac to Spalding		No limit									
THIRD EASTWARD	Riparia to Lewiston	3200	3000	2300		2100	2100	1900	1200	1100	1000	900
FOURTH EASTWARD	Orofino to Summit	725	600	525		425	400	350	200	175	150	125
FOURTH WESTWARD	Headquarters to Summit	900	750	650		525	450	350	200	175	150	125
	Summit to Orofino		Train	Limit	Eighty	Five	Cars					

AUTHORIZED SURGEONS

- DR. O. C. CARSSOW, Chief Surgeon, Lewiston, Idaho.
- DR. W. P. HABEL, Local Surgeon, Lewiston, Idaho.
- DR. S. A. ROE, Oculist, Lewiston, Idaho.
- DR. B. CHIPMAN, Dist. Surgeon, Grangeville, Idaho.
- DR. R. T. HOPKINS, Dist. Surgeon, Orofino, Idaho.
- DR. J. M. VERBERKMOES, Dist. Surgeon, Kooskia, Idaho.

M. C. SMITH,
Chief Dispatcher.