# CAMAS PRAIRIE RAILROAD CO.

TIME 76 TABLE

Effective April 10, 1938

at 12:01 A. M. Pacific Time

For the Government and Information of Employes only, and not intended for the use of the public The Company reserves the right to vary from this Time Table at pleasure

R. E. HANRAHAN, Manager

				We	stwa	ard								FIRST SUBDIVISI	ON					*			Ea	stwa	ard	-		
				Second Class		1	FIRST	CLASS	3			ites	rd	Time Table No.76	row				F	FIRST	CLAS	S		Second				
				661 N. P. Freight				343	311 N. P. Passenger	313 N. P.	Numbers	from St	uel, Sca 7yes, Ya	Time Table No.76 Effective April 10, 1938 Succeeding No. 75  STATIONS TELEGRAPH OFFICES and CALLS	from A	from	anic io	312 N. P.	344	324	314 N. P.			662 N. P. Freight				
			-	1			Passenger				Station N	stance	uter, F bles, W nits.	STATIONS	stance	stance	racks	Passenger	Passenger	Passenger			A 7	1 0	-			
				Ex. Sun.			Daily	Daily	Daily	Daily		Dis	Ws Ta	TELEGRAPH OFFICES and CALLS	Dis	Dis	3	Daily	Daily	Daily	Daily			Ex. Sun.				
							12.53				C S 66		Т	St STITES D	62.7	76.2	46			12.30								
							s 1.03				C S 63	_		8.0		73.0	-			s 12.20								
		-					s 1.28				_	11.2		Ka KAMIAH D	51.5	65.0	26			s 11.50								
	-	an a					f 1.47					17.0		TRAMWAY		59.2	_			f 11.30								
							f 1.51				C S 47	18.4		PARDEE 6.1		57.8 S	-			f 11.26								
							f 2.10				C S 41	24.5		CHAPIN .9	38.2	51.7 S	pur 20			f 11.07			0					
					0.5		s 2.15			4	C S 40	25.4	1		37.3	50.8	26	6	1 1	s 11.05								
						3	f 2.27				C S 37	29.4		PENOYER 1.6	33.3	46.8 S	pur 2			f 10.51								
							f 2.32				C S 34	31.0		JORDAN 2.7	31.7	45.2 S	pur 6			f 10.46								
							s 2.41				C S 32	33.7	WCTX	of OROFINO P.D	29.0	42.5	232			s 10.35								
							f 2.51	1			C S 28	37.4	x		25.3	38.8	38			s 10.22								
							f 2.56				C S 26	40.2		MAGILL 2.2	22.5	36.0 S	pur 3			f 10.17								
							s 3.01		6	1000	C S 23	42.4		Pk PECK D	20.3	33.8	49			s 10.13								
							s 3.16		1	G	C S 17	49.3	w		13.4	26.9	15			s 9.58								
							s 3.20				C S 15	51.0			11.7	25.2	17			f 9.53								
							f 3.32				CS 9		-11	CHERRYLANE	5.9	19.4 S	pur 9			f 9.42								
							f 3.38					59.1		2.3 — MYRTLE	3.6	17.1	14			f 9.38								
			,	AM 3.20				See Page 3	PM 1.15	AM 1.58				Rw ARROW P.D	0.0	13.5	85	8.45	See Page 3	s 9.30	PM S 3.50			PM 6.00				
				3.35			s 4.00	PM 3.35	f 1.23		=			SPALDING P.				s 8.38	AM A					5.52				
				3.45					f 1.26					NORTH LAPWAI P.		9.4	-		f 8.51					5.49				
				4.00				3.58	-	2.19		73.1	-	6.3		3.1	-	8.25	-	9.06		-		5.33				
				4.05			4.24				15 50		0.111	Fy EASTLEWISTON P.D. 1.5		1.5	-	8.22	200000	211100000				5.30				
				AM A			4.27		1.45		C P	76.2	X	Wn LEWISTON P. DN		0.0		8.20	8.30	9.00	3.28			PM				
				Ex. Sun.			PM A Daily	PM A Daily	PM A Daily	AM A Daily	12	_		76.2				AM Daily	Daily	Daily	PM Daily			Ex. Sun.				
				.45			3.34	.30	.30	.27				Time Over District				.25	.22	3.30	.25			.30				
				16.0			21.3	20.6	27.0	30.0	_			Average Speed Per Hour				32.4	28.9	21.7	32.4			24.0				
-																												

Eastward Trains Are Superior to Trains of the Same Class in Opposite Direction.

SPECIAL INSTRUCTIONS PAGES 4, 5 AND 6

Westwar	·d		SI	ECC	OND SUBDIVISION		Eastward				
Fir	est Class	Scales, and	bers	m m	Time Table No. 76 Effective April 10, 1938 Succeeding No. 75	Distance from Spalding	of Side Tracks	First 344	Class		
	Passenger	Water, Fuel, Scales, Tables, Wyes and Yard Limits	Station Numbers	Distance from Grangeville	STATIONS	ance fro	Capacity of	Passenger			
	Daily	Wate Table Yard	Stati	Dist	Telegraph Offices and Calls	Dist	Сара	Daily			
	PM 12.27	WY	C P	0.0	Ge GRANGEVILLE D	66.5	60	12.04			
	s 12.52		C P	7.1	Fn FENN D	59.4	35	s 11.39			
	s 1.15		C P	15.6	Co COTTONWOOD D	50.9	50	s 11.16			
	1.16		C P 132	16.6	AGNEW 1.3	49.9		11.15			
	1.21		C P 131	17.9	ROCK SPUR	48.6	10	11.08			
	1.28		C P 128	20.7	SAND SPUR	45.8	10	11.03			
	s 1.36	х	C P 125	24.2	Rg. FERDINAND D	42.3	20	s 10.57			
	s 2.01	Х	C P	32.1		34.4	30	s 10.39			
	f 2.10	Х	113			29.9	9	f 10.28			
		X	-	36.9	CLICKS 3.5	29.6	6				
	s 2.21	W YX	C P 109	-	Ru REUBENS P D	26.1	30	s 10.17			
	2.39	W	-	47.0	NUCRAG P 7.5	19.5	11	9.52			
	s 3.03	w	-	54.5	Cu CULDESAC D	12.0	20	s 9.31			
	f 3.11		-	57.0	JACQUES 1.6	9.5	8	f 9.21			
	f 3.15		-	58.6	BUNDY 2.6 ———	7.9	15	f 9.16			
	f 3.22		-	61.2	SWEETWATER 1.8	5.3		f 9.08			
	$\frac{s}{s} = \frac{3.26}{3.35}$	Х	-	63.0	3.5	_		s 9.01			
	PM A	YX	83 -	66.5	SPALDING P	0.0	Sdg.	-			
	See Page 2		-		66.5	_		Dally See Page 2			-
	3.08		-	_	Time Over District			3.12			
	21.2				Average Speed Per Hour			21.4		-	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION SPECIAL INSTRUCTIONS PAGES 4, 5 and 6

West	war	d			TE	IIRD SUBDIVISION			Las	tward
Second Class	First	T	Fuel, Scales, Wyes and imits	bers	Lewiston	Time Table No. 76 Effective April 10, 1938 Succeeding No. 75	Distance from Riparia	Capacity of Side Tracks	First Class	Second Class
859 Freight		73 U. P. Motor	AL OF	Station Numbers	Distance from	STATIONS	nce fron	city of S	74 U. P. Motor	860 Freight
Daily		Daily	Wate Table Yard	Stati	Dista	Telegraph Offices and Calls	Dista	Сара	Daily	Daily
PM 8.00		7.40	o wc TX	C P	0.0	De LEWISTON P DN	72.0	450	AM 7.40 A	AM 3.15
8.02		7.43	x	C P	1.0	TRANSFER	71.0	15	7.35	3.12
8.14		f 7.52		C P 66	6.1	5.1 WILMA P	65.9	70	f 7.24	3.00
8.24		f 7.58		C P 62	10.3	MOSES	61.7	70	f 7.15	2.50
8.41		f 8.08	w	C P 55	17.1	INDIAN 5.4	54.9	Spur 40	f 7.03	2.33
8.55		f 8.16		C P 50	22.5	BISHOP P	49.5	70	f 6.53	2.17
8.59		f 8.20		C P 48	24.3	TRUAX 3.8 ———	47.7	14	f 6.49	2.13
9.08		f 8.25		C P 44	28.1	CRUM 1.0	43.9	75	f 6.43	2:03
9.10		f 8.27		C P	29.1	WAWAWAI P	42.9	14	f 6.41	2.01
9.12		f 8.29		C P 42	30.1	INTERIOR 2.1	41.9	19	f 6.38	1.59
9.17		f 8.33	1	C P 40	32.2	CRAMPTON 1.6	39.8	No Sdg.	f 6.34	1.54
9.21	T-MA	f 8.36		C P 38	33.8	BOYART 2.2	38.2	2	f 6.30	1.50
9.26		s 8.40	w	C P 36	36.0	ALMOTA P	36.0	70	s 6.25	1.45
9.35		f 8.46		C P 32	39.9	SCHULTZ  3.0	32.2	3	f 6.19	1.35
9.42		f 8.51		C P	42.8	SWIFT	29.2	70	f 6.13	1.29
9.55		f 9.00		C P 24	48.1		23.9	70	f 6.01	1.15
10.00		f 9.04		C P	50.1	PENAWAWA SPUR	21.9	Spur 4	f 5.58	1.10
10.08		f 9.08		C P	53.3	PURRINGTON	18.7	12	f 5.53	1.02
10.15	- Constitution of the Cons	f 9.13		C P	56.1	PEYTON	15.9	2	f 5.48	12.55
10.18	The same of the sa	f 9.17	w	C P	57.5	CENTRAL FERRY P	14.5	70	f 5.45	12.52
10,30	-	f 9.24		C F	62.4	RIDPATH	9.6	28	f 5.35	12.40
11.00		10.00	C Y WX	-	72.0	XS RIPARIA P DN	0.0	70	5.20	12.15
Daily		Daily	STEPANE STATE			72.0	-		Daily	Daily
3.00		2.20	-			Time Over District			2.20	3.00
24.0	1	30.9				Average Speed Per Hour			30.9	24.0

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION EXCEPT NO. 859 IS SUPERIOR TO NO. 860.

SPECIAL INSTRUCTIONS PAGES 4, 5 and 6

Water, Fuel, Scales Tables, Wyes and Yard Limits	Station Numbers	Distance from Headquarters	Time Table No. 76  Effective April 10, 1938 Succeeding No. 75	e from	y of rack	Camas Prairie or Industry	
Water, Tables, Yard L	Station	Distan Headq	STATIONS TELEGRAPH OFFICES AND CALLS	Distance from Orofino	Capacity of Side Track	Camas	
W C X Y	C H 40	0.0	HQ HEADQUARTERS P-D	40.0	138		
x	C H 38	2.0	DEER CREEK P	38.0	CTC <sub>0</sub>		
	C H 36	4.1	2.1 GRAVEL SPUR 1.8	35.9	6		
	C H 34	5.9	SUMMIT P	34.1	56		
	C H 33	7.4	CARDIFF P	32.6	Spur 11	Cardiff	
	C H 32	8.9	HELPHREY  1.2	31.1	Spur 5		
х	C H 29	10.1	REVLING	29.9	12		
WY	C H 28	11.2	JAYPE P	28.8	110		
X	C H 27	12.3	NELSON 1.7	27.7	4		
	C H 26	14.0	QUARTZ	26.0			
X	C H 25	15.0	ROONEY 3.1	25.0	20		
	C H 22	18.1	PLACER .3	21.9	Spur 8	CT Co	
	C H 21½	18.4	POORMAN 2.1	21.6	Spur 10		
	C H 19	20.5	HALEY	19.5	12		
	CH 181/2	21.0	OMILL 	19.0			
w	C H 15	25.4	RUDO P	14.6	80		
	C. H.	29.0	LIME MOUNTAIN	11.0	Spur 6		
	C H 10	30.4	CEDAR CANYON	9.6	Spur 15		
	CH 6	34.0	FOHL P	6.0	Spur 12		
W C T X	C S 32	40.0	OROFINO P	0.0			

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION SPECIAL INSTRUCTIONS PAGES 4, 5 and 6

## GENERAL INSTRUCTIONS Employes will be governed by the Operating Department Rules and

Employes will be governed by the Operating Department Rules and Regulations of the Northern Pacific Railway (except on the Third Sub-Division) and must provide themselves with a copy of the Book of Rules and Regulations of the Operating Department of that Company. On the Third Sub-Division and on the tracks of the Union Pacific Railroad Company at Riparia, employes will be governed by the Transportation Department Rules of that company and current time-table of its Washington division and must provide themselves with a copy of the Transportation Department Rules and current time-table of the Washington Division of the Union Pacific Railroad Company.

# SPECIAL INSTRUCTIONS ALL SUBDIVISIONS

- 1. Except as otherwise provided enginemen will only be required to consult register at initial or starting point.
- 2. Conductors of work trains will issue instructions to their flagmen in writing except when flagman goes back immediately to stop an approaching train.
- 3 When necessary to take slack of freight trains with helper on rear, it should be done by the helper engine.
- 4. Before moving a work or wrecking train, the whistle signal (14-b) or (14-h) must be sounded for the protection of men working about such train.
- 5. Derail switches must be kept in derail position when not in use.
- 6. When a train order is received reading, "Eastward (or westward) extra trains wait at ..........................." the train addressed is relieved from protecting its rear end against following extra trains until the time named in the order, from point named to next register station.

### FIRST SUBDIVISION

- AT ARROW—Time of trains applies at Junction switch. Unless otherwise specified, right of track and meet orders will be fulfilled at the Junction switch.
- 2. AT FOREBAY—Time of trains applies at cross-over switch.

### 3 SPEED RESTRICTIONS:

Passenger trains handling freight cars will observe speed restrictions for freight trains.

LOCATION	Maximur Miles pe		REMARKS
	Pasgr.	Frt.	
At any point	15	15	Engines backing.
Between Lewiston and Orofino	35	25	On tangents.
	25	20	On curves of over 3 degrees.
	20	20	When handling wrecker, ditcher or pile driver, or engine with side and main rods disconnected.
Between Orofino and Stites	25	15	On tangents.
	15		When handling freight cars.
	20	15	On curves of over 3 degrees.
	12	12	When handling wrecker, ditcher, pile driver, poles, refrigerator cars or engines with side and main rods disconnected.
At Lewiston	4	4	Over 18th Street crossing.
At East Lewiston	15	15	Over east switch.
At Arrow, over Bridge "O"	10	10	Engines U. P. class "MK" and N. P. class "W" and heavier.
At Orofino, over Bridge 29-1 At Clearwater River, over Bridge	8	8	Engines U.P. class "MK" and N.P. class "W." Double header engines weighing 135,000 on
50-1	8	8	drivers or heavier.

### 4. BRIDGE AND ENGINE RESTRICTIONS:

At Magill, U. P. class "MK" and N. P. class "W" engines, or heavier, not permitted on spur.

At Orofino, engines heavier than N. P. class "F-1" will not go east of Kerr Gifford Spur.

On Bridge 29-1, engines heavier than U. P. class "MK" and N. P. class "W" not permitted.

All trains using N. P. class "W" or U. P. "MK" when switching Rochdale Spur reach in with sufficient cars to keep engines off sharp curve west of highway crossing.

### 5. SPECIAL STOPS AND CONNECTIONS:

No. 311 will stop at North Lapwai to let off passengers from points east of Arrow.

No. 312, 324 and 344 will wait ten minutes at Lewiston for mail connections from Riparia.

Nos. 323 and 324 will stop on flag at Myrtle Bridge, Fir Bluff, Big George and Old County Farm near milepost 132.

### 6. REGISTER STATIONS:

Lewiston—For first class trains and Passenger extras.

East Lewiston—For second class and inferior trains except Passenger extras.

Spalding.

Arrow.

Orofino.

Stites.

- 7. BULLETIN STATIONS: Lewiston, East Lewiston, Orofino, Stites.
- 8. CLEARANCE EXCEPTIONS: At Arrow when no operator on duty, trains will not require clearance card to comply with Rule 83-b.
- 9. YARD LIMITS: Tracks between yard limit signs east of Spalding on both the first and second subdivisions and yard limit signs west of North Lapwai will be operated as one yard.

Tracks between yard limit signs west of Transfer and east of Forebay will be operated as one yard.

#### 10. DERAIL SWITCHES:

Lewiston—West end of Northwest Cities Gas spur.

West end of old Coal Dock track.

Sand House track between Sand House and Oil Plant.

Lenore—West end of warehouse track.

#### 11. STANDARD TIME CLOCKS:

Lewiston, East Lewiston, Orofino, Stites.

#### 12. WATCH INSPECTORS:

Lewiston, M. L. Haines.

Orofino, J. R. Hughes.

### SPECIAL INSTRUCTIONS

SECOND SUBDIVISION

### 1. SPEED RESTRICTIONS:

Passenger trains handling freight cars will observe speed restrictions for freight trains.

LOCATION	Maximum Miles pe		REMARKS
	Pasgr.	Frt.	
At any point	15	15	Engines backing.
	20	20	When handling wrecker, ditcher, pile driver, or en- gines with side and main rods disconnected.
Between Spalding and Grangeville	35	25	On tangents.
	25	20	On curves of over 3 degrees.
Descending mountain Reubens to Culdesac			Passenger trains any one mile in three (3) minutes, and freight trains any one mile in four (4) minutes.
Through Tunnels 1 and 7 At Craigmont at grade crossing	15	15	In both directions.
at west switch near stock yard	s 5	5	

### 2. MOUNTAIN GRADES:

Light engines must not run backward.

Westward freight trains will stop as follows to cool wheels: Nucrag-10 minutes, and longer if wheels are found to be

overheated. Culdesac-15 minutes.

At Culdesac and Reubens the normal position of train order signal will be "STOP" while operators are on duty. No eastward train will pass Culdesac nor westward train pass Reubens when operators are on duty, without a Form "A" clearance card authorized by the train dispatcher, except, when communication fails operator may issue clearance card endorsed "Means of communication have failed-Proceed at restricted speed." Clearance card should also show the time of departure of any preceding trains between points named. When operators are not on duty no trains will pass either Culdesac or Reubens in the direction named unless authorized by train order to do so.

Trains must not meet at Nucrag except by train order (Form S-A) and the first train arriving under such order

must report its arrival promptly.

Operator at Culdesac will not report any westward train clear at that station until it is clear of the main track or the rear end of the train has passed the telegraph office 300 feet.

- 3. PUSHER DISTRICT: Between Lewiston and Reubens.
- 4. REGISTER STATIONS: Spalding, Grangeville.
- 5. BULLETIN STATIONS: Grangeville.
- 6. YARD LIMITS: Tracks between yard limit signs east of Craig Junction and west of Clicks will be operated as one yard.

Tracks between yard limit signs east of Spalding on both the first and second subdivisions and vard limit signs west of North Lapwai will be operated as one yard.

- 7. IMPAIRED CLEARANCE: Tunnel seven.
- 8. DERAIL SWITCHES:

Fort Lapwai-West end of siding. Sweetwater-West end of siding. Bundy-West end of siding. Jacques-West end of spur.

Culdesac-West end of siding.

West end of House track. West end of Mill spur. West end of Oil track.

Nucrag-West end of siding. Reubens—West end of siding. Clicks—West end.

Craig Junction—West end of transfer track.

Craigmont-East end of transfer track. Cottonwood—East end of stock track.

Grangeville—West end of coal incline.

West end of Farmer Union Warehouse track.

9. Grangeville-When cars are being loaded from Farmers Union Warehouse, all trains using this track will spot not less than two cars with brakes securely set, eight car lengths west of this warehouse.

10. Special Stops: No. 343 will stop on flag at Mallott's Farm 2½ miles east of Culdesac to handle cream shipments to Lewiston. No. 344 will handle the empty cans back.

### SPECIAL INSTRUCTIONS

THIRD SUBDIVISION

1. AT RIPARIA:

N. P. Switch to Camas Prairie main track must be kept locked.

2. BRIDGE AND ENGINE RESTRICTIONS:

At Riparia, on Snake River Bridge engines heavier than 150,000 pounds on drivers not permitted.

3. SPEED RESTRICTIONS:

LOCATION	Maximum Miles p	m Speed er Hour	REMARKS					
	Pasgr.	Frt.	The second secon					
At any point	With	care	At restricted speed when sand is blowing, especially just west of Ridpath.					
	15	15	Engines backing.					
	20	20	When handling wrecker, ditcher, pile driver or engines with side and main rods disconnected.					
Between Riparia and Lewiston. Over curve approaches each end of Bridge 71.23 over Clear-	40	30	Motor trains 50 miles per hour.					
water River. Lewiston	30	30						
At Riparia	15	15	On Wye track.					

#### 4. REGISTER STATIONS:

Riparia.

Lewiston for first class trains and passenger extras. East Lewiston, for second class and inferior trains.

5. YARD LIMITS: Lewiston-Tracks between yard limit signs west of Transfer and east of Forebay will be operated as one yard.

Second class and inferior trains must be governed by N.P. Rule S-93, which reads as follows:

"Within yard limits the track may be used, protecting against first class trains.

Second and third class and extra trains must move within yard limits prepared to stop unless the main track is seen or known to be clear."

- 6. BULLETIN STATIONS: Lewiston, East Lewiston, Riparia.
- DERAIL SWITCHES: Peyton-Both ends of siding.
- STANDARD TIME CLOCKS: Lewiston, East Lewiston.
- WATCH INSPECTORS: Lewiston, M. L. Haines.

### SPECIAL INSTRUCTIONS

### FOURTH SUBDIVISION

### 1 SPEED RESTRICTIONS.

LOCATION	Maximum Miles po		REMARKS					
	Pasgr.	Frt.						
At any point	15	15	Engines backing.					
Between Orofino and Jaype On descending grade between	15	15	When handling wrecker, ditcher, pile driver or engines with side and main rods disconnected.					
Orofino and Jaype	15	15	Looking out for slides and washouts.					
Between Jaype and Headquarters	12	12	wasnouts.					
At Orofino, over Johnson Street On curve at M. P. 3 between	5	5						
Orofino and Fohl From M. P. 5 to Bridge 5, be-	8	8						
tween Orofino and Fohl At Rock Crusher, first crossing	10	10						
west of Jaype	5	5	Looking out for tractors crossing track.					
Summit and Headquarters	8	8						

### 2. BRIDGE AND ENGINE RESTRICTIONS:

On Spurs in east end of Jaype Yard and C. T. Co., Spurs between Jaype and Headquarters, Camas Prairie engines not permitted.

Helper engines must not be placed on rear unless full tonnage is being handled or when helper is needed for switching at rear.

When handling snow plow, engines must be kept together on head end of train.

### 3. MOUNTAIN GRADES:

Westward trains must stop at Rudo to inspect train.

- 4. PUSHER DISTRICT: Between Orofino and Headquarters.
- 5. REGISTER STATIONS: Orofino, Headquarters.
- 6. BULLETIN STATIONS: Orofino, Headquarters.
- 7. YARD LIMITS: Tracks between yard limit signs east of Revling and west of Nelson will be operated as one yard. Deer Creek is within Headquarters yard limits.

### 8. DERAIL SWITCHES:

Orofino-West end of run around track. West end of material track.

Standard Oil spur west end, also protects planer track. Fohl-West end.

Lime Mountain—West end.

Rudo—West end, in pocket of siding.

Omill-West end.

Haley-West end of siding.

Poorman—West end.

Placer—West end.

Rooney—West end passing track. West end spur.
Jaype—110 feet East of West Main track switch on West lead track.

Revling—West end of siding. Cardiff—West end.

Summit—West end in pocket siding.

### 9. STANDARD TIME CLOCKS:

Orofino.

### 10. WATCH INSPECTORS:

Orofino, J. R. Hughes.

### SPEED TABLE

Per	ime Mile Seconds	Miles Per Hour
Minutes  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Reconds  1 2 3 4 5 6 7 8 9 10 12 15 20 25 30 40 45 50 10 15 20 30 40 45 50 10 15 20 30 40 45 50 30 40 45 50 9 20 31 45 30	60 59 58 57.1 56.2 55.3 54.5 53.7 52.9 52.1 51.4 50 48 45 42.3 40 36 34.3 32.7 27.6 26.6 25.7 21.8 21.2 20 19 18 17 16 15 12 10 8 6

### TONNAGE RATING OF FREIGHT ENGINES

SUB	AND DESCRIPTION OF THE PARTY.	CLASS OF ENGINE													
DIVISION	DISTRICT	U. P. M. K.	N. P. W	U. P. 730 768 CLASS	allrah a larah	N. P. T S-4	U. P. 1742-60 707-23 CLASS	S-1 S-2 S-3	E-1	E-2 E-3 D-2 D-3	B 1000 1100 1100 1100 575 1000 150 150	С			
	Lewiston to Arrow	2500	2400	2000		1800	1800	1700	1200	1100	1000	900			
FIRST	Arrow to Orofino	3200	3000	2400		2150	2150	1950	1400	1200	1100	1000			
EASTWARD	Orofino to Stites	-							1400	1200	1100	1000			
FIRST	Stites to Orofino		Train	Limit	Sixty	Cars									
WESTWARD	Orofino to Lewiston							No	Limit						
-	Spalding to Sweetwater	1100	1000	900		700	700	640	540	480	450	405			
SECOND EASTWARD	Sweetwater to Culdesac		760	680		500	500	450	350	300	250	200			
	Culdesac to Reubens		500	450		250	250	200	150	125	100	75			
ENSTWAND	Reubens to Craigmont	1500	1400	1250		950	950	800	700	650	1000 1100 1100 1100 450 250 100 575	525			
23-	75 1000 1000					1123.90									
SECOND	Craigmont to Reubens	1800	1650 Fifty ca	1450		950	950	850	750	700	625	575			
WESTWARD	Reubens to Culdesac			rs, maxi- 000 tons											
	Culdesac to Spalding	-	No	limit		THE L									
THIRD EASTWARD	Riparia to Lewiston	3200	3000	2300		2100	2100	1900	1200	1100	1000	900			
FOURTH EASTWARD	Orofino to Summit	725	600	525		425	400	350	200	175	150	125			
FOURTH	Headquarters to Summit	900	750	650		525	450	350	200	175	150	125			
	Summit to Orofino		Train	Limit	Eighty	Five	Cars								

### **AUTHORIZED SURGEONS**

DR. O. C. CARSSOW, Chief Surgeon, Lewiston ,Idaho.

DR. W. P. HABEL, Local Surgeon, Lewiston, Idaho.

DR. L. A. WHEELWRIGHT, Dist. Surgeon, Grangeville, Idaho.

DR. R. T. HOPKINS, Dist. Surgeon, Orofino, Idaho.

DR. J. M. VERBERKMOES, Dist. Surgeon, Kooskia, Idaho DR. C. H. BRYAN, Dist Surgeon, Kamiah, Idaho.

> M. C. SMITH, Chief Dispatcher.