

0  
CCC  
Supervision  
Inspection

GENERAL INSPECTION REPORT OUTLINE  
(Revised June 1935)

Forest Coeur d'A. Camp Name Wolf Lodge Camp No. F-182

Date of report January 28, 1938

Period of Inspection, From 8:30<sup>am</sup> 1-27 to 9:30<sup>am</sup> 1-28-38  
(date) (date)

Inspector Akridge Accompanied by C. D. Simpson, Supervisor  
W. W. Larsen, Ranger

Supt. Wayne Newcomb Camp Com. \_\_\_\_\_  
Title Name

List below the activities or projects inspected:

Stand Improvement, thinning and pruning  
Fernan Administrative Building Construction  
~~XXXXXXXXXXXX~~ Cedar Creek Roadside cleanup

Findings

(Except where very brief answers placed on this sheet will fully answer all phases of the questions, discuss in detail on blank sheets, using key letter and number, as "A-3," etc.)

A. QUALITY OF ORGANIZATION

- |  |  |
|--|--|
| 1. Has Supt. a detailed work program   | <u>yes</u>   |
| 2. Does it define priorities of jobs?  | <u>yes</u>   |
| 3. Does Supt. have well-developed "plans ahead" for each job?  | <u>yes</u>   |
| 4. What success has he in making these plans materialize?  | <u>O.k.</u>  |
| 5. Does Supt. keep an adequate record or chart showing accomplishment based on plan of work?   | <u>yes</u>   |
| 6. If not, did you suggest how to keep such a record?  | <u>yes</u>   |
| 7. Has Supt. a thorough grasp of his job?  | <u>yes W.W.L.</u>  |
| 8. What is his attitude towards the job?   | <u>very good W.W.L.</u>  |
| 9. Basing your reply on analysis of Supt's diary, if available, or on other information, how many hours per day does he average away from camp on the work projects?   | <u>5 hours</u>   |
| 10. How many hours per day do the enrollees average on work projects?  | <u>6 hours</u>   |
| 11. Are foremen and facilitating personnel thoroughly competent to direct or accomplish jobs to which assigned? (Dig into this and discuss thoroughly) Are there any misfits? If so, on what jobs? How many replacements has this camp had because of inefficiency or other unfitness? (Do not include releases due to no further need of certain overhead.) | <u>1 foreman is in his first year as a CCC foreman and is acquiring experience. Otherwise capable.</u> |
| 12. Are foremen, leaders and asst. leaders adequate in numbers to get reasonable production from unskilled, untrained workers?<br>If not, what do you suggest?   | <u>yes</u>   |
| 13. Are they distributed over the working forces to the best advantage?<br>If not, what do you suggest?  | <u>yes</u>   |

- |   |                                    |
|---|------------------------------------|
| 14. What are the minimum and maximum numbers of workers under any foreman?  | <u>20 - 25</u>                     |
| What is the average for all foremen?  | <u>22</u>                          |
| 15. Are the foremen alive to their jobs in directing the work? How do they size up?   | <u>Very good, see 11.</u>          |
| 16. Where you find men loafing on the job, give foreman's name and the number loafing in each case. Discuss such instances with Supt. and state what comments he offers.          | <u>none</u>                        |
| 17. Check clerical work and state whether it is well organized and effectively handled. Does Supt. know where all men are assigned each day?                                      | <u>yes</u>                         |
| Does he keep necessary records on time by projects?   | <u>yes</u>                         |
| Does he submit his reports on time?   | <u>yes</u>                         |
| Has he sufficient clerical help to meet the needs?  | <u>yes</u>                         |
| 18. How many inspections of field work have Supervisor or staff made during this enrollment period?   | <u>Supt. 2</u><br><u>Ranger 10</u> |
| 19. How many purely "camp visits" by Supervisor or Staff?   | <u>none</u>                        |
| 20. How many weeks since full company arrived, or since start of period in case company arrived during a previous period?   | <u>16 weeks</u>                    |
| 21. Do Supervisor and staff men make it a practice to leave with the Supt. definite written memoranda covering instructions or suggestions made as a result of their inspections? | <u>yes</u>                         |
| <br><b>B. <u>QUALITY OF WORK ACCOMPLISHED</u></b>   |                                    |
| 1. Do Supt., foremen, leaders and skilled workers fully understand the standards and specifications applicable to the work on which engaged?                                      | <u>yes</u>                         |
| Do the Supt. and foremen carry the specifications with them out on the jobs?  | <u>when necessary</u>              |
| Discuss any exceptions.   |                                    |
| 2. Are standards and specifications adhered to?   | <u>yes</u>                         |
| If there are any deviations, what are they and upon what jobs?  |                                    |
| 3. Are written specifications lacking for any of the jobs under way?  | <u>no</u>                          |
| If so, list such jobs?  |                                    |
| 4. What changes in plans, locations or specifications, if any, do you believe advisable and upon what jobs?   | <u>none</u>                        |
| 5. Based on your own observations, which foremen are active in teaching enrollees how to improve their skill? Cite examples.  | <u>all</u>                         |
| 6. Are there enough skilled workers, including skilled enrollees, to insure proper accomplishment of the planned work?  | <u>yes</u>                         |
| 7. If not, how many men and of what skills are lacking? For what jobs are they needed?  |                                    |
| 8. Has the Supt. recognized this need, what action has he taken to secure them? What were the results?  |                                    |
| 9. Do the Supt's various handbooks and sets of instructions show evidence of study?   | <u>yes</u>                         |
| Are they kept in a place readily available?   | <u>yes</u>                         |
| Do they have "dog ears"?  | <u>yes</u>                         |
| Do the foremen study any of them?   | <u>yes</u>                         |

- |   |   |
|---|---|
| 10. What steps has the Supervisor taken to impress the Supt. and foremen with their responsibility for the training of workers? (Go into this in detail with each Supt., and with Supervisor or staff men, if contacted.) | group meetings<br>written instructions, verbal instructions on the job. |
| 11. Do foremen have "plans ahead" and their work lined up on the jobs so that all phases of the work are handled in an efficient manner?  | yes   |
| 12. Are foremen active in keeping crews balanced on the job?  | yes   |

C. QUANTITY OF WORK AS COMPARED TO MAN-POWER AVAILABLE

- |  |                    |
|--|--------------------|
| 1. Average enrollment during past 30 days  | 148                |
| 2. Average number released to Supt.  | 106                |
| 3. Into how many working groups was this turnout divided?  | 4                  |
| 4. List any crews which seem overly large for economical accomplishment of the work.   |                    |
| 5. List any jobs on which the output for the past 30 days impresses you as being too low. In your judgment, what are the reasons for low output?   | none               |
| 6. List any jobs on which the enrollees do not put in a full 6 hours on the job, exclusive of travel time. Give number of men involved and specific reasons why a full 6 hours is not spent. If less than 6 hours is not fully justified due to exceptional circumstances, what action has been taken to correct this? | See Akridge's note |
| 7. How many spike camps are out?   | none               |
| 8. How many enrollees in such camps?   | none               |
| 9. Could the number of spike camps be increased to advantage?<br>On what jobs?   | none               |

D. USE AND CARE OF TOOLS AND EQUIPMENT

- |   |                                   |
|---|-----------------------------------|
| 1. How many of the following machines on the job:<br>Trucks, 1½-ton <u>6</u> ; Pick-up <u>1</u> ; Dump _____.<br>Bulldozers _____; Tractors _____; Compressors _____;<br>Jackhammers _____; Shovels _____; Graders _____. |                                   |
| 2. What additional trucks and machines, if any, could be used to advantage and where? _____ for use while _____   | 1 1½ ton needed others are over-  |
| 3. Has Superintendent tried to get more trucks or machinery, and with what result? _____  | hailed.                           |
| 4. What machines, if any, are out of commission, for how long and for what cause? _____   | Truck being given minor overhaul. |
| 5. How much of this time loss was preventable, and how might it have been prevented? _____  | due to season use                 |
| 6. Are there any idle trucks or machines on the job? List number, type, and cause of idleness.  | none                              |
| 7. Have surplus trucks or machinery, if any, been reported to Supervisor?   | yes                               |
| 8. Is full use being made of all trucks? Do they double shift where possible, haul capacity loads, stagger crew hauling, make unnecessary trips? Discuss in detail.   | yes                               |

- |  |       |
|--|-------|
| 9. Are bulldozers double shifted?<br>If not, why?  | _____ |
| 10. Are jackhammers double shifted?<br>If not, why?  | _____ |
| 11. Are grading outfits double shifted?<br>If not, why?  | _____ |
| 12. Are emoltees being used to fullest extent feasible<br>on bulldozers and tractors?  | _____ |
| 13. Are blasting machines in use on all jobs requiring<br>explosives?  | _____ |
| 14. Are there fully experienced powdermen on each job<br>where explosives are used?  | _____ |
| 15. Check use of powder in loading and in execution.<br>Comment on it.   | _____ |
| 16. Is powder rationed out by Supt. to powder foremen?   | _____ |
| 17. Are there adequate shop facilities for sharpening,<br>fitting and repairing all tools?<br>If not, what is lacking? compressor for truck tires.   | _____ |
| 18. Are tools properly conditioned for use?  | _____ |
| 19. Do you find any tools, equipment, or materials<br>scattered about on the job, or are they gathered<br>up and properly stored?  | _____ |
| 20. Do foremen keep their crews fully equipped with<br>necessary tools and materials?  | _____ |
| 21. If material or equipment delays occurred, what<br>caused them?   | _____ |
| 22. (a) Do all truck drivers have permits?   | _____ |
| (b) Are speed and driving rules posted in truck cab?   | _____ |
| (c) Any evidence of violation of these rules?  | _____ |
| 23. (a) Are servicing facilities adequate?   | _____ |
| (b) Is camp equipped with grease rack?   | _____ |
| (c) Is adequate check kept on gasoline and oil issued?   | _____ |
| (d) Is the handling of gas and oil and the storage<br>thereof done in a safe manner?   | _____ |
| 24. Does Supt. require drivers to service and maintain<br>trucks in accordance with booklet, "O-ECW-ER-Equip-<br>ment, Truck Maintenance-Camp Supt's Responsibility"?<br>Check at least two trucks against the requirements of<br>this booklet and report your findings in detail. | _____ |
| 25. Does Supt. feel that the mechanic services assigned to<br>his camp are adequate to keep the trucks and machin-<br>ery in proper condition?<br>If not, discuss available services and additional needs.   | _____ |

E. FIRE CONTROL PREPAREDNESS

Post season

- |   |       |
|---|-------|
| 1. What is the standard of preparedness set up for the camp?  | _____ |
| 2. Is equipment to this standard at hand?<br>Is it in proper condition?   | _____ |
| 3. Is the prescribed flying squadron selected, overhauled<br>and trained for its job?                             | _____ |
| 4. Do the selected smokechasers understand their job?   | _____ |
| 5. Are the overhead men assigned to the flying squadron<br>the most competent fire bosses available in the camps? | _____ |
| 6. What preparedness measures have been lined up in ad-<br>dition to the prescribed standard?                     | _____ |

7. Are adequate arrangements agreed upon with the Commander for holding men in camp in cases of impending need?
8. Are available transport facilities adequate for quick movement of 75 men?
9. What additional measures other than increasing size of squadron might be taken to improve adequacy of firefighting preparedness?
10. Check prohibition against smoking away from camp except at previously designated (posted) smoking sites, places of habitation or public camp grounds. Have enrollees been duly informed and are they complying?
11. Check fire protection in main camp. This is primarily an Army responsibility but the following should be given attention by the Supt.:
  - (a) All chimneys and stove pipes in F.S. buildings to be screened or provided with spark arresters.
  - (b) Metal floor boards under stoves.
  - (c) Blacksmith forges to be provided with screen or screened hood.
  - (d) Fire extinguishers should be available in F.S. buildings.
  - (e) Stoves should be safe distance from walls.
  - (f) Stove pipes should be riveted at joints where there is any danger of telescoping.
  - (g) Check for safe collars and roof jacks.
  - (h) Has a fire marshall been designated and is he giving proper attention to his duties? He is responsible for maintenance of fire tool caches, fire-proofing camp sites and is the fire prevention expert.

NOTE: Other fire prevention covered under G-7.

F. COORDINATION WITH ARMY

1. (a) Is camp construction completed?  
 (b) If not, what remains to be done?  
 (c) When is it expected to finish this?  
 (d) How many enrollees are engaged in Camp construction work?
2. Is camp construction over-refined?  
 Cite instances.
3. (a) If Army overhead, aside from construction forces, consists of more than 23 men, list the uses to which the surplus is being put.  
 (b) What action has been taken to reduce the force to 23 unless extras have been approved?
4. Are Forest employees and Army cooperating effectively?
5. Does Commander switch men without consulting Supt.?
6. Is mess satisfactory?
7. Are arrangements for lunches and "extra shift" meals satisfactory?
8. Is camp discipline such as to strengthen the disciplinary measures required on the job by the work agency?
9. Are men interested in their work?
10. Is selection and use of leader and asst. leader positions satisfactory to both agencies?

yes  
 yes  
 o.k.  
 o.k.  
 o.k.  
 Foreman Brown  
 fire marshall  
 none  
 no  
 23, 2 extra approved by Fort  
 Geo. Wright  
 yes  
 no  
 fair  
 yes  
 yes  
 yes  
 yes

11. Are housing facilities for work agency employees commensurate with those occupied by Army men of similar rank? If not, what is needed?
12. Educational activities, (a) Does camp have an educational adviser?  
(b) How many enrollees are taking courses?  
(c) Are work agency employees cooperating?

yes

yes

98%

yes

G. SAFETY PROGRAM

1. Has a safety committee been established?
2. Does the committee have weekly meetings?
3. Have the Supervisory personnel and leaders and asst. leaders taken the first aid course?
4. Is transportation of enrollees handled in accordance with Safety Division Bulletins No. ECW-1 and ECW-19?
5. Have goggles where required been supplied to enrollees and do they use them?
6. Check carefully and comment on the handling and use of explosives.
7. Check for compliance with fire prevention suggestions of Safety Division Bulletin No. ECW-20 at any garages and gas and oil storage buildings. Comment.
8. List any suggestions you may have which would improve safety conditions at camp or on the job.

yes

yes

yes

yes

yes

none used

o.k.

H. GENERAL

Comment on any pertinent features not covered in the regular report.

Report by  
/s/ W. S. Newcomb  
Camp Supt.

I. STATEMENT BY FOREST SUPERVISOR OR STATE FORESTER:

I have read the above report, discussed it with Inspector Akridge and desire to comment as follows: (Use extra sheets where necessary.)

The Superintendent took action to secure 6 hours on the Fernan Building job

(signed) Chas. D. Simpson  
Forest Supervisor, or  
~~State Forester~~

SUPPLEMENTAL REPORT TO GENERAL INSPECTION

A. Quality of Organization.

A.3. The Superintendent has plans ahead for each job on the Master Plan of Work. He requires the foremen to set up job sheets on their respective jobs. From the information on the job sheets the project records are kept up weekly; most of this responsibility is delegated to the foremen.

A.11. It is believed that all the foremen and facilitating personnel are competent to direct or accomplish jobs to which assigned. There is a big difference in the quality of foremanship displayed by the different foremen. They have one foreman, George Roskie, Junior Forester, who is in his first year as CCC foreman and it is possibly the first time that he has ever handled a crew. His foremanship, organizing of crew, knowing how to do the different jobs and analyzing the job is below any other foreman in the camp. This is probably due to lack of experience. It is believed that he has potential ability and will in time be as good as the average. I would say that he is away above the average adviser list foreman that could be selected.

A.12. The foremen, leaders and assistant leaders are adequate in number. The quality of the leaders is not what would be normally expected from an ordinary company although is average from a second corps company.

B. Quality of Work Accomplished.

B.1. The type of work at this camp is not of a complicated nature. The stand improvement, thinning and pruning are probably the most tedious jobs.

B.3. There was no deviation noted on any of the jobs except it was the concensus of opinion that they were pruning trees that were too small in the stand and should concentrate on the more dominant trees.

B.5. They have four semi-skilled workers filling jobs, such as clerk, toolhouseman, etc. that would ordinarily be filled by enrollees. There is no assurance how long the semi-skilled workers will be continued. I would suggest that there be some consideration given to training enrollees to fill important positions that might be vacated if the semi-skilled positions are terminated.

C. Quantity of Work as Compared to Man-Power Available.

C.6. The Fernan Administrative Site project is the only project upon which the enrollees do not spend full six hours per day. The crew for this job leaves camp at 8 a.m., arrived on the project about 8:40 a.m., works to noon and then they take a half-hour lunch period. They work until 2:50 p.m. and arrive back in camp 3:30 p.m. Actual time on the job is 5 hours, 40 minutes. This time becomes less if the roads become worse. The road conditions at the present time are ideal.

D. Use and Care of Tools and Equipment.

Two chevrolet  $1\frac{1}{2}$ -ton trucks were inspected:

- C-544
1. Spindle bolts badly worn.
  2. Headlights need adjustment.
  3. Back clearance light out.
  4. Front spring center bolt broken
  5. Body anchorage needs attention.
  6. Clutch needs attention.
- C-332
1. Headlights loose, need adjusting.
  2. Back clearance lights out.
  3. Stop and tail lights out.
  4. Horn out of order.
  5. Front Spring "V" bolts loose, need attention.
  6. Steering assembly needs attention.

F. Coordination with Army.

F.5. The Camp Commander has trouble in keeping enrollees in the kitchen. He runs the roster system, alphabetically selecting seven enrollees for a week's detail in the mess hall. This system probably is not the best for the project work, but with the type of work here this rotation of enrollees would not be detrimental to the job.

G. Safety Program.

The safety program at this camp is well enforced. There are not many needed corrections. For corrections to which attention should be given, see "Findings" sheet attached.

/s/ Frank M. Akridge

CCC Inspector.



CCC  
INSPECTION  
Administrative  
Coeur d'Alene  
F-182

Wolf Lodge Camp F-182  
Coeur d'Alene, Idaho  
January 28, 1938.

F I N D I N G S

1. All tools should be checked and restamped with standard stamp(CCC)
2. Discrepancies noted on trucks should be corrected.
3. Field tool boxes should be chained or properly anchored to trucks while in motion. (Refer ECW-Safety Program letter May 25, 1937.)
4. Gasoline, oil and grease, record of issue, daily form 643 and monthly form 644 are not kept at this camp. Supplemental form used which appears adequate.
5. Electrical wiring in the technical service buildings should be checked and maintained to an approved standard. Fuse boxes should be installed in the branch circuits, the only control box with 30 amp. fuses is installed in the technical personnel quarters. The fuses used are too large for No. 12 and No. 14 wire.
6. On the highway cleanup project, it is believed that there should be warning signs posted on highway to warn motorists.
7. Each accident is not investigated by the Technical Advisory Committee.
8. This camp should have a compressor unit to service truck tires.
9. Six hours on the Fernan Administrative site project should be obtained by the enrollees working on this job.

/s/ W. S. Newcomb  
W. S. Newcomb, Project Supt.

/s/ F. M. Akridge  
F. M. Akridge, CCC Inspector

/s/ Wm. W. Larsen  
W. W. Larsen, Dist. Ranger

CDS  
SCS  
WGG  
GSH  
HD  
WRR  
NDP

FORT GEORGE WRIGHT DISTRICT CGC  
CAMP INSPECTION REPORT


Form FGW-I-101  
(Revised 12-7-37)

Lieut. Dyer  
Inspector

(~~None~~) (~~Temporary~~) (Permanent)  
(Type (Strike out inapplicable types))

1249 P-182  
Company Camp

None Signs Good Road Conditions  
January 26, 1938 Date of Inspection



- A. OFFICERS. "P" if present; "A" if absent.
- 1. C.O. Capt. Twombly. (P) duties C. O. Supply
  - 2. Jr. O. Lieut. Geis (P) " Mess. P.A. M.T.O.
  - 3. Jr. O. " " "
  - 4. Camp Surg. Dr. Peley (P.T.) (A) Other camps
  - 5. Ed. Adv. Mr. Garver
  - 6. Enrollee Strength 131 Sick in Qtrs. 6 Sick in Hosp. None
  - 7. Project A.W.L. None A.W.O.L. None Wood Detail
  - 8. Detached Service None

- B. SPIKE CAMP. (No.) None No. Men  
1. Inspected by C.O. (Date) Inspected by Surgeon (Date)

C. PHYSICAL EQUIPMENT AND SANITATION: Remarks

- 1. Latrines; Flush Four (4) out of order
- 2. Bath House Satisfactory. Shower room dirty and has no boards in showers.
- 3. Wash Room Excellent. No fire buckets.
- 4. Laundry None. This camp has an excellent laundry room which is used as a
- 5. Barracks Unsatisfactory. Lockers are filthy. (storage room.)
- 6. Mess Hall; Floors Excellent Mop Boards Dirty  
Screen Satisfactory Tables Excellent Stoves Satisfactory  
Dishes Satisfactory Condiments Satisfactory Silverware
- 7. Kitchen; Counter Excellent Tables Needs new cover Sinks Unsatisfactory  
Floors Satisfactory Stoves Satisfactory Pans & racks Unsat. Racks under  
Cooking equipment Excellent Wood Racks Satisfactory Screens (construction  
8. Store Room; Arrangement of Stock Satisfactory Quantity Satisfactory  
Records Satisfactory Bakery Goods Sat. Building pastry cupboard
- 9. Cooler Excellent
- 10. Ice Box Satisfactory
- 11. Root Cellar Too many partially used articles in separate containers. V.C. stamps Westroyal.
- 12. Garbage Cans Satisfactory Racks Satisfactory Disposal Hauled away  
Grease Traps Satisfactory Mop Rack Sat. Hot Water Heater Excellent  
Incinerator Unsatisfactory
- 13. Rec. Bldg; Condition Satisfactory Equipment One pool table & one  
ping pong table, 1 Davenport. Dirty around fire-place.
- 14. Camp Exchg; Condition Unsatisfactory Display Dirty
- 15. Educ. Bldg; Excellent Asst. E.A. Yes. Rated Ass't Ldr.  
No. Courses 40 No. Enrolled 126 No. Instructors 17  
Magazines & Papers Okeh Camp Paper Dec. 23rd  
Library Books Satisfactory  
Lighting Satisfactory Equipment Has power equipment but no  
Machinery Safety Devices (power generator)
- 16. Supply Room Unsatisfactory Storage Unsatisfactory. Very untidy.  
Stock Records Satisfactory Individ. Records Not correct in some  
Excess Equipment Excess being sent in this week. (instances.)
- 17. Infirmary; General Condition Excellent Lockers Satisfactory  
Cabinets Satisfactory Supplies Satisfactory
- 18. Administration Bldg. Excellent
- 19. Officers Quarters
- 20. Forestry Quarters

Not signed as last date Inspection 1/22/38

Insufficient in Barracks E and

- 21. Fire Prevention: Fire Buckets Satisfactory *Wash Room* Extinguishers Satisfactory  
 Stoves Satisfactory Spark Arresters Yes  
 Rubbish under bldgs \_\_\_\_\_ Wood Stoves \_\_\_\_\_  
 Wiring Satisfactory
- 22. Generator Building Satisfactory
- 23. Fuel \_\_\_\_\_ Water Satisfactory
- 24. Fly Screens Wiring needs correcting. Causing bad lights.
- 25. Repair needed \_\_\_\_\_
- 26. General Sanitation \_\_\_\_\_

D. MESS:

- 1. Food Satisfactory Quality Satisfactory Variety Show on menu  
 Quantity Satisfactory *actually what is used noon meal. Complaints on base feed sandwiches Sundays.*  
 K.P.'s in dirty clothes & O.K. (no shirts while serving)
- 2. Cleaning Supplies Satisfactory
- 3. Menu File 1/22/38 Form 469 \_\_\_\_\_
- 4. Food Handlers Inspection \_\_\_\_\_ Miscellaneous \_\_\_\_\_

E. TRANSPORTATION: Excellent

- 1. Condition \_\_\_\_\_
- 2. Trans. Instr. \_\_\_\_\_ Drivers Underground Records Yes
- 3. Inspections \_\_\_\_\_ Gas Storage \_\_\_\_\_ Gas All. Adequate \_\_\_\_\_

F. SUPPLY FACILITIES:

- 1. Received regularly Shipment due January 21st not yet received.
- 2. Comments on Supply \_\_\_\_\_

None

G. FIRES OR EMERGENCIES:

\_\_\_\_\_  
Officer in Charge

H. TECHNICAL SERVICES CONTACTED:

\_\_\_\_\_  
Comments by Supt.

I. DISCIPLINE:

8 per month

Morale Excellent

Bi-monthly circuit system

- 1. Recreational trips Excellent Movies \_\_\_\_\_ Excellent  
 Equipment \_\_\_\_\_ Relations with Technical Service \_\_\_\_\_

J. COMMENTS BY COMMANDING OFFICER:

K. REMARKS: (Additional space on Sheet #3)


- 1. Gas tank for generator too close to building.
- 2. Stove at night-watchmans quarters, fire hazard.
- 3. Two guns in camp found to be not checked in supply room.
- 4. Excess clothing found above ceiling in supply room, and in possession of Supply Steward.
- 5. The Company Commander was directed to inspect each and every stove pipe which goes through the ceiling ~~for~~ of a building. These pipes have been installed over two and one half years.

L. RECORDS:

1. Date Camp Exchange Accounts last Audited For December 1/19/38.
2. Date Company Fund Accounts last Audited 1/25 for December.
3. Company Special Orders \_\_\_\_\_
4. Corps Memoranda and Letters \_\_\_\_\_
5. Diary \_\_\_\_\_ District Letters \_\_\_\_\_
6. District Memoranda \_\_\_\_\_ District Special Orders \_\_\_\_\_
7. Duty Roster \_\_\_\_\_ Form 12 \_\_\_\_\_
8. Meal Record Satisfactory Message Register Excellent
9. Minutes last Safety Meeting \_\_\_\_\_ Morning Report None
10. Officers Register Yes Registered Mail Register \_\_\_\_\_
11. Sanitary Inspection (Roster of Men) December 20th
12. Sanitary Inspection (Sergeon's Daily) \_\_\_\_\_
13. Sick Book \_\_\_\_\_ Telephone Records Yes
14. Supply of Forms required NO Morning Reports
15. Transportation Requests Looked.
16. EFFICIENCY OF PAPER WORK Satisfactory.

K. REMARKS: (Continued from sheet #2)

RATING FOR CAMP Satisfactory minus

  
 Inspecting Officer's Signature  
**Kenneth R. Dyer.**  
 1st Lieut., Inf-Res., 4th Infantry.  
 Inspector.

DISTRICT HEADQUARTERS CCC, FORT GEORGE WRIGHT, WASH., January 29, 1938  
 TO: Commanding Officer, Co. 1249, Camp F-182, Coeur d'Alene, Idaho.

Deficiencies as noted below will be corrected at once and a report of action taken submitted to D.H.Q. within ten (10) days of date of this inspection.

Deficiencies Noted:

- |   |  |   |
|---|--|---|
| (1) Sec. <u>C</u> Line <u>1,2,3,4,5,6</u> | (2) Sec. <u>C</u> Line <u>7,11,12,13</u> | (3) Sec. <u>C</u> Line <u>14,16,21,25</u> |
| (4) Sec. <u>D</u> Line <u>1,2</u>         | (5) Sec. <u>L</u> Line <u>14</u>         | (6) Sec. _____ Line _____                 |
| (7) Sec. _____ Line _____                 | (8) Sec. _____ Line _____                | (9) Sec. _____ Line _____                 |

By order of the District Commander:

CDS  
 SCS  
 WGG  
 CSII  
 WRR  
 1707

FORT GEORGE WRIGHT DISTRICT CCC  
 CAMP INSPECTION REPORT

**FOREST SERVICE**  
 Coeur d'Alene National Forest  
 COEUR D'ALENE IDAHO  
**RECEIVED**  
 1249

Form FGW-I-101  
 (Revised 12-7-37)

Lieut. Dyer

Inspector

(Tent) (Portable) (Permanent)

(Type (Strike out inapplicable types) Company

F-182

Camp

Satisfactory

Good

February 8, 1938

Signs

Food Conditions

Date of Inspection

A. OFFICERS. "P" if present; "A" if absent.

1. C.O. Capt. Twoebly "A" duties Commanding Officer  
 2. Jr. O. Lieut. Gies "P" " PX, Transpt., Mess  
 3. Jr. O. |||||/|||||/|||||/|||||/|||||/|||||/||||| " "  
 4. Camp Surg. J.V. Foley (P.T.) "A" Other camps \_\_\_\_\_  
 5. Ed. Adv. Mr. Carver "P" \_\_\_\_\_  
 6. Enrollee Strength 182 Sick in qtrs. 10 Sick in Hosp. None  
 7. Project A.W.L. None A.W.O.L. None Wood Detail 8  
 8. Detached Service 2 men D/S to this Company as dental assistants

B. SPIKE CAMP. (No.) \_\_\_\_\_

No. Men \_\_\_\_\_

1. Inspected by C.O. (Date) None Inspected by Surgeon (Date) \_\_\_\_\_

C. PHYSICAL EQUIPMENT AND SANITATION.

Remarks

1. Latrines; Flush Satisfactory. 2 out of order.
2. Bath House Satisfactory. Duck boards have been installed. Candles are being used in shower room. Will be stopped.
3. Wash Room Excellent. Stove pipe to be replaced.
4. Laundry No facilities. See remarks.
5. Barracks Satisfactory. The barracks are being painted and are excellent considering.
6. Mess Hall: Floors Satisfactory. Mop Boards Pilthy.  
 Screen None. Tables Satisfactory. Stoves Sat. minus  
 Dishes Satisfactory. Condiments \_\_\_\_\_ Silverware \_\_\_\_\_
7. Kitchen: Counter Sat. See remarks. Tables Satisfactory. Sinks Unsatisfactory.  
 Floors Satisfactory. Stoves Sat. minus. Pans & racks Dirty racks.  
 Cooking equipment Satisfactory. Wood Racks Excellent. Screens (Under Constr.)
8. Store Room: Arrangement of Stock Excellent. Quantity Excellent.  
 Records Satisfactory. Bakery Goods Satisfactory.
9. Cooler Excellent.
10. Ice Box Excellent. Replace shelves. V.C. Stamps Destroyed.
11. Root Cellar Satisfactory. Too many partially used containers.
12. Garbage Cans Satisfactory. Racks Satisfactory. Disposal Hauled away.  
 Grease Traps \_\_\_\_\_ Mop Rack Sat. Hot Water Heater Excellent.  
 Incinerator None.
13. Rec. Bldg: Condition Satisfactory. Equipment Only an old pool table, ping pong table, old davenport and chairs.
14. Camp Exchg: Condition Satisfactory plus. Display Satisfactory. See remarks.
15. Educ. Bldg: Excellent. Asst. E. A. \_\_\_\_\_  
 No. Courses 50 No. Enrolled 175 No. Instructors 20  
 Magazines & Papers Okh. Camp Paper January 31st.  
 Library Books \_\_\_\_\_  
 Lighting Okh. Equipment Okh.  
 Machinery Safety Devices No machinery.
16. Supply Room Excellent. Storage Satisfactory. Too much equipment.  
 Stock Records Excellent. Individ. Records Sat. New ones being made  
 Excess Equipment Too much. Directed to turn in. See remarks. (up)
17. Infirmary: General Condition Satisfactory plus. Lockers Satisfactory.  
 Cabinets Satisfactory. Supplies Okh.
18. Administration Bldg. Satisfactory. See remarks.
19. Officers Quarters \_\_\_\_\_
20. Forestry Quarters Excellent.

21. Fire Prevention, Fire Buckets Satisfactory. Extinguishers Excell. 1/23/38.  
 Stoves Satisfactory. See remarks. Spark Arresters Satisfactory.  
 Rubbish under bldgs Remove rubbish under barracks. Wood Stoves Yes.  
 Wiring Okh.
22. Generator Building Satisfactory plus. Grease on floor. Gas barrel too near bldg
23. Fuel \_\_\_\_\_ Water \_\_\_\_\_
24. Fly Screens \_\_\_\_\_
25. Repair needed \_\_\_\_\_
26. General Sanitation Sat.

- D. MESS:
1. Food Excellent. Quality Satisfactory. Variety Satisfactory plus.  
 Quantity Satisfactory. Complaints or Suggestions Show on menus, actually  
~~what will be fed noon meal.~~
2. Cleaning Supplies Satisfactory. Personnel Satisfactory.
3. Menu File Satisfactory. Form 469 Okh.
4. Food Handlers Inspection February 4, 1938. Miscellaneous \_\_\_\_\_

- E. TRANSPORTATION:
1. Condition Satisfactory.
2. Trans. Instr. \_\_\_\_\_ Drivers \_\_\_\_\_ Records \_\_\_\_\_
3. Inspections \_\_\_\_\_ Gas Storage \_\_\_\_\_ Gas All. Adequate No.  
Not with both generators.

- F. SUPPLY FACILITIES:
1. Received regularly Excellent. Condition Satisfactory.
2. Comments on Supply None.

- G. FIRES OR EMERGENCIES: None. Officer in Charge \_\_\_\_\_

- H. TECHNICAL SERVICES CONTACTED: Yes. Comments by Supt. \_\_\_\_\_

- I. DISCIPLINE: Satisfactory. Morale Excellent.
1. Recreational trips 2 per week. Movies Weekly. ataltic  
 Equipment \_\_\_\_\_ Relations with Technical Service Excellent.

- J. COMMENTS BY COMMANDING OFFICER:

K. REMARKS: (Additional space on Sheet #3)

1. All stove pipes to be rivited.
2. No stove mats under any stove. (See additional remarks).
3. Lock will be placed on office door immediately.
4. No price listed on P. X. articles.
5. Excess clothing shown on previous inspection has been issued to enrollees, with exception of slacks W.O.D, slacks cotton, summer sacks, barracks bags, shirts cotton. These will be turned in.
6. No Morning Report forms.
7. Directed to immediately move equipment from laundry room and to install wash tubs and hot water and clothes lines.


L. RECORDS:

1. Date Camp Exchange Accounts last Audited January 13th
2. Date Company Fund Accounts last Audited January
3. Company Special Orders \_\_\_\_\_
4. Corps Memoranda and Letters \_\_\_\_\_
5. Diary \_\_\_\_\_ District Letters \_\_\_\_\_
6. District Memoranda \_\_\_\_\_ District Special Orders \_\_\_\_\_
7. Duty Roster \_\_\_\_\_ Form 12 \_\_\_\_\_
8. Meal Record Satisfactory. Message Register Not up to date.
9. Minutes last Safety Meeting \_\_\_\_\_ Morning Report \_\_\_\_\_
10. Officers Register \_\_\_\_\_ Registered Mail Register Satisfactory.
11. Sanitary Inspection (Roster of Men) February 1, 1938.
12. Sanitary Inspection (Surgeon's Daily) \_\_\_\_\_
13. Sick Book \_\_\_\_\_ Telephone Records Okeh.
14. Supply of Forms required NO Morning Reports.
15. Transportation Requests Looked up.
16. EFFICIENCY OF PAPER WORK Satisfactory plus.

K. REMARKS: (Continued from Sheet #2)

8. Salvage cots will be obtained from QM and cement requisitioned for construction of concrete stove mats. These mats will be constructed in camp and will extend 15" in front of stove, 12" to rear and 8" to each side.
9. The flour, sugar, rice, etc. bins in kitchen are dirty.

RATING FOR CAMP Satisfactory plus.

  
 \_\_\_\_\_  
 Inspecting Officer's Signature  
**Kenneth R. Dyer,**  
 1st Lieut. Inf-Res., 4th Infantry.  
 Assistant Inspector.

DISTRICT HEADQUARTERS CCC, FORT GEORGE WRIGHT, WASH. February 12 1938.  
 TO: Commanding Officer, Co. 1249, Camp F-102, Coeur d'Alene, Idaho.

Deficiencies as noted below will be corrected at once and a report of action taken submitted to D.H.Q. within ten (10) days of date of this inspection.

Deficiencies Noted:

- |   |  |  |
|---|--|--|
| (1) Sec. <u>C.</u> Line <u>1,2,4,6,7.</u> | (2) Sec. <u>C.</u> Line <u>10,11,14.</u> | (3) Sec. <u>C.</u> Line <u>16,18,21,22</u> |
| (4) Sec. <u>D.</u> Line <u>14</u>         | (5) Sec. _____ Line _____                | (6) Sec. _____ Line _____                  |
| (7) Sec. _____ Line _____                 | (8) Sec. _____ Line _____                | (9) Sec. _____ Line _____                  |

By order of the District Commander:

FOREST  
Coeur d'Alene National Forest  
COEUR D'ALENE, IDAHO  
FEB 26 1938  
RECEIVED

FORT GEORGE WRIGHT DISTRICT CCC  
CAMP INSPECTION REPORT

Form FGW-I-101  
(Revised 12-7-37)

*Handwritten notes:*  
SOS  
SCS  
WGG  
GSH  
HD  
WRR  
non

Capt. C. W. Meldrum, Inf-Res. ~~(Type)~~ (Permanent) 1249 F-182  
Inspector (Type (Strike out inapplicable types) Company Camp

Satisfactory Signs Satisfactory Road Conditions February 18, 1938 Date of Inspection

- A. OFFICERS. "P" if present; "A" if absent.
1. C.O. Capt. Twombly duties \_\_\_\_\_
  2. Jr. O. Lieut. Gies. " \_\_\_\_\_
  3. Jr. O. \_\_\_\_\_ " \_\_\_\_\_
  4. Camp Surg. Dr. Foley (P.T.) Other camps \_\_\_\_\_
  5. Ed. Adv. Mr. Garver. \_\_\_\_\_
  6. Enrollee Strength 182 Sick in qtrs. 31 Sick in Hosp. 1
  7. Project 107 A.W.L. 2 A.W.O.L. 5 Wood Detail 5
  8. Detached Service \_\_\_\_\_ 5 on Camp Project. 25 on overhead.

- B. SPIKE CAMP. (No.) None No. Men --
1. Inspected by C.O. (Date) -- Inspected by Surgeon (Date) --

- C. PHYSICAL EQUIPMENT AND SANITATION: Remarks
1. Latrines; Flush Hole where toilet was removed to be plugged. Toilet seats need varnish. One seat needs repairs.
  2. Bath House Leaking valves to be repaired.
  3. Wash Room Stove pipe to be riveted. Leak in one wash bowl to be repaired.
  4. Laundry Not completed.
  5. Barracks Being painted. Excellent under conditions.
  6. Mess Hall: Floors See remarks. Mop Boards Too dirty.  
Screen None Tables See remarks Stoves Mats dirty.  
Dishes Satisfactory Condiments Dirty Silverware \_\_\_\_\_
  7. Kitchen; Counter Satisfactory Tables Legs dirty Sinks Unsatisfactory.  
Floors Satisfactory. Stoves To be cleaner. Pans & racks Excellent.  
Cooking equipment Excellent Wood Racks Satisfactory Screens \_\_\_\_\_
  8. Store Room: Arrangement of Stock Excellent Quantity Excellent.  
Records Satisfactory Bakery Goods Excellent.
  9. Cooler Excellent
  10. Ice Box Excellent V.C. Stamps O.K.
  11. Root Cellar Excellent
  12. Garbage Cans Satisfactory Racks Must be neater Disposal Hauled away  
Grease Traps Satisfactory Mop Rack Satis. Hot Water Heater \_\_\_\_\_  
Incinerator ----
  13. Rec. Bldg: Condition Satisfactory Equipment Effort will be made at once to purchase satisfactory furniture for this room.
  14. Camp Exchg: Condition Excellent. Display Prices needed on articles
  15. Educ. Bldg: Superior Asst. E. A. Excellent.  
No. Courses \_\_\_\_\_ No. Enrolled \_\_\_\_\_ No. Instructors \_\_\_\_\_  
Magazines & Papers Receive same Camp Paper \_\_\_\_\_  
Library Books Card.  
Lighting Excellent Equipment Excellent  
Machinery Safety Devices Satisfactory
  16. Supply Room Excellent Storage Excellent minus.  
Stock Records Not checked. Individ. Records Satisfactory  
Excess Equipment To be turned in.
  17. Infirmary: General Condition Satisfactory Lockers Satisfactory  
Cabinets Satisfactory Supplies Satisfactory
  18. Administration Bldg. \_\_\_\_\_
  19. Officers Quarters Satisfactory
  20. Forestry Quarters Excellent.



21. Fire Prevention: Fire Buckets Satisfactory Extinguishers Satisfactory  
 Stoves All pipes need rivets. Spark Arresters Satisfactory  
 Rubbish under bldgs None seen Wood Stoves \_\_\_\_\_  
 Wiring Appeared satisfactory as far as could be checked.
22. Generator Building Gas tank too close to building.
23. Fuel Wood too wet. Water Satisfactory.
24. Fly Screens \_\_\_\_\_
25. Repair needed \_\_\_\_\_
26. General Sanitation Satisfactory plus.

D. MESS:

1. Food Satisfactory plus Quality Satisfactory Variety Satisf. plus.  
 Quantity Satisfactory plus. Complaints or Suggestions \_\_\_\_\_
2. Cleaning Supplies \_\_\_\_\_ Personnel Could be better.
3. Menu File Satisfactory Form 469 Satisfactory
4. Food Handlers Inspection Satisfactory Miscellaneous \_\_\_\_\_

E. TRANSPORTATION:

1. Condition Satisfactory
2. Trans. Instr. Satisfactory Drivers O.K. Records \_\_\_\_\_
3. Inspections Daily Gas Storage with F.S. Gas All. Adequate

F. SUPPLY FACILITIES:

1. Received regularly Satisfactory Condition Satisfactory
2. Comments on Supply None

G. FIRES OR EMERGENCIES:

None Officer in Charge \_\_\_\_\_

H. TECHNICAL SERVICES CONTACTED:

Yes. Comments by Supt. \_\_\_\_\_  
Reported condition O.K.

I. DISCIPLINE:

Excellent Morale Excellent  
 1. Recreational trips Yes. Movies Yes Athletic \_\_\_\_\_  
 Equipment \_\_\_\_\_ Relations with Technical Service Excellent.

J. COMMENTS BY COMMANDING OFFICER:

None.

K. REMARKS: (Additional space on Sheet #3)

Menu forms not supplied as yet.

Capt. Spry re-charges on property from Schenectady District.

All stove pipes in camp will be riveted at once with sheet metal screws which may be obtained on requisition from District Quartermaster.

The floors in the mess hall while considered satisfactory in general were dirty under the ends of the tables next to the walls. Greater care will be used to have this part of the floors cleaned after each meal.

The tops of mop boards in mess hall were filthy. These will be cleaned daily when floor is washed.

The mouldings around the edges of some of the green tables were found in a filthy condition. It would appear that these have not been cleaned for months.

An insect exterminatory company in Spokane will be contacted at once and effort made to rid the kitchen and store room of cockroaches.

L. RECORDS:

1. Date Camp Exchange Accounts last Audited \_\_\_\_\_
2. Date Company Fund Accounts last Audited \_\_\_\_\_
3. Company Special Orders Satisfactory
4. Corps Memoranda and Letters Satisfactory
5. Diary Satisfactory District Letters Satisfactory
6. District Memoranda Satisfactory District Special Orders Satisfactory
7. Duty Roster Satisfactory Form 12 Satisfactory
8. Meal Record Satisfactory Message Register \_\_\_\_\_
9. Minutes last Safety Meeting Feb. 15, 1938 Morning Report Satis.
10. Officers Register Satisfactory Registered Mail Register Satisfactory
11. Sanitary Inspection (Roster of Men) Copy not on file.
12. Sanitary Inspection (Surgeon's Daily) Marking some too high
13. Sick Book Satisfactory Telephone Records \_\_\_\_\_
14. Supply of Forms required Letter now in to Corps
15. Transportation Requests Looked up.
16. EFFICIENCY OF PAPER WORK \_\_\_\_\_

K. REMARKS: (Continued from sheet #2)

The table, floor under table and box of silverware for the officers' table was filthy. It would appear that as long as this is used for service for the officers and forestry this should probably be the cleanest place in the mess hall.

RATING FOR CAMP SATISFACTORY PLUS



Inspecting Officer's Signature

Claron W. Meldrum,

Captain, Inf-Res., 363rd Inf.,  
Inspector.

DISTRICT HEADQUARTERS CCC, FORT GEORGE WRIGHT, WASH., February 23, 1938  
TO: Commanding Officer, Co. 1249, Camp F-182, Coeur d'Alene, Idaho.

Deficiencies as noted below will be corrected at once and a report of action taken submitted to D.H.Q. within ten (10) days of date of this inspection.

Deficiencies Noted:

- |   |   |                           |
|---|---|---------------------------|
| (1) Sec. <u>c</u> Line <u>1,2,3,6,7</u> | (2) Sec. <u>c</u> Line <u>12,14,21,22</u> | (3) Sec. _____ Line _____ |
| (4) Sec. _____ Line _____               | (5) Sec. _____ Line _____                 | (6) Sec. _____ Line _____ |
| (7) Sec. _____ Line _____               | (8) Sec. _____ Line _____                 | (9) Sec. _____ Line _____ |

By order of the District Commander:

FORT GEORGE WRIGHT DISTRICT 300  
CAMP INSPECTION REPORT

Form FGW-1-101  
(Revised 5-7-38)

CBS  
SCS  
WGG  
GSH  
WRP  
WRB  
NEN  
CF  
MJ  
ME

**FOREST SERVICE**  
Coeur d'Alene National Forest  
COEUR D'ALENE, IDAHO  
Lient. Dyer  
Inspector  
**RECEIVED**  
MAY 13 1938  
Date May 13, 1938.

Company non 1249 Camp F-182

Road Condition Excellent Signs \_\_\_\_\_

**A. OFFICERS:**

1. C. O. Capt. Twombly
2. Jr. Officer Lt. Tananian
3. Jr. Officer \_\_\_\_\_
4. Camp Surgeon Dr. Foley - P.T.
5. Educational Adviser Mr. Carver
6. \_\_\_\_\_
7. \_\_\_\_\_

**B. ENROLLEES:**

1. Total Strength 179
2. Overhead 29
3. Project 144 D/S 0
4. Camp Project 2
5. Wood Detail 1
6. Sick Qtrs. 5 Sick Hospital 0
7. AWOL 0 AWL 4

- C. 1. SPIKE CAMP: (No.) None Location \_\_\_\_\_  
 2. No. Men \_\_\_\_\_ Foreman in charge \_\_\_\_\_  
 3. Last visit of C. O. \_\_\_\_\_ Camp Surgeon \_\_\_\_\_ E. A. \_\_\_\_\_

**D. PHYSICAL EQUIPMENT AND SANITATION:**

1. Latrine (Type)..... Satisfactory. Three plugged at time of inspection.
2. Bath House..... Excellent.
3. Laundry..... Satisfactory.
4. Barracks..... Excellent.
5. Mess Hall..... Excellent.
6. Kitchen..... Satisfactory. The breakfast dishes were not finished being washed by noon.
7. Ice Box..... Satisfactory.
8. Root Cellar..... Satisfactory.
9. Garbage Disposal..... Hauled away. Lids of garbage cans dirty.
10. Recreation Hall: Condition.. Satisfactory. Equipment Need new comfortable chairs, etc.
11. Camp Exchange: Condition.... Satisfactory plus. Equipment \_\_\_\_\_
12. Educational Building..... Locked. E.A. not in camp.
13. Supply Room..... Satisfactory plus.
14. Infirmary..... Satisfactory plus.
15. Administration Building..... Satisfactory.
16. Officers' Quarters..... Satisfactory plus.
17. Forestry Quarters..... \_\_\_\_\_
18. Fire Equipment..... Okh.
19. Heaters..... Okh.
20. Generator House..... Satisfactory plus. Generator has been moved and gas tank is now safely located.
21. Fuel..... Satisfactory.
22. Water..... Satisfactory. Water line has been plugged lately.
23. Screens..... Satisfactory.
24. General Sanitation..... Excellent.

E. MESS:

- 1. Food Satisfactory plus. Quality Satisfactory. Variety Satisfactory plus.
- 2. Kitchen Personnel..... Satisfactory.
- 3. Store Room..... Excellent.
- 4. Records..... Excellent.
- 5. Tableware..... Excellent.
- 6. Cooking Equipment..... Satisfactory.
- 7. \_\_\_\_\_

F. EDUCATIONAL:

- 1. No. Courses \_\_\_\_\_ No. Enrolled \_\_\_\_\_ No. Instructors \_\_\_\_\_
- 2. Officers teaching class \_\_\_\_\_
- 3. Magazines \_\_\_\_\_ Library \_\_\_\_\_
- 4. Recreational Equipment \_\_\_\_\_

G. SUPPLIES:

- 1. Condition rec'd Satisfactory. Rec'd Reg. Yes. Comments None.

H. FIRE OR EMERGENCIES: None.

I. COMMENTS BY TECHNICAL SERVICE: Superintendent not in camp.

J. PERSONNEL:

- 1. Disciplin Satisfactory. Haircuts Satisfactory. Clothing Satisfactory.  
General appearance Satisfactory. Saw only the overhead.

K. RECORDS:

- 1. Co. Fund Audited to 3/31/38
- 2. Camp Exchange Fund Satisfactory.
- 3. Mail Register \_\_\_\_\_
- 4. Morning Report Excellent.
- 5. Sick Report \_\_\_\_\_
- 6. Food Handlers 5/2/38
- 7. Monthly Sanitation Satisfactory.
- 8. Registered Mail Satisfactory.
- 9. Duty Roster Excellent.
- 10. Work Report Satisfactory.
- 11. Camp Surgeon's Inspection Okeh.
- 12. Clothing Records Satisfactory.
- 13. C&E Records Satisfactory.
- 14. Form 469 (Old 36) Satisfactory.
- 15. Meal Record Satisfactory.
- 16. Menu File Satisfactory.
- 17. Officers' Register Satisfactory.
- 18. Enrollees Leave Register Satisfactory.

L. REMARKS:

- (1) Kitchen help needs better organizing so that the kitchen and mess hall is completely ready for inspection by 10:30 A. M. Mess officer directed accordingly.

CAMP RATING Excellent minus.

Inspecting Officer's Signature  
**Kenneth R. Dyer,**  
 1st Lieut., Inf-Res., 4th Infantry,  
 Inspector.

DISTRICT HEADQUARTERS CCC, FORT GEORGE WRIGHT, WASH., May 16, 1938., 19\_\_\_\_  
 TO: Commanding Officer, Co. 1249, Camp F-182, Coeur d'Alene, Idaho.

Deficiencies, as noted below, will be corrected at once and a report of action taken submitted to D.H.Q. within ten (10) days of date of this inspection.

- |   |                           |                           |
|---|---------------------------|---------------------------|
| (1) Sec. <u>D.</u> Line <u>1,6,9,10</u> | (2) Sec. _____ Line _____ | (3) Sec. _____ Line _____ |
| (4) Sec. _____ Line _____               | (5) Sec. _____ Line _____ | (6) Sec. _____ Line _____ |
| (7) Sec. _____ Line _____               | (8) Sec. _____ Line _____ | (9) Sec. _____ Line _____ |

By order of the District Commander:

*Ford Trimble*  
 Ford Trimble,  
 Captain, FA-Res., 10th F.A.,  
 Executive Officer.

FORT GEORGE WRIGHT DISTRICT CCC Form FGW-I-101  
 CAMP INSPECTION REPORT (Revised 12-7-37)

FOREST SERVICE  
 U.S. DEPARTMENT OF AGRICULTURE  
 APR 20 1938

ew  
 WGS  
 GSH  
 HD  
 WRR  
 NDN  
 CF  
 MJ  
 ME

Lieut. Dyer  
 Inspector

(Type (Strike out inapplicable types)) (Permanent) 1249 P-182  
 Company Camp

Satisfactory  
 Signs

Good  
 Food Conditions

April 15, 1938  
 Date of Inspection

A. OFFICERS. "P" if present; "A" if absent.

1. C.O. Capt. Troubley duties \_\_\_\_\_
2. Jr. O. None " \_\_\_\_\_
3. Jr. O. \_\_\_\_\_ " \_\_\_\_\_
4. Camp Surg. \_\_\_\_\_ Other camps \_\_\_\_\_
5. Ed. Adv. Mr. Carver
6. Enrollee Strength 114 Sick in qtrs. 9 Sick in Hosp. 1
7. Project 74 A.W.L. 2 A.W.O.L. 2 Wood Detail 3
8. Detached Service 7

- B. SPIKE CAMP. (No.) None No. Men \_\_\_\_\_  
 1. Inspected by C.O. (Date) \_\_\_\_\_ Inspected by Surgeon (Date) \_\_\_\_\_

C. PHYSICAL EQUIPMENT AND SANITATION:

Remarks

1. Latrines: Flush Satisfactory. Being painted
2. Bath House Excellent. Paint spots must be removed from floor.
3. Wash Room Excellent
4. Laundry Satisfactory. Need washing machine
5. Barracks Superior
6. Mess Hall: Floors Superior Mop Boards Satisfactory  
 Screen \_\_\_\_\_ Tables Sat. See remarks Stoves \_\_\_\_\_  
 Dishes Satisfactory Condiments Unsat. Silverware Satisfactory
7. Kitchen: Counter Satisfactory Tables Satisfactory Sinks Satisfactory  
 Floors Satisfactory Stoves Satisfactory Pans & racks Excellent  
 Cooking equipment Satisfactory Wood Racks \_\_\_\_\_ Screens \_\_\_\_\_
8. Store Room: Arrangement of Stock Satisfactory plus Quantity Satisfactory  
 Records Satisfactory Bakery Goods Excellent
9. Cooler \_\_\_\_\_
10. Ice Box Sat. plus. Shelves will be painted V.C. Stamps Reported destroyed
11. Root Cellar Satisfactory
12. Garbage Cans Satisfactory Racks Sat. See remarks Disposal \_\_\_\_\_  
 Grease Traps Sat. See remarks Mop Rack Sat. Hot Water Heater Excellent  
 Incinerator None (\* pingpong. See remarks)
13. Rec. Bldg: Condition Sat. See remarks Equipment One pool table and one \*
14. Camp Exchg: Condition Satisfactory plus Display Satisfactory plus
15. Educ. Bldg: Excellent Asst. E. A. Yes  
 No. Courses 13 No. Enrolled 93 No. Instructors 15  
 Magazines & Papers Satisfactory Camp Paper March 31st  
 Library Books Satisfactory  
 Lighting \_\_\_\_\_ Equipment Satisfactory  
 Machinery Safety Devices Satisfactory
16. Supply Room Satisfactory plus Storage Sat. Should be neater  
 Stock Records Satisfactory Individ. Records Satisfactory  
 Excess Equipment Ok
17. Infirmary: General Condition Excellent Lockers Satisfactory  
 Cabinets Satisfactory Supplies Satisfactory
18. Administration Bldg. Satisfactory
19. Officers Quarters Excellent
20. Forestry Quarters \_\_\_\_\_

21. Fire Prevention: Fire Buckets Satisfactory Extinguishers Okch  
 Stoves Satisfactory Spark Arresters Satisfactory  
 Rubbish under bldgs Okch Wood Stoves \_\_\_\_\_  
 Wiring Okch
22. Generator Building Satisfactory
23. Fuel Satisfactory Water Satisfactory
24. Fly Screens \_\_\_\_\_
25. Repair needed \_\_\_\_\_
26. General Sanitation Satisfactory plus. Camp area needs to be policed.

D. MESS:

1. Food Satisfactory Quality Satisfactory Variety Satisfactory  
 Quantity Satisfactory Complaints or Suggestions Okch
2. Cleaning Supplies Satisfactory Personnel \_\_\_\_\_
3. Menu File Satisfactory Form 469 Satisfactory
4. Food Handlers Inspection \_\_\_\_\_ Miscellaneous \_\_\_\_\_

E. TRANSPORTATION:

1. Condition Satisfactory
2. Trans. Instr. \_\_\_\_\_ Drivers \_\_\_\_\_ Records \_\_\_\_\_
3. Inspections \_\_\_\_\_ Gas Storage Tech. Serv. Gas All. Adequate Yes

F. SUPPLY FACILITIES:

1. Received regularly Yes Condition Okch  
None
2. Comments on Supply \_\_\_\_\_

G. FIRES OR EMERGENCIES:

- None Officer in Charge \_\_\_\_\_

H. TECHNICAL SERVICES CONTACTED:

- No Comments by Supt. \_\_\_\_\_

I. DISCIPLINE:

- Satisfactory Morale Satisfactory
1. Recreational trips \_\_\_\_\_ Movies 4 per month  
 Equipment Okch Relations with Technical Service Excellent Athletic \_\_\_\_\_

J. COMMENTS BY COMMANDING OFFICER:

NONE

K. REMARKS: (Additional space on Sheet #3)


L. RECORDS:

1. Date Camp Exchange Accounts last Audited March 9th for February
2. Date Company Fund Accounts last Audited March 31st
3. Company Special Orders Satisfactory
4. Corps Memoranda and Letters Satisfactory
5. Diary District Letters
6. District Memoranda Unsat. District Special Orders
7. Duty Roster  Form 12
8. Meal Record Satisfactory Message Register
9. Minutes last Safety Meeting  Morning Report Excellent
10. Officers Register Sat. Registered Mail Register
11. Sanitary Inspection (Roster of Men)
12. Sanitary Inspection (Surgeon's Daily)
13. Sick Book Satisfactory Telephone Records Unsatisfactory
14. Supply of Forms required Ok
15. Transportation Requests Locked up
16. EFFICIENCY OF PAPER WORK Excellent

K. REMARKS: (Continued from sheet #2)

- (1) C-(6). Cross beams and seats on tables must be kept cleaner.
- (2) C-(12). The rack for garbage cans is not <sup>of</sup> satisfactory construction. Grease trap will be cleaned better around top of pit.
- (3) C-(13). Prooms and trash cans in corners should be neater.
- (4) This camp is badly in need of furniture for the recreation room. Commanding Officer is making arrangements to purchase same.

RATING FOR CAMP Excellent

  
 Inspecting Officer's Signature  
 Kenneth H. Dyer,  
 1st Lieut., Inf-Reg., 4th Infantry,  
 Inspector.

DISTRICT HEADQUARTERS CCC, FORT GEORGE WRIGHT, WASH., April 16, 1939  
 TO: Commanding Officer, Co. 1219, Camp P-182, Coeur d'Alene, Idaho.

Deficiencies as noted below will be corrected at once and a report of action taken submitted to D.H.Q. within ten (10) days of date of this inspection.

Deficiencies Noted:

- |   |                                       |                               |
|---|---------------------------------------|-------------------------------|
| (1) Sec. <u>C.</u> Line <u>2,6,10,12,</u> | (2) Sec. <u>C.</u> Line <u>16, 26</u> | (3) Sec. <u></u> Line <u></u> |
| (4) Sec. <u></u> Line <u></u>             | (5) Sec. <u></u> Line <u></u>         | (6) Sec. <u></u> Line <u></u> |
| (7) Sec. <u></u> Line <u></u>             | (8) Sec. <u></u> Line <u></u>         | (9) Sec. <u></u> Line <u></u> |

By order of the District Commander:

FORT GEORGE WRIGHT DISTRICT SOC  
CAMP INSPECTION REPORT

**FOREST SERVICE**  
Coeur d'Alene National Forest  
COEUR D'ALENE, IDAHO  
DEC 16 1938  
RECEIVED

CDS  
SCS  
WGG  
GSH  
HD  
WRR  
NDN  
CF  
MJ  
ME  
M.O.A.

1249 F-182 (Permanent) Lieut. Dyer  
Company Camp Inspector

Road Condition Good Signs Satisfactory Date 6 December 1938

**OFFICERS:**

1. C. O. Capt. Twoobly (On leave)
2. Jr. Officer Lieut. Kehrige
3. Jr. Officer \_\_\_\_\_
4. Camp Surgeon Dr. Lehr
5. Educational Adviser Mr. Carver
6. \_\_\_\_\_
7. \_\_\_\_\_

**ENROLLEES:**

1. Total Strength 187
2. Overhead 25
3. Project 144 D/S 1
4. Camp Project 8
5. Wood Detail 7
6. Sick 1 Sick Hospital 1
7. AWOL \_\_\_\_\_ AWL \_\_\_\_\_

- C.1. SPIKE CAMP: (No.) None Location \_\_\_\_\_  
 2. No. Men \_\_\_\_\_ Foreman in charge \_\_\_\_\_  
 3. Last visit of C. O. \_\_\_\_\_ Camp Surgeon \_\_\_\_\_ E. A. \_\_\_\_\_

**D. PHYSICAL EQUIPMENT AND SANITATION:**

1. Latrine (Type)..... Flush. Satisfactory. No toilet paper had been in the latrines all day.
2. Bath House..... Excellent.
3. Laundry..... Unsatisfactory. Building full of trash, mattresses thrown in a pile in building.
4. Barracks..... Excellent.
5. Mess Hall..... Excellent.
6. Kitchen..... Excellent.
7. Ice Box..... Excellent.
8. Root Cellar..... Excellent.
9. Garbage Disposal..... Hauled away.
10. Recreation Hall: Condition.. Satisfactory minus. Equipment Only one pool table and one ping pong table.
11. Camp Exchange: Condition.... Excellent. Display Excellent.
12. Educational Building..... -----
13. Supply Room..... Excellent. Articles in shelves to be piled neater. Boxes, paint and paper above supply room to be removed.
14. Infirmary..... Excellent, considering electricians were working in rooms.
15. Administration Building..... Excellent.
16. Officers' Quarters..... Satisfactory.
17. Forestry Quarters..... Excellent.
18. Fire Equipment..... Fire buckets not all in proper places.
19. Heaters..... Satisfactory.
20. Generator House..... Satisfactory. New one being built.
21. Fuel..... Satisfactory.
22. Water..... Satisfactory.
23. Screens..... -----
24. General Sanitation..... Satisfactory. Area below camp has become a dumping place for all trash. Excessive cans, papers, milk bottles found. Enrollees have also been defecating in this area.



E. MESS:

- 1. Food Satisfactory. Quality Satisfactory. Variety Satisfactory.
- 2. Kitchen Personnel..... Satisfactory plus.
- 3. Store Room..... Excellent.
- 4. Records..... Satisfactory.
- 5. Tableware..... Excellent.
- 6. Cooking Equipment..... Excellent.
- 7. \_\_\_\_\_

Inspection of educational department.

F. EDUCATIONAL: District Educational Adviser accompanied inspector and made

- 1. No. Courses \_\_\_\_\_ No. Enrolled \_\_\_\_\_ No. Instructors \_\_\_\_\_
- 2. Officers teaching class -----
- 3. Magazines ----- Library -----
- 4. Recreational Equipment -----

G. SUPPLIES:

- 1. Condition rec'd Satisfactory. Rec'd Reg. Yes. Comments None.

H. FIRE OR EMERGENCIES: None.

I. COMMENTS BY TECHNICAL SERVICE: None.

J. PERSONNEL:

- 1. Disciplin Excellent. Haircuts Satisfactory. Clothing Satisfactory.  
General appearance Satisfactory.

K. RECORDS:

- 1. Co. Fund Aud. to 30 Nov. 1938.
- 2. Camp Exchange Fund Aud. to 31 Oct.
- 3. Mail Register -----
- 4. Morning Report Satisfactory.
- 5. Sick Report Satisfactory.
- 6. Food Handlers 5 December 1938.
- 7. Monthly Sanitation 28 Nov. 1938.
- 8. Registered Mail -----
- 9. Duty Roster -----
- 10. Work Report Satisfactory.
- 11. Camp Surgeon's Inspection Excellent.
- 12. Clothing Records -----
- 13. C&E Records -----
- 14. Form 469 (Old 86) -----
- 15. Meal Record -----
- 16. Menu File Satisfactory.
- 17. Officers' Register Satisfactory.
- 18. Enrollees Leave Register -----

L. REMARKS:

CAMP RATING Excellent minus.

Inspecting Officer's Signature

Kenneth R. Dyer,

1st Lieut., Inf-Res., 4th Infantry.

Assistant Inspector.

DISTRICT HEADQUARTERS CCC, FORT GEORGE WRIGHT, WASH., 8 December, 1938.

TO: Commanding Officer, Co. 1249, Camp F-182, Coeur d'Alene, Idaho.

Deficiencies, as noted below, will be corrected at once and a report of action taken submitted to D.H.Q. within ten (10) days of date of this inspection.

- (1) Sec. D. Line 1, 9, 10, 13. (2) Sec. D. Line 18, 24. (3) Sec. \_\_\_\_\_ Line \_\_\_\_\_
- (4) Sec. \_\_\_\_\_ Line \_\_\_\_\_ (5) Sec. \_\_\_\_\_ Line \_\_\_\_\_ (6) Sec. \_\_\_\_\_ Line \_\_\_\_\_
- (7) Sec. \_\_\_\_\_ Line \_\_\_\_\_ (8) Sec. \_\_\_\_\_ Line \_\_\_\_\_ (9) Sec. \_\_\_\_\_ Line \_\_\_\_\_

By order of the District Commander:

Ford Trimble  
Ford Trimble,

Captain, FA-Res., 10th F.A.,  
Executive Officer,