FORT GEORGE WRIGHT DISTRICT CCC SPIKE CAMP INSPECTION REPORT

Form FGW-I-101-C 21.7,

Spike Camp Latour Creek Date of Inspection June 25, 1936							
Company 531 Company Commander Capt. Samson Spike C.O							
Туре	of	Spi	ke Cam	p F/S Tents Inspector Capt. C.W.Meldrum Arrived 11:15			
Distance from Main Camp 47 miles. Road Conditions Setis. Departed 12:30							
Mileage from to miles							
A. PERSONNEL - Strength and Condition:							
luis	E	Su	1.	Strength 25 No. of Men SICK No. on OVERHEAD 4			
			2.	No. of OFFICERS ASSIGNED No. of OFFICERS PRESENT AT INSP			
			٠.	GENERAL EFFICIENCY Assigned Officer Camp Surgeon Capt. Epton Date of Last Inspection 6-25-36 Educational Adviser Cn Leave Last Visit No. of Sub Camps No. of Men DISCIPLINE of PERSONNEL Excellent Minus MORALE Excellent Minus			
				Educational Adviser On Leave Last Visit			
			4.	No. of Sub Camps No. of Men No. of Men			
	1		6.	Foreman in Charge			
			7.	RELATIONS and COORDINATION with FOREST SERVICE			
			8.	SIGNS Signs to be set up at Cataldo and road junctions on way to			
	1	B	. рну	Gamp. This was on last report. SICAL EQUIPMENT and SANITATION:			
			1.	Latrine (Type) Satisfactory; seat to be cleaned.			
	1		2.	Bath Houses Satisfactory; Floor & shelf to be cleaned. Laundry Facilities Satisfactory; better facilities should be			
			4.	Sleeping Quarters Satisfactory Flus; some floors /provided.			
				dirty & bunks not heat. Trash to be removed from fire boxes.			
			5.	Mess Hall Satisfactory Plus; tent flies should be			
			6.	placed over tent to keep same cooler. Kitchen Satisfactory Plus; walls could be cleaner.			
			7.	Cooler (Meat, etc.) Satisfactory Minus; dirty.			
			9.	Root remar.Cooler None at present. Garbage Disposal Covered pit. Satisfactory; need rack for			
				garbage cans.			
			10.	Recreational Building			
			11.	Camp Exchange			
			13.	Infirmary & Medical			
				Equipment & Personnel First Aid kit.			
			14.	Administration Building.			
			15.	Officers Quarters Satisfactory			
			17.	Fire Precautions and			
				Preventitives Satisfactory			
			18.	All Heating Equipment Satisfactory			
			19.	Generator House & Equip.			
			21.	Water Problem River water piped to camp.			
			22.	Fly Screens & Traps Fly traps needed.			
			23.	General Camp Sanitation. Satisfactory Plus; area should be policed.			
				each morning. Tin can dump to be cleaned up at once. Dump to be farther from camp.			
		C.	C. MESS and SUNDRY ITEMS:				
			1.	Rationed by whom Army			
			2.	Food Satisfactory Flus Quality Satisfactory Flus			
				Variety Satisfactory Plus Quantity Satisfactory Plus			
			3.	Kitchen Personnel (Qualifications & Presentability Satisfactory Plus			
			4.	Are Meats Govt. Inspected 198			
			5.	Is Fresh Milk being Served 168			
			6.	Food Provision Storeroom Satisfactory Plus Tableware Satisfactory; salt & pepper shakers dirty.			
			8.	Cooking Rouinment Satisfactory Plus			
			9.	Cleaning Facilities Satisfactory Plus			
		1	10.	Are Mess Stores Properly Accounted for			
	ш		11.	Complaints or Suggestions Concerning Mess			

D.	EDU	CATIONAL & WELFARE ACTIVITIES:	
USESU,			
	1.	Educational Adviser On leave.	A STATE OF THE STA
	2.	No. of Courses No. Enrolled	No. of Instructors
	3.	Magazines & Paners	
	4.	Circulation System of Library	
	5.	Recreational Equipment & Use Thereof	leseball, checkers, horsesho
		swimming.	
E.	REC	ORDS and REPORTS: Kept by Camp Foremer Foremen was out on the	
	1.	Morning Report	
	2.	Sick Report	
	3.	Duty Roster	
	4.	Daily Diary (Log of Events)	
	5.	Minutes of Last Safety	
		Committee Meeting	· ·
The second second	6.	Record of Telephone Calls	
		and Telegrams	
	7.	Form #36 (or QMC 469)	A CONTRACTOR OF THE CONTRACTOR
		Roster of Men Checked on	
	202	Last Sanitary Inspection	
	9.	Weekly Roster of Kitchen	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		Personnel, Sanitary Inspection	
	10.	Meal Record Report,	
		Officers & Foresters	
	11.	File of Menus	
	12.	Food Storeroom Stock Record	
	13.	Registered Mail Record	
	14.	Officers Register	
	15.	Leave Register (Enrollees)	
F.		PLY FACILITIES:	
	1.	Are Supplies Being Received Regularly_	Yes, except bread.
		In Satisfactory Condition_	192
	2.	Are Requisitions Filled Promptly	Yes
		With Materials as Ordered	
G.	FIR	ES or OTHER EMERGENCIES:	
	1.	Fires, when_	W Alles Branch and Control of the Co
	2.		O .
	3.		Manager Commencer
	4.	Method of Clothing and Equipping	Barrier Barrier
	5.	Officers (NAME) on Fire	
* Down of the last	6.		

COMPLAINTS or SUGGESTIONS by COMMANDING OFFICER:

NOTE: The same system of ratings as used on Efficiency Reports will be used where required, i.e.,

 Superior,
 95% to 100%

 Excellent,
 85% to 95%

 Satisfactory,
 75% to 35%

Unsatisfactory, 65% to 75% Inferior, Below 65%

Total Efficiency; Rating for Camp Satisfactory Plus

Inspecting Officer's Signature
C. W. Meldrum
Captain, Inf-Res., 363rd Infantry
Inspector

District Headquarters CCC, Fort George Wright, Wash. June 27. 193 6
To: Commanding Officer, Co. 591, Camp F-192, Prichard, Idaho

Deficiencies as noted below will be corrected at once and a report of action taken submitted to D.H. within ten (10) days of date of this inspection.

Deficiencies noted:

(1) Sec. B Line 1-2-3-6 (2) Sec. B Line 7-8-9 (3) Sec. B Line 23 (4) Sec. C Line 7 (5) Sec. Line (6) Sec. Line

By order of the District Commander:

A. B. McElhoe

1st Lieut. C.A.-Res., 14th C.A.

Adjutant

Control of the contro

The man system of ratings as which on Affichence Reports will be used

rotal Wildlandyr Rathmy Nor Cylp

arbatten as must of ted

onal room (b) the oats res (a) with and res (b)

y order of the District Command Ser

A SECTION OF

O ECW Supervision - Coeur d'Alene Inspection

Coeur d'Alene, Idaho, October 27, 1936.

MEMORANDUM FOR RANGER HAND

I accompanied Inspector Akridge to the Latour spike camp on October 23.

Five or six men were engaged on slash burning just above camp on the Latour-Dudley Road. Several of the fires were quite badly scattered and were burning in down logs on which the road slash had been thrown. Quite a little green shrubbery and a few green trees had been burned or scorched so that they will die. It is urgent that we do a better job of slash disposal along our roads, even if it is necessary to rehandle the slash and burn it on the roadway. The slash on up the road is in more open territory but, even so, many of the slash piles above will cause damage to green stuff if burned in place.

Quite a number of broken handled tools and dull tools were found in the tool house. Arrangements should be made to have this equipment put in shape either at the Kingston Station or at the base camp at Big Creek.

Several sections of large size corrugated culverts are lying along the road at the foot of the hill nearest Dudley. They should be gathered up and stored for future use.

Additional spark arresters are needed for the foreman's office and quarters and a supply of valve stem caps is needed for the two trucks before freezing weather.

CHAS. D. SIMPSON, Forest Supervisor,

By CHAS. D. SIMPSON