Route 1 Kimberly, Idaho Jan. 18,196

Dear Alan and Ruth:

It was so nice to have even a brief visit with Rob and Dixie and to hear of you. I don't believe Rob told me of the location of the blades he had with him. Their mode of manufacture is unique and the only other example of this technique of which I am aware is from Proverty Point, La., which I saw in Shiner and Wendorf's collection in Dallas.

We just returned from Pocatello and I had a few minutes to study the Wilson Butte artifacts which you had in Reno. I didn't have time to make a flake-by-flake analysis, but am enclosing a few comments on techniques which were obvious. You may use them as you see fit, or disregard my interpretation. Am also enclosing a replica flake which has had a burin spall removed by percussion. Notice the undulations from the percussion shock which are not present on your speciman. Yours appears to have been removed by pressure, but with a single speciman one cannot be sure. My replica was made of altered chalcedonic material from Battle Mountain, Nev. You can see the change of texture by comparing the dorsal side with the ventral surface.

You may be interested to know that about fifteen miles South of the Wilson Butte Cave - in a Pleistocene gravel pit - fossil remains of Caribou antler, mammoth, bison and other bones were found. This site is above the canyon rim about a mile North of Shoshone Falls. Dr. White has tentatively identified the Caribou antler and will analyze further bones when he gets down this way. The gravels had to be deposited during or before the formation of the Snake River canyon.

We hope you have had a rewarding Summer and have found many exciting things. Expect Clyde is doing your reconnaissance work for you by now. We would certainly look forward to seeing you and hope you can get down here before long.

Sincerely,

Don and Evelyn

The valid association of significant artifacts found by Dr. Ruth Gruhn in the lower levels of Wilson Butte Cave in South Central Idaho are of note because of their antiquity. Because of the importance of these finds under controlled excavation conditions in a stratified site, detailed description will be given as well as an analysis of their technological aspects.

Artifacts are illustrated on Plate 33 of Occasional Papers of the Idaho State University Museum, Dr. Ruth Gruhn, No. 6, 1961 and are numbered A, B, C and D.

(A 11830) A bifacial artifact of fine-grained, dark-colored basalt. Source of material is unknown. This basalt is not abundant in Southern Idaho but, on occasion, some is found. Point is broken but the break occured accidentally and not during the knapping process. Because it is broken, the complete form of the artifact is difficult to determine and possibly the worker formed it in a manner which would permit him to alter either end into a tip or base. It is bi-convex in section and was, possibly, ellipsoidal in shape. Workmanship is typical of the preforming technique which is usually done at the material source to lessen the weight of the artifact and eliminate transporting surplus material to the cave. Roughing out was done on a large primary flake (blank) by direct free-hand percussion using the core technique. The edge is slightly sinuous indicating that the primary flake had a right angle edge which was removed by alternately striking one side and then the other. This technique provides a platform surface for each subsequent blow and, therefore, eliminates the work of preparing a platform for each flake removal. The bulbar scars on the lateral margins are somewhat diffused, not salient, showing the percussion implement made wide contact on the edge of the artifact. A soft hammerstone, or an antler billet, was used with excellent control for the preforming, but no attempt was made to thin the artifact. The flakes terminate sharply indicating the blow was delivered with considerable One side and one edge show consistent rhythm and control in detaching the flakes. Removal of flakes on this side has also left a well-defined ridge down the median line of the artifact. When completed and the final pressure retouch applied, such a tool would be fairly thick. However, it would withstand the strains of violent and vigorous use.

Even though it was broken, this tool appears to have served a functional purpose. Abrasion of the broken or truncated end may be the result of striking with a material other than stone. It could possibly have been used as a punch or wedge for splitting wood, for the opposite end (pointed, unbroken) is not bruised but the small flakes thereon were definitely removed by force originating at the tip and directed toward the base, or the broken end.

(B 11588) A blade knife or dual-edged cutting implement of a mottled grey semi-translucent variety of chalcedony commonly occuring in pre-Terteriary vesicular volcanic rocks weathering out in the form of nodules or geodes. Such volcanic formations occur forty miles North of the Wilson Butte cave. The material is of a vitreous lusterous nature which may indicate artificial ateration by the thermal treatment.

However, no final conclusions may be reached because all the original surface which would allow a comparison of texture change has been removed. The proximal end which contains the bulbar portion and platform has been removed and, therefore, we have no clue to either the technique or core type. A few flakes have been removed at the proximal and distal ends to straighten the blade. Possibly, the worker was preparing to fabricate an artifact and then either abandoned or lost the piece. It is unlikely that it was abandoned for the material is of excellent quality and of adequate size to be still workable. The dorsal side of the blade does, however, bear the scars left by the previous removal of two blades. This blade was removed by striking a well-aimed blow directly in line with the longitudinal ridge (crest) left from the removal of the two previous blades. This blade, with its two scars on the dorsal side readily demonstrates that the blade technique was repeated three times in sequence. This specimen illustrates a cultural trait pertinent to the early inhabitants of the Wilson Butte Cave. Blade is triangulate in section with one ridge rather than trapazoid with two ridges. is an example of a single ridge blade which is one of the common styles of specialized parallel sided flakes. The parallel sides of the blade show functional scars that are typical of working wooden objects in a manner such as one would use a pocket knife. It was held at an angle and used diagonally in one direction. Then, as the edge became dulled from encountering knots in the wood, it was turned over and the other side used in the same manner. This type of motion causes the use flakes to be detached unifacially. When this type of blade is used for skinning and dismembering animals, the bifacial use flakes on the edge are hardly detectible by eye. (Personal experience skinning bear with stone knives and blades at Grasshopper site in Arizona, July, 1966)

(C 10601) A flake of good quality black ignimbrite which has several interesting features. It shows a distinctive platform area which indicates the use of a soft percussion implement, possibly a wooden baton or billet. The edge of the flake penetrated the percussor and was pulled from the core, leaving a distinctive lip and forming a diffused bulb which is characteristic to the wooden baton technique. More definite conclusions could be drawn if a greater population of flakes could be examined rather than just a single flake. The platform part of the flake still retains a portion of the exterior of the pebble, or cobble, from which the flake was derived. bruising and abrading of this surface is a characteristic of isotropic materials which are derived from a deposit of alluvium. Today, we have gravel pits on the South side of the Snake River, some distance from the cave, which contain similar ignimbrite material. There may also be other occurances of which I am not aware. platform of the flake is similar to the "Chapeau Gendarme". type of platform is so called because it very much resembles the policeman's hat of the old French Gendarmarie. This is established and formed by the knapper when removing a flake from the core. first removes a surplus flake from the core which leaves a bulbar scar on the face of the core. Then he removes another flake at the same place but striking in from the leading edge of the core. produces a "Chapeau Gendarme"!flake. Apparently this Chapeau Gendarme flake was originally larger before the worker used one lateral edge of the original platform bearing the cortex for seating his tool to sever the flake longitudinally to make a break typical of the manufacture of burins. The burin break is the result of a distinctive

(D 11523) The type of break on the fragment of limb bone indicates that it was broken by man and then grooved on one of the broken edges. This piece of bone is from the lower levels of the Wilson Butte cave. It was broken from a fresh upper limb bone by splitting lengthwise causing the edges of the bone to be at right angles to the surface. One of the edges has been grooved by a burin type implement. My comments on this bone may differ from the Archaeologists' for they are based on my experience in working bone by what I hope are aboriginal methods to make stone knapping tools. Splitting and modifying bone into usuable pieces is a study and science within itself. When appraising early man sites, the question frequently arises - was it broken by man or carniverous animals? i.e. dire wolves, hyena-like beasts, etc. A quick answer to this question may be obtained by breaking some bones yourself and then examining the breaks on bones of those fed to zoo animals. residue of bones from animal feeding will have breaks that are distinctive and which do have certain parallels with stone fracture. I have examined faunal remains from Pleistocene cave sites which were excavated by the University of California at Berkeley - near Auburn and also Tracy, California which contained both horse and dire wolf In these collections was the cannon bone of a horse which had been broken by the jaws of some large carnivor. These breaks were of a bipolar nature, leaving scars which were semi-chonchoidal and directly opposite one another. Repititions of such breaks are not likely to be duplicated by man. When man places a bone on an anvil and strikes

it to remove the marrow, the bone usually has a spiral break. If the bone is to be split, the ends are crushed to remove the spongy bone and then one end is placed on a support and the opposite end is levered apart by the use of a cleaver object. There are, no doubt, many techniques and preferences in forming bone which may indicate traits distinctive to certain groups of people.