

CHAS.C. MOORE & CO. ENGINEERS

INCORPORATED

DESIGNAND
CONSTRUCTION OF
COMPLETE PLANTS
POWER LIGHTING
MINING
PUMPING

PACIFIC COAST BRANCH
THE BABCOCK & WILCOX COMPANY
CHAS. C. MOORE, MANAGER
MANUFACTURERS OF
WATER TUBE STEAM BOILERS

SHELDON BUILDING
FIRST STREET, CORNER MARKET
SAN FRANCISCO
BRANCH OFFICES

MAIN OFFICE

BRANCH OFFIGES
LOS ANGELES. 404 CENTRAL BUILDING
SEATTLE, L. C. SMITH BUILDING
SALT LAKE, 705-706 KEAPNS BUILDING
NEW YORK, HUDSON TERMINAL BUILDING
TUCSON, 21 SOUTH STONE AVENUE
HONOLULLU, T. H.

ADDRESS ALL CORRESPONDENCE TO THE COMPANY REGISTERED CABLE ADDRESS "CHASMORE"
IN REPLY PLEASE STATE FOR ATTENTION OF

SEATTLE May 31, 1923.

Craig Mountain Lumber Co., Winchester, Idaho.

Gentlemen:-

We enclose three copies of Sheet No. 2 showing piping as proposed for your boiler.

You will note we have shown in solid lines the simplest and cheapest form of piping to fit in with your present requirements. This, however, does not give a very flexible connection, although very much more flexible than your present piping. The bend as shown in dotted, would give greater flexibility, although being a little more expensive. If the tee which they have marked "A", is looking in the position indicated on the drawing, the bend could be extended 20", so as to come in to the side of the tee, and the end of the tee could be used for taking off other lines.

We would like to have you check over the dimensions as given on this pring and advise us whether they are correct. We would also like to have you advise us whether the fittings as indicated are installed as shown, marking up one of the prints and returning to us for our records.

we would also like to have you indicate your wishes as to whether the piping be made with bend shown in solid or dotted. As it will be necessary to get out the bend in San Francisco after receipt of this information and as we do not want it to delay the completion of your plant, we would appreciate your sending one of the prints which we are enclosing, properly marked, direct to our San Francisco office, Sheldon Bldg., with one copy for us here.

Yours very truly,

CHAS. C. MOORE & CO. ENGINEERS Seattle Office.

Per

HWB:NFS

(Copy for S.F.)

Encs.

June 4, 1923.

Chas. C. Moore & Co., Engineers SEATTLE, WASH.

Gentlemen:-

In reference to your letter of May 31st enclosing diagrams showing piping proposed for our boiler, we are returning herewith sketches as requested.

We find that the tee marked "A" is correct as to measurements and prefer to have the bend made according to the solid lines as indicated upon the enclosed drawings.

Yours truly,

CRAI'G MOUNTAIN LUMBER COMPANY.

AMV/FA. ore & Co.Frisco.

Form 519-84231

THE BABCOCK & WILCOX CO. (Barberton Works)

Barberton, Ohio, May 31, 1923 ORDER NO. S-7623 FITTING LIST Craig Mountain Lumber Company. Winchester, Idaho. The following is a list of material shipped to you today, via... No. Pieces DESCRIPTION 1 12"Steam gauge 0 to 300 lbs. 1 2-1/2"Plug cock for blow off, flgd.gato.strt. 4 holes 1 2-1/2"Blow off valve, flgd. 4 holes 2 2-1/2" " " comp.flanges. Patt.No.18201 49 2 1-1/2"Water colm. flanges. Patt.No.18199 1 Top valve 3/4"Stlg.water gauge 1 Bottom valve 3/4"Stlg. water gauge 1 3/4"x18"Water gauge glasses 4 3/16"x19" " rods. 1 Po. each 25 ft. water gauge chain 15 6 S Hooks 3 1/2"Gauge cocks 1 Card of rules 1 Cast iron flange, tapped 2-1/2" #19201 1 Manhead wrench 4 3/4"x4"Stud bolts-2 nuts each for blow offs " " " S.V.Y.S. " 2 " 4 3/4" 92 Anchor bolts and hex nuts for cleaning doors. 2 1/2"x1-3/4"Mach. bolts for drip pipe clamp 3/4" = 2-1/4" 8 5/8"x2-1/2" water column 3/4"x3" 8 12 blow off valves safety strong " 16 3/4"23-1/2" 8 3/4x3" " " " feed 2 Drip pipe brackets H 655 clamps (2 pc.ea.) H 656 1 Stirling name plate 1 Reference plate 5 3/4"No.8-32 thread brass mch. screw and nuts 4 12"c16"Rubber manhead gaskets. 2 1-1/2"x3-3/4 Fibrous water col.gamkets. 2-1/2"x5" gaskets for blow off 2 4"x7" " a per valves 3 2-1/2"x5" " : Teed will upo In 1 Box. 2 4"Safety valves set at 135 lbs. In 1 Crate 5017 F 5018 F 1 F water colm. In 1 Box. 1 2-1/2"Crane angle valve xhy.iron flgd. 1 2-1/2" check In 1 Crate. 1 Pc. 3/4 Metallic cleaning hose 25 st. pipe thread con. In 1 Box.

Yours truly,

THE BABCOCK & WILCOX CO. (Barberton Works)

PIPING LIST ORDER NO. 3-7623 Barberton, Ohio,.... Craig Mountain Lumber Company, Winchester, Idaho. The following is a list of material shipped to you today, via..... No. Pieces DESCRIPTION Pcs.1/4"Steel gauge cock rods 5:31-1/8" Brass handles for gauge cock rods " connections for gauge cock weds Steel couplings 10'4"Pipe 1-1/2"Dia. 10'6" " 1-1/2"Dia. brass (.145) 1 Pipe std.wt.3/4"x3'0" 2 Nipples std.wt.3/4"x2-5/8" 3/8"x2-7/8" 3/4"x7" 1 3/4"x2" Pipe xhy. iron 2-1/2"x5'4-3/4" 14'10"Pipe 3/4"Dia. 16'0" " 3/8" " 18'10" 11/4" " brass (.088) 1 Pipe std. soot blower complete 1 Tee 1"x1/2"x3/4" 9805 1 Nozzle 9806 1 Pipe 1"x12-3/82 1 " 1/2"x5'x9-1/2" 1 Set. piping comp.xhy.iron. 1 Cross-brass 1-1/2"x1-1/2"x1-1/2"41/1/2" short Kind s for 4 Plugs--brass 1-1/2 3/8" 2 Bloows 45 3/4" 2 45 3/4" 1 90 Y's iron 3/8"x3/4"x3/4" H 627 1 Union 1 3/4" Globe valve-brass 3/8"screwed. 1/4" 1 1 not Co. 1/4" Union will nearly upor R. R. R. 1 Coupling 1/4" 1 El Bow 90 1/4" 1/4" 1 Tee 1 Globe valve-brass 3/4" screwed 1 Elbow 90 3/4" 1 Nipple 2-1/2"x5-1/2" 1 Coupling -- brass 1/4" 1 Cross--iron 1-1/2" In 1 Box.

THE BABCOCK & WILCOX CO. (Barberton Works) WATER TUBE SAFETY BOILERS

ORDER NO. \$-7623

Barberton, Ohio, MAY 29, 1923. 192

C.C. MOORE & CO., %CRAIG MOUNTAIN LUMBER CO.,

We will not be responsible for any shortages unless same are reported to us immediately upon receipt of the material. Kindly check list and return to us at once. Notify R. R. Co. on arrival if any parts be found broken or defective through careless handling.

WINCHESTER, IDAHO.

The following is a list of Material shipped to you today, in PL 825279 VIA PENNA BELT RY OF CHICAGO

	The following is a list of Material shippe	ed to y		DELI RI OP CHICAGO				
No. of Pieces	ARTICLES	No. of Pieces	C&NW NO.PAC.CRAIG ARTICLES Pieces	MOUNTAIN RY DELIVERY ARTICLES				
PARTE	Mud Drum R. H.		Channels "x lbs.x ' "	Tile Bearer Yokes				
	Mud Drum L. H.	1	Bx. Bolts for Supports	W. C. Brackets No. 5019 F				
	Back Drum R. H.	T. HA		W. C. B. Rests No. 7593				
		The last	Serving 2 Metal					
	Back Drum L. H.		Covering Plates "x ' "	S. G. Brackets No.				
	Middle Drum R. H.	41.	Covering Plates "x"	C. I. Brackets No.				
	Middle Drum L. H.	(4	Tile Bearer Rods %"x 14' 3"	C. I. Buckstays No.				
	Front Drum R. H.	(2	Binder Rods 11/8" x 18 ' 0 "	C. I. B. off Ells 2½"				
	Front Drum L. H. 1 BDL	(4	Binder Rods 11/8" x 2 ' 0 "	Pipe, no Threads				
25		(3	Binder Rods 11/6" x 15 , 11 " 14	Round Washers W-184 1 BDL				
25	2	(2	Binder Rods 11/8" x 15 , 2 "	Round Washers No. 283				
25		(1	DAMPER ROD 5/8,"X15°4" "	Grate Bars No.				
	An and the second secon	- 25E	Binder Rods 11/6" x "	Grate Bars No.				
25			State of the State					
25			Hook Bolts	Grate Bearers No.				
25		12. 300	Sets Firing Tools (Pc.)	Grate Bearer Rests No. 17				
25	7		Fire Door Panels	Grate Bearer Rests No. 17-A				
25	8		Fire Doors and Liners	Grate Supports No.				
25	9		Ash Doors	Spl. Tile Mkd. "O"				
25	10		Outer Columns	Skew Backs A-1				
25			Inner Columns	Skew Backs B				
25		Na late	Center Columns	Bullheads 2½"x2 "x "				
25		Salt I	Middle Columns	Bullheads 2½"x1¾"x "				
		1 1 1 1 1	Dead Plates No.	Sq. Brick 2½"x4½"x9"				
25								
25		并	Upper Half Lower Front BUCKSTAYS 9" X21.8#X9 4-3/4" Panel Plates	Spl. Bolts "x"				
13	16	2	ANCHOR PLATES 4" X3/8" X4"	a a contract of the contract o				
13 25	17	1	IN BUX	Spl. Bolts "x ' "				
25	18	1	Name Plates 4" X3" X5/8" X15"4-1/2")	Bent B. O. Pipe Flgs. Attd.				
25 25	10 19		Outer Pilaster 6" X4" X1/2" X15' 4-1/2")	PN Fittings CE				
25	23 %	-		Crts. Pop Valves				
2	Girders 24 "x79.8bs.x 18 6-1/4"	2	ANGLES 6" X4" X1/2" X5'0-1/2")	Crts. B. O. Valves				
	Girders "x lbs.x ' "	2	ANGLES 4" X3" X3/8" X20-1/2" AT	Bx. Water Columns				
2	Girders "x lbs.x " DBLE Ux 21 Pbs.x 15' 2"	11	Damper Box No. 4" X4" X3/8" X14"0" Cornice Ends	Bx. Piping				
2	I. Columns 9 "x21.8bs.x 13' 4 "	10年	Panel Ends					
	I. Columns "x lbs.x "		Box Bolts for Fronts	AVOIS OF THE PARTY				
	I. Columns "x lbs.x "		Filler Piece					
	Angle Col. "x lbs.x ' "		Extension Furnace Cornice					
	Angle Col. "x lbs.x ' "		The second secon					
1			Inspection Doors No. PARTIAL	SHIPMENT				
1	Angles 4 "x 3 "x 3/4 "x 13' 3 "		Elip. Doors No.					
1	Angles 6 "x 3 2 "x 3/8 "x 13' 3 "		Explo. Doors No.					
1	Angles 4 "x 3 "x 3/4 "x 14 8 "		24" Round Doors					
2	Buckstays 9 "x21.8bs.x 9 6-1/2"		.10" Round Doors					
2	Buckstays 9 "x21.8bs.x 5 10-1/4"		14" Round Doors	Participation of the second				
2	I. Beams 10 "x 25.4bs.x 15'2-1/4"		Balance Wts. No.					
4 1	BUCKSTAYS "9" X21188#X9 11-1/	2"	Fulcrums No.					
2 1	BUCKSTAYS "9" X2118 8#X16"6" "	4	Tile Bearer Yokes 17931					
Tile Bearer Yokes								

THE BABCOCK & WILCOX CO. SHIPPING DEPARTMENT

Form 612-5M-12-22-30609

THE BABCOCK & WILCOX CO. (Barberton Works) WATER TUBE SAFETY BOILERS

THE RETURN AND DELLE TO THE RE

ORDER NO. S-7623 BUR. ORDER 15138

C.C.MOORE & CO., %CRAIG MOUNTAIN LUMBER CO., Barberton, Ohio, MAY 29 102 370 192 5 192

SINCHESTER, IDAHO.

The following is a list of Material shipped to you today, in PRR 284626 VIA PENNA BELT RY OF CHICAGO

No. of Pieces	ARTICLE	es .	No. of Pieces	C&NW NO. PAC. CRAIG MOUNTAIN RY DELIVE ARTICLES Pieces ARTICLES	ERY
	Mud Drum	R. H.	THE STATE	Channels "x lbs.x ' " Tile Bearer Yokes	
1	Mud Drum	L. H.N. B. 110	6	Bx. Bolts for Supports W. C. Brackets No.	
	Back Drum	В. Н.	11	Covering Plates 36 "x 3 '11 " W. C. B. Rests No.	
1	Back Drum	L. H.N. B. 110	6 2		
	Middle Drum	R. H.	14	Covering Plates 24 "x 3 ' 11 " C. I. Brackets No.	
1		L. H.N. B. 110	6	Tile Bearer Rods %"x ' " C. I. Buckstays No.	
-	Middle Drum				
4	Front Drum	R. H.	6		
1	Front Drum	L. H.N. B. 110			
		No. 1	41.74	Binder Rods 11/8" x ' " Round Washers W-184	
1	PLATE 12" X#10)			Binder Rods 11/8" x ' " Round Washers No. 283	
1	PLATE BRACKET	IN BOLT BO	X	Binder Rods 11/8" x ' " Grate Bars No.	
	10"X3/16"X13"		BA	Binder Rods 11/8" x ' " Grate Bars No.	
1	AIR ADMISSION 22672-22673	DOOR COMP.		Hook Bolts Grate Bearers No.	
4	SEAL INC PLATE	10170	1	Sets Firing Tools (3 Pc.) 13 6 Grate Bearer Rests No. 17	
1	WALL SIFFUE 10	110	并	Fire Door Panels W.S. Grate Bearer Rests No. 17-A	D 4
1	MUD DRUM CLOS	ING PLATE	4	Fire Doors and Liners 18" X22" ATTACH, Grate Supports No.	4
	23239	9	B	Ash Doors 17" X22" (26 Spl. Tile Mkd. "O"	
26	3-1/2" X1" X5'0"	STRIPS)	2	Outer Columns Skew Backs A-1	
22	2" X1" X5'0" STR	PS)	2	Inner Columns _ (32 Skew Backs B	
Z 391	1 B0X	12	1	Center Columns (36 Bullheads 21/2"x2 "x"	
4	The state of the s	MOVET 0470		Middle Columns BBLS (200Bullheads 21/2"x13/4"x "	
1	STEAM GAUGE BE	XIA	11	Dead Plates No. 24225 Sq. Brick 2½"x4½"x9"	
47			2	Upper Half Lower Front Spl. Bolts "x "	
12	12" X24" X24"	62 13 CRTS	1000	Panel Plates Spl. Bolts "x "	
4	ANGLE & CHECK	VALVE		Cornice Spl. Bolts "x '	
-	ANGLE & CHECK	18	4	Name Plates CRAIG MOUNTAIN LUMBER Cont B. O. Pipe Flgs. Attd.	
	11 11 11 11 11 11 11 11 11 11 11 11 11		-	Outer Pilaster 2 Box Fittings	
		19			
		20		Center Pilaster Crts. Pop Valves Crts. B. O. Velves	
	Girders "x	lbs.x ' "		Lower Piece Crts. B. O. Valves	
	Girders "x	lbs.x ' "	1	Damper Box No. 13111 A 25 L. Bx. Water Columns	
	I. Columns "x	lbs.x ' "	- Charles	Panel Ends Bx. Piping	
	I. Columns "x	lbs.x ' "	1	Box Bolts for Fronts	
	I. Columns "x	lbs.x ' "	1000	Filler Piece	
	Angle Col. "x	lbs.x ' "	4	Extension Furnace Cornice COMPLETE SHIPMENT	
	Angle Col. "x	lbs.x , "	The state of		
1		2'x 13 ' 11 "	17	Inspection Doors No.	
79	Angles "x "x	"x , "	-1	-)-17 -)000	
1	Angles "x "x	"x ' "		Explo. Doors No.	
VX 1			1	24" Round Doors 23685 23686	
Car In	AND THE RESERVE OF THE PARTY WAS IN	lbs.x ' "	1	10" Round Doors	
Tall.		lbs.x ' "	4	14" Round Doors 24657 24658	
		lbs.x "	(4		
1,00		lbs.x ATTACHED	()4	Fukuma-No. " 24098	
	I. Beams "x	lbs.x ' "		Tile Bearer Yokes	

THE BABCOCK & WILCOX CO. SHIPPING DEPARTMENT

UNIFORM STRAIGHT BILL OF LADING

ORIGINAL-NOT NEGOTIABLE

Agent's No

THE PENNSYLVANIA RAILROAD COMPANY

2 1 2 2 2				下角 四位	上數据工工學的學科學的學科學的學科學 "李朝						
REC	CEIVED, subject to the classifications and tariffs in effe	ct on the date of the	issue of this	Bill of Lac	ingeceived Dent to						
. BA	RBERTON, OHIO. MAY 29TH	1923	1 ×	Hemanas	JUN 4 1923 192						
			40	MARAS ME	TO LONG ONLY						
from	ty described below, in apparent good order, except as	noted (contents and	condition of	97	f packages unknown) marked						
consigned, any person if on its or to each ca- in all or an whether p	and destined as indicated below, which said company or corporation in possession of the property under the wn road or its own water line, otherwise to deliver to rrier of all or any of said property over all or any portion by of said property, that every service to be performed intended or written, herein contained, including the condition of the said property.	(the word company la contract) agrees to another carrier on the on of said route to de d hereunder shall be	being unders carry to its ne route to s estination, and e subject to	stood through usual place aid destinand as to each all the con	ghout this contract as meaning of delivery at said destination, tion. It is mutually agreed, as the party at any time interested aditions not prohibited by law.						
Mail or street address of consignee—For purposes of notification only.											
Consigned	to C. C. MOORE&COMPANY %CRAI	G MOUNTAL	IN LUN	BER (COMPANY						
Destinatio	N NCHESTER	_State of IDAM	10	Cou	nty of						
Route P	ENNA BELT RY OF CHICAGO	C&NW NO.P	AC. C	RAIG	MOUNTAIN RY						
DELI	VERY)	Car In	itial (BE	LOW)	Car No.						
	(Delivering carrier)										
No. Packages	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTION	*WEIGHT (Subject to Correction)	CLASS OR RATE	CHECK	If this shipment is to be delivered to the consignee						
0	OTLER KO (GROSS)	88100	The state of the s		without recourse on the con- signor, the consignor shall sign						
12.55	ACTUAL LIGHT WEIGHT	43900	19-19-12		the following statement: The carrier shall not make						
58 P	IECES) DUNNAGE	500			delivery of this shipment with- out payment of freight and						
5 0	OXES) NET!	43700	2864	PER	all other lawful charges. (See section 7 of conditions.)						
7 8	BLS) 15 CRATES)										
	(PL 825279)		the The	Maria .	(Signature of consignor)						
	BOILER KD (GROSS)	93400			If charges are to be prepaid, write or stamp here, "To be						
	ACTUAL LIGHT WEIGHT	51500			Prepaid."						
2 8	UNDLES) DUNNAGE	500		1.75	PREPAID						
1 9	OX) NET	111400	2.86	& PEF							
519	PIECES)		1 26 2		Received \$						
	PHP 00000 45470			4	the charges on the property described hereon.						
	PUR ORDER 15138	TARIFF 1	1-8		1						
1	2.13	TO JOSEPH	1 IDA	HO	Agent or Cashier						
*If the	shipment moves between two ports by a carrier by water, the law requ	uires that the bill of ladin	g shall state w	AND DESCRIPTION OF THE PERSON ASSESSMENT	Per I ON						
*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is carrier's or shipper's weight." Note.—Where the rate is dependent on value, shippers are required to state specifically in writing the											
agreed or declared value of the property. Charges Advanced:											
Theag	reed or declared value of the property is hereby specifical	9									
per											
ShipperAgent											
Per											

Permanent post-office address of shipper