

Vue.js



#### Using ESRI JavaScript API with React JS and Vue JS

To Build Modern Web Applications for GIS-related Tasks

#### About Me

#### Koffi Anderson, Koffi

- Web development for the Library Data & Digital Services of University of Idaho
- Currently working on Inside Idaho Imagery Explorer and Idaho Rangeland Atlas web applications

2


 Majoring in Electrical Engineering & Computer Science (University of Idaho)



# ESRI JavaScript API

#### Overview

#### ESRI Developer API capabilities



/isualize data by size >

Visualize data by color >

Interact with subsurface data >





### Why Use JavaScript Frameworks?




#### ANGULAR

METE

## Comparison

Development Tasks	Vanilla JavaScript	JavaScript Frameworks
Write complex, efficient and easy to maintain User Interface	Difficult	Easy
Keep the User Interface synchronized with the state of the application	Difficult	Easy
Code faster and increase development velocity by following convention	Low velocity	High velocity






# Using ESRI JavaScript API with Vue

#### Idaho Rangeland Atlas Web Application


	ELAND ATLAS BETA				Map About	Data & Methods	Technical Details	Contact Us
LAND COV	/ER		Show Subjects	Q Select a county -	C RESET	Lethbridge	Medicine Hat	
s 'rangeland'. abitat to wildl		st tracts of open spock, offer a multite		Vancouver Victoria	Sp			
TATE-WIDE DATA	A		🖻 XLS 🕒 CSV 🖹 TXT	Washington			Montana	
Legend	Type of Land	% of State	Acreage	1 1 2 2 5	Cennewick	He	lena	- /
	Forest	31.7	16,950,807	and the second	CONTRACT US		Bill	ings
	Rangeland	53.9	28,793,382	Portland		51	and the second	Actab
	Wetlands	0.9	482,577	Salem		fritan.	A	
	Water	0.9	491,743	Oregon		And the	T Bar	
	Developed	1.7	918,048		V		1 And	- Part
	Cultivated Crops	9.2	4,898,404	Medford	1	The strange	Print I	Лар
	Pasture/Hay	1.6	879,739		AND N		Title	
				P. C. Alex S. C.	C. LEST	S	alt Lake	PRINT
				Esri, HERE, Garmin, NGA, USGS, NPS   University of	a for the second	1 11 11	a Balanna - star	Powered by

### Presenting Geographic Data with Web Components




TATE-WIDE DATA			🕅 XLS 🚺 CSV 📑 TX
Legend	Type of Land $\downarrow$	% of State	Acreage
	Forest	31.7	16,950,807
	Rangeland	53.9	28,793,382
	Wetlands	0.9	482,577
	Water	0.9	491,743
	Developed	1.7	918,048
	Cultivated Crops	9.2	4,898,404
	Pasture/Hay	1.6	879,739

### Applying Raster Functions to Web Map



### Creating Custom Widgets for Web Map




### Using ESRI JavaScript API with React

#### Idaho Imagery Explorer Web Application



### Creating Custom Widgets and Controls



#### Authentication and Security

Sign In	esri
Username	9
Password	<b>1</b>
Keep me signed in	
SIGN IN CANCEL	
Forgot password? Forgot usernar	ne?
Sign in with ENTERPRISE LOC	ŝin
Sign in with	

Imagery Explorer developed by:



Imagery Explorer wants to access your ArcGIS Online account information

University of Idaho

The University of Idaho is a nationally-recognized research institution committed to student success and academic excellence that delivers one of the best educational values in the Pacific Northwest.

# Thank You

#### Koffi Anderson Koffi

koff9454@vandals.uidaho.edu

#### References

- "ArcGIS API for JavaScript." System Requirements | ArcGIS API for JavaScript 4.8, developers.arcgis.com/javascript/.
- "React A JavaScript Library for Building User Interfaces." A JavaScript Library for Building User Interfaces, reactjs.org/.
- "Vue.js." Vue.js, vuejs.org/.
- "Angular Docs." Angular Docs, angular.io/.