


GROUND-WATER LEVELS AND WELL RECORDS
FOR
DISCONTINUED OBSERVATION WELLS IN IDAHO,
1915-72

PART A



Prepared by the United States Geological Survey in cooperation with the
Idaho Department of Water Resources

BASIC-DATA RELEASE NO. 3

JUNE 1976

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

GROUND-WATER LEVELS AND WELL RECORDS FOR
DISCONTINUED OBSERVATION WELLS IN IDAHO, 1915-72

Part A

By

H. G. Sisco

Prepared by the United States Geological Survey
in cooperation with the
Idaho Department of Water Resources

BASIC-DATA RELEASE NO. 3

Boise, Idaho
March 1976

CONTENTS

	Page
Introduction	1
Acknowledgments	2
Well-numbering system	2
Definition of terms	4
Explanation of footnotes	6
Aquifer codes	6
Well descriptions	7
Water levels	7
Selected references	8
U. S. Geological Survey water-supply papers	8
U. S. Geological Survey open-file reports	8
Idaho Department of Reclamation water information bulletins	9
Idaho Department of Water Administration water information bulletins	9
Ground-water levels by counties	
Area 1	11
Boundary	13
Kootenai	19
Area 2	61
Latah	63
Area 3	67
Adams	69
Boise	70
Gem	82
Payette	90
Valley	101
Washington	103
Area 4	105
Custer	107
Area 5	137
Ada	139
Canyon	195
Elmore	246
Owyhee	250

ILLUSTRATIONS

	Page
Figure 1. Index map of Idaho showing areas covered in parts A, B, and C	3
2. Diagram showing well-numbering system	5
3. Index map of area 1, north Idaho	12
4. Map showing well locations in area 1, north Idaho	in pocket
5. Index map of area 2, north-central Idaho	62
6. Map showing well locations in area 2, north-central Idaho	in pocket
7. Index map of area 3, west-central Idaho	68
8. Map showing well locations in area 3, west-central Idaho	in pocket
9. Index map of area 4, east-central Idaho	106
10. Map showing well locations in area 4, east-central Idaho	in pocket
11. Index map of area 5, southwest Idaho	138
12. Map showing well locations in area 5, southwest Idaho	in pocket

**GROUND-WATER LEVELS AND WELL RECORDS FOR
DISCONTINUED OBSERVATION WELLS IN IDAHO, 1915-72**

Part A

By H. G. Sisco

INTRODUCTION

Systematic depth-to-water measurements were begun about 1912 in Idaho by the U. S. Reclamation Service in connection with drainage problems on the Boise and Minidoka projects. During the years 1912-21, similar well data were collected by other agencies, including the U. S. Geological Survey. In some areas periodic measurements were made for several years, but in most of the areas only one or two measurements were obtained.

In 1921 a general field study was begun in southern Idaho which included periodic measurements in numerous wells selected as observation wells. The most intensive study was also begun in 1921 in the Mud Lake area. The complete report, including a few hundred well records and a few thousand water-level measurements, was published as U. S. Geological Survey Water-Supply Paper 775. Several less intensive studies were conducted by A. M. Piper and others during this period.

A comprehensive investigation of the ground-water conditions of the Snake River Plain and tributary drainage basins in southern Idaho was begun in 1928 by the Geological Survey in cooperation with the Idaho Department of Reclamation and the Idaho Bureau of Mines and Geology. In addition, cooperation was provided through the Idaho Department of Reclamation by the Idaho Power Company, canal companies, and water districts. As a result, a report on geology and ground-water resources was published as Water-Supply Paper 774.

During the 1930's and early 1940's, other investigations of areal geology and ground-water resources were conducted in selected areas of the state.

A cooperative program between the Geological Survey and the Idaho Department of Reclamation was initiated on July 30, 1946, to develop a statewide network of selected wells which would serve to monitor fluctuations in water levels and artesian pressures.

The director of the Idaho Department of Water Resources (formerly Idaho Department of Reclamation) has the responsibility of administering and investigating the ground-water resources of the state so that orderly and optimum development of the resource can be attained.

The operation of this statewide observation-well network also provides data that can be used to: (1) indicate changes in the amount of ground water in storage and thereby suggest the water-supply outlook for the future; (2) identify areas in which ground-water levels are at or are approaching land surface, or are declining toward current or foreseeable limits of economic lift; (3) forecast changes in the base flow of streams; and (4) provide long-term records for use in water-resource investigations.

The well data for the current observation wells for the calendar year 1974 have been published in an annual report "Ground-Water Levels and Well Records for Current Observation Wells in Idaho, 1974" (Sisco, 1975). The historical data for the current observation wells are published in a compilation report "Ground-Water Levels and Well Records for Current Observation Wells in Idaho, 1922-73" (Sisco, 1974).

The observation-well network changes continually. Wells are added to expand the network, to give better geographical coverage, or to provide data in selected areas where little or no information is available. Wells are occasionally deleted from the network for various reasons which include: (1) pump changes which make access difficult or impossible; (2) changes in status of permission to measure; (3) hydrologic reasons (declining water levels and unresponsive wells); and (4) program changes in funding or emphasis.

Data for some of the observation wells which have been deleted from the network have been difficult to use because the information was contained in several published reports, many of which are out of print. This report contains all data for discontinued observation wells from 1915-72, and should make the information more useful to investigators, planners, developers, and administrators.

The data for this report are so voluminous that it is presented in parts A, B, and C (fig. 1) for the convenience of the data user. The state has been divided into seven areas, and well data arranged alphabetically by county within each area. Part A contains well data for areas 1-5 which include north (figs. 3, 4), north-central (figs. 5, 6), west-central (figs. 7, 8), east-central (figs. 9, 10), and southwest (figs. 11, 12) Idaho. Part B contains well data for area 6, south-central Idaho. Part C contains well data for area 7, southeast Idaho.

Acknowledgments

The Bureau of Reclamation, U. S. Department of the Interior, the U. S. Energy Research and Development Administration (formerly U. S. Atomic Energy Commission), the Idaho Bureau of Mines and Geology, and private companies contributed some of the data included in this publication. Land owners allowed access to their lands and gave permission to make measurements in their wells. The information made available by these agencies and individuals is acknowledged and greatly appreciated. Credit for measurements of ground-water levels made by agencies or by private individuals other than the Geological Survey is given either in the well description or as a footnote to the well hydrograph. These measurements were used to extend the period of record for selected wells or to provide greater detail for individual well records.

Well-Numbering System

The well-numbering system used by the Geological Survey in Idaho indicates the location of wells within the official rectangular subdivisions of the public lands, with reference to the Boise base line and meridian. The first segment of a well number indicates the township, the second the range, and the third the section in which the well is situated. The letters following the section number indicate the well location within the section: the first letter denotes the 160-acre tract, the




FIGURE 1. Index map of Idaho showing areas covered in parts A, B and C.

second the 40-acre tract, and the third the 10-acre tract in which the well occurs. The letters are assigned in a counterclockwise direction, beginning in the northeast quarter (fig. 2). The last numeral is a serial number assigned when the well is inventoried. Thus, well 7N-2E-34CAA1 is in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 7 N., R. 2 E., and is the first well inventoried in that tract.

DEFINITION OF TERMS

Altitude of land-surface datum. Altitude of original land surface, to hundredths of feet above the mean sea-level datum of 1929, established by third-order leveling standards from bench marks established by the National Geodetic Survey (formerly Coast and Geodetic Survey), U. S. Department of Commerce, and the Geological Survey, Topographic Division. Altitudes reported to the nearest foot were interpolated from topographic maps or established by altimeter.

Artesian well (ART). A well in which the water level stands above the top of the water body (aquifer) it taps. A flowing artesian well is an artesian well in which the water level stands above the land surface.

Depth. The open depth from land-surface datum to the bottom of the well at the time of inventory.

Diameter. The inside diameter, in inches, of the innermost well casing at land surface.

Highest and lowest water level. The highest and lowest water level measured at each well for the period of record.

Land-surface datum (LSD). At the time a measuring point is established for a well, the distance of the measuring point, in feet, above or below the general natural land surface at the well site is measured. This general land surface is a plane of reference and is designated as land-surface datum. The land surface may change thereafter from natural causes or by artificial excavation or fill, but the designated land-surface datum remains unchanged; and all depths to water are reported with reference to this datum.

Latitude and longitude number. A number assigned to a well using the universal system of latitude and longitude. The first six digits represent degrees, minutes, and seconds of latitude; "N" refers to north latitude; the next seven digits are degrees, minutes, and seconds of west longitude; and the number after the decimal point is a sequential number assigned in the order the wells are inventoried in a 1-second quadrangle.

Mean sea level (MSL). The average height of the surface of the sea for all stages of the tide over a 19-year period, usually determined from hourly height observations on an open coast or in adjacent waters having free access to the sea; the assumed or actual sea level at its mean position midway between mean high water and mean low water. It is adopted as a datum plane or tidal datum for the measurement of heights, such as a sea-level datum.

Measuring point (MP). A well-defined, fixed point at a well, such as the top of casing or base of pump, from which measurements of depth-to-water can be made. All measuring points are referenced in feet above or below land-surface datum.

Perforated or screened interval. The depth to the top perforation or top of the screen and the depth to the bottom perforation or bottom of the screen. It is the interval through which water enters the well. A well may be perforated or screened at one or more intervals. The depths reported are given in feet or in feet and tenths of feet below land-surface datum.

Records available. The years for which water-level measurements are available.




FIGURE 2. Diagram showing well-numbering system.

Water table well (WT). A well which taps an unconfined water body at which the pressure is atmospheric. Water table is defined by the levels at which water stands in wells that penetrate the water body just far enough to hold standing water. In wells which penetrate to greater depths, the water level will stand above or below the water table if an upward or downward component of ground-water flow exists.

WSP. An abbreviation used for U. S. Geological Survey Water-Supply Paper.

EXPLANATION OF FOOTNOTES

The footnotes used in this report are defined as follows:

A	Well being pumped.	L	Electric tape, M-scope.
B	Well pumped recently.	M	Obstruction in well above water surface.
C	Nearby well being pumped.	N	No measurement.
D	Nearby well pumped recently.	O	Measurements discontinued.
E	Estimated.	P	Well destroyed.
F	Dry.	Q	Flowing.
G	Measured by outside agency or person.	R	Nearby well flowing.
H	Tape measurement (recorder).		

AQUIFER CODES

The aquifer codes adopted for use in Idaho are the stratigraphic names listed in the Idaho section of the U. S. Geological Survey Bulletins 1056-B, 1200, and 1395-A. Names will be modified where necessary as official changes in stratigraphic nomenclature occur.

The first letter of the code designates the geologic system or era, the second letter or numeral designates the geologic series, the third and fourth letters or numerals designate the water-bearing unit, and the fifth and sixth letters or numerals describe the lithology. If a formal name has not been assigned to the aquifer, code letters indicating the geologic system, the series, and an informal term used to designate the water-bearing unit and its lithology are used.

Although some wells are supplied by more than one aquifer, only the major aquifer penetrated by the well is designated on the hydrographs.

Listed below are the aquifer codes for the wells described in this report.

<u>System or era</u>	<u>Series</u>
Q Quaternary System	R Holocene Series
A Tertiary and Quaternary Systems	B Holocene and Pleistocene Series
T Tertiary System	G Pleistocene Series
K Cretaceous System	Q Pleistocene and Pliocene Series
G Pennsylvanian and Permian Systems	P Pliocene Series
Y Paleozoic Era	

Water-bearing unit

0A Alluvium	IV Idavada Volcanics
0B Basement complex	NE Neeley Formation
0O Outwash	RA Raft Formation
0T Terrace deposit	SL Salt Lake Formation
AF American Falls Lake Beds	SR Snake River Group
BA Banbury Formation, Basalt (of Idaho Group)	ST Starlight Formation
GF Glens Ferry Formation (of Idaho Group)	WE Wells Formation
ID Idaho Group	

Adjective

3	Medium-grained
4	Coarse-grained
6	Clayey
7	Silty
8	Sandy
9	Gravelly
I	Interbedded
J	Jointed, fractured
U	Unconsolidated

Lithology

A	Alluvium
G	Gravel
H	Igneous, granular (granite, gabbro, etc.)
I	Igneous, aphanitic or glassy (basalt, etc.)
J	Igneous, unconsolidated (tuff, volcanic ash)
L	Limestone
P	Clay
Q	Silt or loess
R	Sand and gravel
S	Sand
X	Silty sand
Y	Clayey gravel

WELL DESCRIPTIONS

The well records presented in the following pages by map areas are arranged alphabetically by county. For each well, the well description includes, if available, the following information: latitude-longitude number, local well number, owner, method of construction, use of well, type of well (artesian or water table), formal aquifer name or lithology and geologic age, diameter of casing, depth of well, perforated or screened interval, altitude of land-surface datum, remarks of unusual conditions affecting the water level, acknowledgment of outside persons or agencies contributing data, and a description of the measuring point. The depth of the well at the time it was originally inventoried is given in the well description. If the well has been deepened or filled in, the new depth and date the change was discovered are noted in the well description following the notation of land-surface datum.

WATER LEVELS

All water-level measurements tabulated in this report are referenced to land-surface datum and are below this datum unless otherwise indicated. Those water levels that are above land-surface datum are preceded by a plus (+) sign.

The measurements from continuous recording gage charts are noon readings for every fifth day and end of each month. If one of these measurements is missing, the measurement of the next closest day is given.

During the years, the Idaho district has changed its policy of reporting the accuracy of measurements. Those reported to tenths of feet do not imply a lower degree of accuracy than those reported to hundredths but reflect the policy used at that time. However, measurements recorded to the nearest foot were made using a measuring device or method which did not justify more accurate reporting.

Water-level measurements shown in the tabulations are also plotted on hydrographs except in some cases where, for convenience of presentation, isolated measurements are not shown. Well depths shown in the hydrograph headings are the depths recorded at the time of inventory; subsequent changes of the well depths are also shown on the hydrographs.

SELECTED REFERENCES

U. S. Geological Survey Water-Supply Papers

Stearns, H. T., Crandall, Lynn, and Steward, W. G., 1936, Records of wells on the Snake River Plain, southeastern Idaho: U. S. Geol. Survey Water-Supply Paper 775, 139 p.

_____, 1938, Geology and ground-water resources of the Snake River Plain in southeastern Idaho: U. S. Geol. Survey Water-Supply Paper 774, 268 p., 31 pls., 16 figs.

Water levels and artesian pressures in observation wells in the United States, part 5, Northwestern States (with year of record in parentheses):

777 (1935)	1020 (1944)	1169 (1950)
886 (1939)	1027 (1945)	1195 (1951)
910 (1940)	1075 (1946)	1225 (1952)
940 (1941)	1100 (1947)	1269 (1953)
948 (1942)	1130 (1948)	1325 (1954)
990 (1943)	1160 (1949)	1408 (1955)

Ground-water levels in the United States, Northwestern States (with years of record in parentheses):

1760 (1956-60)	1845 (1961-65)	1980 (1966-70)
----------------	----------------	----------------

U. S. Geological Survey Open-File Reports

Shuter, Eugene, 1953, Records of wells and water-level fluctuations in western Bingham County, Idaho: U. S. Geol. Survey, 97 p., 1 fig., 1 pl.

Sisco, Harold G., 1954, Records of wells, water-level fluctuations, and ground-water withdrawals in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho: U. S. Geol. Survey, 50 p., 1 fig., 1 pl.

_____, 1955-1960, Records of wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in [year]: U. S. Geol. Survey [pages vary].

Sisco, H. G., and Luscombe, R. W., 1961, 1962, 1964, Records of wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in [year]: U. S. Geol. Survey [pages vary].

_____, 1963, Ten-year summary of records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, through December 1962: U. S. Geol. Survey, 122 p., 18 figs., 1 pl.

Sisco, H. G., and Whitehead, R. L., 1965-1967, Records of observation wells and water-level fluctuations in Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in [year]: U. S. Geol. Survey, [pages vary].

Sisco, H. G., and Griffiths, M. L., 1968, Records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in 1967: U. S. Geol. Survey, 27 p., 18 figs.

Sisco, H. G., 1970, Records of observation wells and water-level fluctuations in the Aberdeen-Springfield area, Bingham and Power Counties, Idaho, in 1968: U. S. Geol. Survey, 43 p., 17 figs.

_____, 1974, Ground-water levels and well records for current observation wells in Idaho, 1922-73, parts A, B, and C: U. S. Geol. Survey basic-data release, part A, 309 p., 7 figs.; part B, 495 p., 3 figs.; part C, 430 p., 3 figs.

_____, 1975, Ground-water levels and well records for current observation wells in Idaho, 1974: U. S. Geol. Survey basic-data release No. 2, 357 p., 16 figs.

Idaho Department of Reclamation Water Information Bulletins

- No. 1 Ground-water conditions in Idaho, 1966.
- 2 A ground-water monitoring network for southwestern Idaho, 1967.
- 5 Ground-water levels in Idaho, 1968.
- 11 Ground-water levels in Idaho, 1969.

Idaho Department of Water Administration Water Information Bulletins

- 18 Ground-water levels in Idaho, 1970.
- 24 Ground-water levels in Idaho, 1971.
- 27 Ground-water levels in Idaho, 1972.



AREA 1

Scale 1:1000




FIGURE 3.--Index map of area I, north Idaho.

BORED OBSERVATION WATER-TABLE WELL IN CLAYEY SILT OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 25.9 FT, CASED TO 25.9, SAND POINT 22.9-25.9. LSD 1,753.69 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.00 FT ABOVE LSD (SINCE OCT. 6, 1971).


HIGHEST WATER LEVEL 4.59 FT (1.399 M) BELOW LSD, MAR. 14, 1972.
 LOWEST WATER LEVEL 7.93 FT (2.417 M) BELOW LSD, NOV. 16, 1971.
 RECORDS AVAILABLE 1971-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 16, 1971	7.93	APR. 18, 1972	5.59	JULY 18, 1972	5.40
JAN. 19, 1972	7.03	MAY 23	5.32	AUG. 24	6.37
FEB. 15	5.33	JUNE 19	5.24	SEP. 20	P
MAR. 14	4.59				

P WELL DESTROYED.

BOUNDARY COUNTY, IDAHO LAT-LONG NO. 485956N1163139.1
 WELL NO. 65N 02W 12DAAL DEPTH OF WELL 25.9 ALT. OF LSD 1753.69 AQUIFER Q OA 60 W-T
 P. WELL DESTROYED



485740N1162739.1 65N 01W 27BBC1 US GEOL SURVEY BOUNDARY COUNTY


BORED OBSERVATION WATER-TABLE WELL IN SILT OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 40.8 FT, CASED TO 40.8, SAND POINT 37.8-40.8. LSD 1,757.49 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.50 FT ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 6.46 FT (1.969 M) BELOW LSD, DEC. 15, 1971.
 LOWEST WATER LEVEL 8.94 FT (2.725 M) BELOW LSD, AUG. 23, 1972.
 RECORDS AVAILABLE 1971-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 15, 1971	6.46	APR. 19, 1972	7.95	JULY 18, 1972	8.41
JAN. 19, 1972	7.25	MAY 24	8.21	AUG. 23	8.94
FEB. 15	7.58	JUNE 19	8.27	SEP. 20	P
MAR. 15	7.74				

P WELL DESTROYED.



485526N1162501.1 64N 01W 01CBC1 US GEOL SURVEY BOUNDARY COUNTY


BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 26.6 FT, CASED TO 26.6, SAND POINT 23.6-26.6. LSD 1,755.53 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.60 FT ABOVE LSD (SINCE OCT. 5, 1971).

HIGHEST WATER LEVEL 5.56 FT (1.695 M) BELOW LSD, MAR. 15, 1972.
 LOWEST WATER LEVEL 11.73 FT (3.575 M) BELOW LSD, NOV. 17, 1971.
 RECORDS AVAILABLE 1971-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1971	11.73	FEB. 15, 1972	8.68	APR. 19, 1972	6.98
DEC. 14	11.61	MAR. 15	5.56	SEP. 20	P
JAN. 19, 1972	5.95				

P WELL DESTROYED.



485252N1162402.1 64N 01W 24DAC1 US GEOL SURVEY BOUNDARY COUNTY


BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 26.1 FT, CASED TO 26.1, SAND POINT 23.1-26.1. LSD 1,757.29 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.00 FT ABOVE LSD (SINCE OCT. 3, 1971).

HIGHEST WATER LEVEL 1.30 FT (0.396 M) BELOW LSD, MAR. 15, 1972.
 LOWEST WATER LEVEL 11.92 FT (3.633 M) BELOW LSD, NOV. 18, 1971.
 RECORDS AVAILABLE 1971-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 18, 1971	11.92	MAR. 15, 1972	1.30	JULY 18, 1972	5.77
DEC. 14	11.60	APR. 19	3.30	AUG. 23	6.85
JAN. 20, 1972	10.84	MAY 24	4.97	SEP. 20	P
FEB. 15	8.16	JUNE 16	4.96		

P WELL DESTROYED.



484604N1162357.1 63N 01W 36DAB1 US GEOL SURVEY BOUNDARY COUNTY


BORED OBSERVATION WATER-TABLE WELL IN SANDY CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 26.7 FT, CASED TO 26.7, SAND POINT 23.7-26.7. LSD 1,760.79 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 3.50 FT ABOVE LSD (SINCE OCT. 7, 1971).

HIGHEST WATER LEVEL 12.36 FT (3.767 M) BELOW LSD, MAR. 14, 1972.
 LOWEST WATER LEVEL 13.57 FT (4.136 M) BELOW LSD, JAN. 21, 1972, FEB. 16, 1972.
 RECORDS AVAILABLE 1971-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1971	13.29	FEB. 16, 1972	13.57	APR. 18, 1972	13.04
JAN. 21, 1972	13.57	MAR. 14	12.36	SEP. 20	P

P WELL DESTROYED.



484117N1162026.1 62N 01E 33ABB1 US GEOL SURVEY BOUNDARY COUNTY


BORED OBSERVATION WATER-TABLE WELL IN CLAY OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 19.7 FT, CASED TO 19.7, SAND POINT 16.7-19.7. LSD 1,750.69 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 LOWER INSIDE LIP OF 45 DEGREE WYE, 4.20 FT ABOVE LSD (SINCE SEPT. 30, 1971).

HIGHEST WATER LEVEL 1.94 FT (0.591 M) BELOW LSD, JAN. 20, 1972.
 LOWEST WATER LEVEL 2.43 FT (0.741 M) BELOW LSD, NOV. 17, 1971.
 RECORDS AVAILABLE 1971-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1971	2.43	FEB. 17, 1972	1.98	APR. 18, 1972	2.31
JAN. 20, 1972	1.94	MAR. 14	2.05	SEP. 20	P

P WELL DESTROYED.



475403N1164434.1 53N 03W 31AAD1 C F FERRINS KOOTENAI COUNTY

DUG AND DRILLED DOMESTIC WATER-TABLE WELL IN BASEMENT COMPLEX OF CRETACEOUS AGE, DIAM 36 TO 6 IN, REPORTED DEPTH 395 FT, 36-IN CONCRETE CASING 0-367, 6-IN OPEN HOLE 367-395. LSD 2,383.41 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED AUG. 30, 1949. RECORDER REMOVED SEPT. 17, 1952. MAR. 3, 1970, WELL HAD FILLED IN WITH DEBRIS TO A DEPTH OF 352.2 FT. MP NO. 2 TOP OF INSIDE EDGE OF CONCRETE CASING WEST SIDE, 0.90 FT ABOVE LSD (SINCE MAR. 3, 1970).

HIGHEST WATER LEVEL 346.03 FT (105.470 M) BELOW LSD, JUNE 27, 1956.
 LOWEST WATER LEVEL 371.00 FT (113.081 M) BELOW LSD, DEC. 18, 1955.
 RECORDS AVAILABLE 1948-53, 1955-62, 1970.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 17, 1948	355.30	DEC. 29, 1949	353.29	JUNE 15, 1950	346.94
AUG. 30	353.66	DEC. 30	353.29	JUNE 20	346.85
MAY 1, 1949	352.61	DEC. 31	353.29	JUNE 25	346.73
JULY 6	349.84	JAN. 5, 1950	353.32	JUNE 30	346.64
JULY 12	349.80	JAN. 10	353.37	JULY 5	346.53
JULY 19	349.94	JAN. 15	353.20	JULY 10	346.37
JULY 26	349.98	JAN. 20	353.08	JULY 15	346.21
AUG. 2	350.12	JAN. 25	352.90	JULY 20	346.10
AUG. 9	350.25	JAN. 31	352.70	JULY 25	346.06
AUG. 16	350.40	FEB. 5	352.58	JULY 26	346.05
AUG. 23	350.54	FEB. 10	352.55	JULY 27	346.05
AUG. 30	350.75	FEB. 15	352.80	JULY 28	346.05
AUG. 31	350.78	FEB. 20	353.05	JULY 29	346.05
SEP. 5	350.88	FEB. 25	353.34	JULY 30	346.05
SEP. 10	351.01	FEB. 28	353.52	JULY 31	346.05
SEP. 15	351.18	MAR. 5	353.80	AUG. 1	346.05
SEP. 20	351.30	MAR. 10	354.02	AUG. 5	346.08
SEP. 25	351.43	MAR. 15	354.30	AUG. 10	346.10
SEP. 30	351.61	MAR. 20	354.61	AUG. 15	346.20
OCT. 5	351.81	MAR. 25	355.00	AUG. 20	346.31
OCT. 10	352.00	MAR. 29	355.37	AUG. 25	346.43
OCT. 15	352.20	MAR. 31	354.94	AUG. 30	346.54
OCT. 20	352.41	APR. 5	353.88	SEP. 5	346.61
OCT. 25	352.68	APR. 10	352.90	SEP. 10	346.69
OCT. 31	352.95	APR. 15	352.18	SEP. 15	346.82
NOV. 5	353.09	APR. 20	351.48	SEP. 20	346.94
NOV. 10	353.11	APR. 25	350.67	SEP. 25	347.06
NOV. 15	353.13	APR. 30	349.94	SEP. 30	347.13
NOV. 20	353.15	MAY 5	349.45	OCT. 5	347.33
NOV. 25	353.16	MAY 10	349.13	OCT. 10	347.50
NOV. 30	353.17	MAY 15	348.85	OCT. 15	347.65
DEC. 5	353.20	MAY 20	348.48	OCT. 20	347.83
DEC. 10	353.22	MAY 25	347.89	OCT. 25	348.01
DEC. 15	353.24	MAY 31	347.57	OCT. 31	348.17
DEC. 20	353.26	JUNE 5	347.31	NOV. 5	348.33
DEC. 25	353.28	JUNE 10	347.09	NOV. 10	348.49

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 15, 1950	348.65	JUNE 17, 1951	346.10	MAR. 5, 1952	352.7
NOV. 20	348.81	JUNE 18	346.10	MAR. 10	352.8
NOV. 25	348.97	JUNE 19	346.10	MAR. 15	352.9
NOV. 30	349.13	JUNE 20	346.10	MAR. 20	352.9
DEC. 5	349.29	JUNE 21	346.10	MAR. 25	353.0
DEC. 10	349.43	JUNE 25	346.12	MAR. 28	353.1
DEC. 15	349.58	JUNE 30	346.12	MAR. 29	353.1
DEC. 20	349.68	JULY 5	346.13	MAR. 30	353.1
DEC. 25	349.85	JULY 10	346.17	MAR. 31	353.1
DEC. 31	350.01	JULY 15	346.22	APR. 1	353.1
JAN. 5, 1951	350.10	JULY 20	346.29	APR. 2	353.1
JAN. 10	350.09	JULY 25	346.37	APR. 3	353.1
JAN. 15	350.02	JULY 31	346.45	APR. 4	353.1
JAN. 20	349.99	AUG. 5	346.56	APR. 5	353.1
JAN. 25	350.00	AUG. 10	346.64	APR. 17	352.4
JAN. 31	350.07	AUG. 15	346.78	APR. 20	352.0
FEB. 5	350.08	AUG. 20	346.90	APR. 25	351.1
FEB. 10	349.94	AUG. 25	347.03	APR. 30	350.2
FEB. 15	349.70	AUG. 31	347.24	MAY 5	349.2
FEB. 20	349.18	SEP. 5	347.40	MAY 10	348.5
FEB. 25	348.60	SEP. 10	347.58	MAY 15	348.0
FEB. 28	348.40	SEP. 15	347.75	MAY 20	347.7
MAR. 5	348.21	SEP. 20	347.94	MAY 25	347.5
MAR. 10	348.17	SEP. 25	348.11	MAY 31	347.1
MAR. 15	348.18	SEP. 30	348.30	JUNE 5	346.9
MAR. 20	348.19	OCT. 5	348.48	JUNE 10	346.8
MAR. 25	348.10	OCT. 10	348.64	JUNE 15	346.8
MAR. 31	348.10	OCT. 15	348.84	JUNE 20	346.7
APR. 5	348.07	OCT. 20	349.02	JUNE 25	346.7
APR. 10	347.81	OCT. 25	349.18	JUNE 26	346.6
APR. 15	347.49	OCT. 31	349.43	JUNE 27	346.6
APR. 20	347.10	NOV. 5	349.58	JUNE 28	346.6
APR. 25	346.80	NOV. 10	349.75	JUNE 29	346.6
APR. 30	346.63	NOV. 15	349.92	JUNE 30	346.6
MAY 5	346.53	NOV. 20	350.20	JULY 1	346.6
MAY 10	346.47	NOV. 23	350.26	JULY 2	346.6
MAY 15	346.45	JAN. 5, 1952	351.4	JULY 3	346.6
MAY 20	346.35	JAN. 10	351.6	JULY 4	346.6
MAY 25	346.26	JAN. 15	351.7	JULY 5	346.6
MAY 31	346.19	JAN. 20	351.8	JULY 6	346.6
JUNE 5	346.13	JAN. 25	351.9	JULY 7	346.6
JUNE 10	346.11	JAN. 31	352.1	JULY 8	346.6
JUNE 11	346.10	FEB. 5	352.2	JULY 9	346.6
JUNE 12	346.10	FEB. 10	352.3	JULY 10	346.6
JUNE 13	346.10	FEB. 15	352.5	JULY 11	346.6
JUNE 14	346.10	FEB. 20	352.5	JULY 12	346.6
JUNE 15	346.10	FEB. 25	352.6	JULY 13	346.6
JUNE 16	346.10	FEB. 29	352.7	JULY 14	346.6

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 15, 1952	346.6	APR. 27, 1955	353.57	NOV. 30, 1959	363.34
JULY 16	346.6	AUG. 20	356.69	MAY 25, 1960	349.99
JULY 20	346.7	OCT. 28	360.24	JULY 23	347.94
JULY 25	346.7	DEC. 18	371.00	SEP. 29	353.73
JULY 31	346.8	APR. 24, 1956	350.98	NOV. 30	358.74
AUG. 5	346.9	JUNE 27	346.03	JAN. 25, 1961	357.65
AUG. 10	346.9	AUG. 23	346.92	MAR. 26	356.50
AUG. 15	347.0	OCT. 24	347.63	MAY 23	347.00
AUG. 20	347.1	APR. 26, 1957	350.42	JULY 25	347.40
AUG. 25	347.1	MAY 22	349.28	SEP. 27	349.01
AUG. 31	347.2	JUNE 23	348.25	NOV. 30	351.29
SEP. 5	347.3	AUG. 25	360.56	JAN. 29, 1962	358.17
SEP. 10	347.4	OCT. 25	360.22	MAR. 27	357.21
SEP. 15	347.5	DEC. 17	364.72	MAY 27	362.69
DEC. 11	349.95	APR. 27, 1958	361.26	JULY 25	364.72
FEB. 20, 1953	351.66	JUNE 26	350.55	SEP. 20	363.19
APR. 23	351.80	SEP. 9	352.38	NOV. 29	364.88
APR. 28	351.93	OCT. 30, 1959	361.35	MAR. 3, 1970	0
JUNE 17	350.38				

0 MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 53N 02W 04AAC1 DEPTH OF WELL 365
 LAT-LONG NO. 475403N1164434.1
 ALT. OF LSD 2383.41 AQUIFER K OB. H. W-T
 0. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, REPORTED DEPTH 328 FT, 20-IN CASING 0-61, 16-IN CASING 0-320.8, PERFORATED 240-320. LSD 2,268.81 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 16, 1952. RECORDER REMOVED SEPT. 22, 1952. MEASUREMENTS PRIOR TO APR. 6, 1950, ARE AIRLINE MEASUREMENTS FROM US NAVY FARRAGUT TRAINING STATION. MP NO. 3 TOP OF PLATE BENEATH 6-IN HINGED COVER PLATE, 0.40 FT ABOVE LSD (SINCE SEPT. 22, 1952).

HIGHEST WATER LEVEL 208.23 FT (63.468 M) BELOW LSD, JUNE 27, 1956.
 LOWEST WATER LEVEL 229.1 G FT (69.830 M) BELOW LSD, OCT. 2, 1945.
 RECORDS AVAILABLE 1943-47, 1950, 1952-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1943	221.1 G	SEP. 8, 1943	221.1 G	FEB. 1, 1944	223.1 G
MAR. 16	220.1 G	SEP. 9	219.1 G	FEB. 11	223.1 G
MAR. 21	221.1 G	SEP. 13	223.1 G	FEB. 15	223.1 G
APR. 27	219.1 G	SEP. 22	221.1 G	FEB. 21	225.1 G
APR. 29	219.1 G	OCT. 5	221.1 G	FEB. 23	223.1 G
APR. 30	219.1 G	OCT. 7	221.1 G	FEB. 25	221.1 G
MAY 5	219.1 G	OCT. 14	221.1 G	FEB. 26	223.1 G
MAY 6	219.1 G	OCT. 18	221.1 G	MAR. 1	223.1 G
MAY 10	224.1 G	OCT. 27	221.1 G	MAR. 5	223.1 G
JUNE 2	217.1 G	OCT. 29	221.1 G	APR. 4	228.1 G
JUNE 7	219.1 G	NOV. 2	221.1 G	APR. 12	228.1 G
JUNE 14	215.1 G	NOV. 17	221.1 G	APR. 17	228.1 G
JUNE 17	214.1 G	NOV. 24	223.1 G	MAY 1	225.1 G
JUNE 21	213.1 G	NOV. 30	223.1 G	MAY 3	227.1 G
JULY 2	212.1 G	DEC. 1	223.1 G	MAY 4	227.1 G
JULY 12	212.1 G	DEC. 2	221.1 G	MAY 10	227.1 G
JULY 14	213.1 G	DEC. 17	222.1 G	MAY 11	227.1 G
JULY 18	213.1 G	DEC. 19	223.1 G	MAY 15	227.1 G
JULY 30	216.1 G	DEC. 20	222.1 G	MAY 20	225.1 G
JULY 31	215.1 G	DEC. 21	223.1 G	MAY 29	225.1 G
AUG. 1	217.1 G	DEC. 23	223.1 G	JUNE 4	225.1 G
AUG. 3	217.1 G	DEC. 24	223.1 G	JUNE 5	225.1 G
AUG. 4	217.1 G	DEC. 27	223.1 G	JUNE 10	223.1 G
AUG. 6	217.1 G	DEC. 28	222.1 G	JUNE 20	222.1 G
AUG. 7	217.1 G	DEC. 29	222.1 G	JUNE 23	223.1 G
AUG. 11	219.1 G	JAN. 1, 1944	223.1 G	JULY 1	223.1 G
AUG. 13	219.1 G	JAN. 2	222.1 G	JULY 3	223.1 G
AUG. 18	219.1 G	JAN. 5	223.1 G	JULY 18	223.1 G
AUG. 20	219.1 G	JAN. 7	222.1 G	JULY 24	223.1 G
AUG. 22	221.1 G	JAN. 12	223.1 G	JULY 30	223.1 G
AUG. 24	221.1 G	JAN. 14	223.1 G	AUG. 6	225.1 G
AUG. 26	221.1 G	JAN. 15	225.1 G	AUG. 14	225.1 G
AUG. 28	221.1 G	JAN. 19	223.1 G	AUG. 16	225.1 G
AUG. 29	221.1 G	JAN. 21	223.1 G	AUG. 24	225.1 G
AUG. 30	221.1 G	JAN. 24	223.1 G	AUG. 31	225.1 G
SEP. 2	221.1 G	JAN. 31	223.1 G	SEP. 20	227.1 G

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1944	227.1 G	MAY 13, 1946	218.1 G	JUNE 24, 1947	209.1 G
OCT. 29	227.1 G	JUNE 5	215.1 G	JULY 1	209.1 G
NOV. 2	227.1 G	JUNE 19	221.1 G	JULY 8	211.1 G
NOV. 14	227.1 G	JUNE 24	222.1 G	JULY 15	212.1 G
DEC. 13	227.1 G	JULY 4	223.1 G	JULY 22	213.1 G
DEC. 19	227.1 G	JULY 11	218.1 G	JULY 29	215.1 G
DEC. 22	227.1 G	JULY 18	221.1 G	AUG. 5	215.1 G
DEC. 31	227.1 G	JULY 25	221.1 G	AUG. 12	217.1 G
JAN. 4, 1945	227.1 G	AUG. 1	221.1 G	AUG. 19	217.1 G
JAN. 17	227.1 G	AUG. 8	221.1 G	AUG. 26	217.1 G
JAN. 19	227.1 G	AUG. 22	221.1 G	SEP. 2	218.1 G
JAN. 25	227.1 G	AUG. 29	221.1 G	SEP. 9	219.1 G
JAN. 29	227.1 G	SEP. 3	223.1 G	SEP. 16	219.1 G
FEB. 3	227.1 G	SEP. 12	223.1 G	APR. 6, 1950	220.13
FEB. 6	228.1 G	OCT. 3	223.1 G	APR. 16, 1952	220.50
FEB. 14	228.1 G	OCT. 10	223.1 G	APR. 20	220.04
APR. 12	225.1 G	OCT. 17	223.1 G	APR. 25, 1950	219.09
JUNE 13	219.1 G	OCT. 24	223.1 G	APR. 30, 1952	217.76
JUNE 19	219.1 G	NOV. 6	220.1 G	MAY 5	216.04
JUNE 25	219.1 G	NOV. 20	220.1 G	MAY 10	214.90
JULY 4	219.1 G	DEC. 4	219.1 G	MAY 15	214.08
JULY 12	221.1 G	DEC. 11	219.1 G	MAY 20	213.21
JULY 19	221.1 G	DEC. 18	220.1 G	MAY 25	212.43
JULY 23	221.1 G	DEC. 25	219.1 G	MAY 31	212.31
JULY 28	223.1 G	JAN. 6, 1947	219.1 G	JUNE 5	212.72
AUG. 6	223.1 G	JAN. 14	219.1 G	JUNE 10	212.90
AUG. 9	223.1 G	JAN. 21	219.1 G	JUNE 15	212.55
AUG. 17	223.1 G	JAN. 28	219.1 G	JUNE 20	211.85
AUG. 22	223.1 G	FEB. 4	219.1 G	JUNE 25	211.43
AUG. 25	225.1 G	FEB. 12	219.1 G	JUNE 30	210.96
AUG. 30	225.1 G	FEB. 18	219.1 G	JULY 5	210.44
SEP. 11	227.1 G	FEB. 25	219.1 G	JULY 10	210.02
SEP. 19	227.1 G	MAR. 4	219.1 G	JULY 15	209.82
SEP. 27	227.1 G	MAR. 11	219.1 G	JULY 20	209.54
OCT. 2	229.1 G	MAR. 18	219.1 G	JULY 25	209.34
OCT. 15	228.1 G	MAR. 25	219.1 G	JULY 31	209.18
OCT. 25	225.1 G	APR. 1	219.1 G	AUG. 5	208.97
OCT. 29	225.1 G	APR. 8	219.1 G	AUG. 10	209.04
NOV. 12	222.1 G	APR. 15	219.1 G	AUG. 15	209.01
DEC. 4	225.1 G	APR. 22	219.1 G	AUG. 20	209.04
DEC. 9	225.1 G	APR. 29	218.1 G	AUG. 25	209.14
JAN. 23, 1946	226.1 G	MAY 6	217.1 G	AUG. 31	209.20
MAR. 4	225.1 G	MAY 13	216.1 G	SEP. 5	209.20
MAR. 18	226.1 G	MAY 20	215.1 G	SEP. 10	209.10
MAR. 25	228.1 G	MAY 28	209.1 G	SEP. 15	209.04
APR. 1	228.1 G	JUNE 3	209.1 G	SEP. 17	209.10
APR. 8	228.1 G	JUNE 10	209.1 G	DEC. 11	217.98
APR. 22	225.1 G	JUNE 20	209.1 G	FEB. 20, 1953	220.28

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 23, 1953	221.23	APR. 24, 1956	211.59	OCT. 19, 1958	209.55
APR. 28	220.69	JUNE 27	208.23	DEC. 18	211.51
JUNE 17, 1952	213.07	AUG. 23	208.34	FEB. 28, 1959	211.58
FEB. 25, 1954	221.46	OCT. 24	209.75	APR. 26	212.79
JUNE 25	213.18	APR. 26, 1957	215.74	JUNE 26	210.19
SEP. 1	209.87	MAY 22	212.62	AUG. 28	209.91
OCT. 23	209.65	JUNE 23	211.60	OCT. 30	210.36
DEC. 18	211.51	AUG. 23	208.90	NOV. 30	212.95
FEB. 24, 1955	212.13	OCT. 25	212.83	JAN. 24, 1960	214.41
APR. 27	217.55	DEC. 17	217.37	MAR. 28	214.90
JUNE 22	213.20	FEB. 25, 1958	217.74	MAY 25	213.04
AUG. 20	210.39	APR. 27	218.42	JULY 23	209.38
OCT. 28	211.92	JUNE 26	210.59	SEP. 29	208.94
DEC. 18	212.45	SEP. 9	209.53	NOV. 30	212.850

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 53N 02W 05AD C1 DEPTH OF WELL 388 ALT. OF LSD 2289.91 AQUIFER OR OA 35 #-T
 LAT-LONG NO. 475929N1163423.1
 G. MEASURED BY OUTSIDE AGENCY OR PERSON O. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, REPORTED DEPTH 361.6 FT, 20-IN CASING 0-61, 16-IN CASING 0-355, PERFORATED 265-355. LSD 2,289.98 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED JUNE 26, 1951. RECORDER REMOVED SEPT. 17, 1952. MEASUREMENTS PRIOR TO APR. 6, 1950, ARE AIRLINE MEASUREMENTS FROM US NAVY FARRAGUT TRAINING STATION. MP NO. 2 TOP OF PLATE BENEATH 6-IN HINGED COVER PLATE, 0.77 FT ABOVE LSD (SINCE SEPT. 22, 1952).

HIGHEST WATER LEVEL 230.76 FT (70.336 M) BELOW LSD, JUNE 27, 1956.
 LOWEST WATER LEVEL 250 G FT (76.200 M) BELOW LSD, JAN. 29, 1943.
 RECORDS AVAILABLE 1943-47, 1950-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1943	250 G	SEP. 1, 1943	241 G	FEB. 11, 1944	247 G
FEB. 16	249 G	SEP. 2	241 G	FEB. 12	247 G
FEB. 26	249 G	SEP. 3	242 G	FEB. 14	247 G
MAR. 9	249 G	SEP. 18	243 G	FEB. 15	247 G
MAR. 16	249 G	SEP. 19	243 G	FEB. 26	245 G
MAR. 25	249 G	SEP. 25	243 G	FEB. 28	249 G
APR. 20	249 G	OCT. 1	243 G	MAR. 1	249 G
APR. 23	249 G	OCT. 5	242 G	MAR. 5	249 G
APR. 27	245 G	OCT. 9	242 G	MAR. 7	249 G
APR. 30	244 G	OCT. 11	243 G	MAR. 13	247 G
MAY 2	244 G	OCT. 25	245 G	MAR. 20	247 G
MAY 3	244 G	OCT. 27	244 G	MAR. 24	249 G
MAY 5	243 G	OCT. 30	243 G	MAR. 29	249 G
JUNE 2	241 G	OCT. 31	244 G	APR. 3	249 G
JUNE 14	239 G	NOV. 1	243 G	APR. 24	249 G
JUNE 20	239 G	NOV. 3	243 G	APR. 26	246 G
JUNE 26	239 G	NOV. 6	243 G	APR. 28	246 G
JULY 4	236 G	NOV. 9	243 G	MAY 1	247 G
JULY 12	234 G	NOV. 11	243 G	MAY 5	247 G
JULY 30	239 G	NOV. 24	245 G	MAY 9	249 G
AUG. 1	238 G	NOV. 27	245 G	MAY 10	249 G
AUG. 2	239 G	DEC. 6	245 G	MAY 11	249 G
AUG. 3	239 G	DEC. 16	245 G	MAY 15	248 G
AUG. 4	239 G	DEC. 18	247 G	MAY 20	249 G
AUG. 8	239 G	DEC. 19	245 G	MAY 29	247 G
AUG. 13	241 G	DEC. 22	245 G	JUNE 4	247 G
AUG. 15	240 G	DEC. 23	245 G	JUNE 5	246 G
AUG. 17	239 G	DEC. 26	245 G	JUNE 10	246 G
AUG. 18	240 G	DEC. 27	245 G	JUNE 23	246 G
AUG. 19	241 G	JAN. 2, 1944	246 G	JUNE 27	245 G
AUG. 21	242 G	JAN. 3	246 G	JULY 1	243 G
AUG. 23	241 G	JAN. 9	245 G	JULY 18	243 G
AUG. 24	241 G	JAN. 31	247 G	JULY 24	243 G
AUG. 25	240 G	FEB. 1	247 G	JULY 30	243 G
AUG. 26	241 G	FEB. 8	247 G	AUG. 6	243 G
AUG. 30	241 G	FEB. 10	248 G	AUG. 16	243 G

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 24, 1944	244	G	JULY 1, 1945	241	G
AUG. 31	243	G	JULY 6	236	G
SEP. 4	243	G	AUG. 7	240	G
SEP. 7	244	G	AUG. 14	241	G
SEP. 17	243	G	AUG. 21	242	G
SEP. 19	244	G	AUG. 27	242	G
SEP. 24	244	G	AUG. 30	243	G
SEP. 29	244	G	SEP. 1	244	G
OCT. 2	244	G	SEP. 9	244	G
OCT. 9	244	G	SEP. 17	244	G
OCT. 14	244	G	SEP. 23	244	G
OCT. 18	244	G	SEP. 30	244	G
OCT. 23	244	G	OCT. 2	244	G
OCT. 30	244	G	OCT. 15	244	G
NOV. 6	244	G	OCT. 21	244	G
NOV. 14	245	G	OCT. 28	245	G
NOV. 21	244	G	OCT. 29	241	G
NOV. 26	245	G	NOV. 12	244	G
DEC. 4	244	G	NOV. 17	244	G
DEC. 19	245	G	DEC. 2	244	G
DEC. 22	246	G	DEC. 8	244	G
DEC. 31	245	G	DEC. 30	244	G
JAN. 4, 1945	244	G	MAR. 4, 1946	244	G
JAN. 17	245	G	MAR. 18	244	G
JAN. 19	245	G	APR. 1	244	G
JAN. 25	245	G	APR. 22	239	G
JAN. 29	246	G	APR. 29	239	G
FEB. 1	245	G	MAY 6	239	G
FEB. 7	245	G	MAY 13	239	G
FEB. 14	244	G	MAY 20	239	G
FEB. 28	245	G	MAY 28	239	G
MAR. 7	246	G	JUNE 3	236	G
MAR. 14	245	G	JUNE 10	236	G
MAR. 22	245	G	JUNE 20	232	G
MAR. 28	244	G	JUNE 24	231	G
APR. 8	244	G	JULY 1	233	G
APR. 14	244	G	JULY 8	231	G
APR. 21	245	G	JULY 15	231	G
APR. 28	246	G	JULY 22	235	G
MAY 7	245	G	JULY 29	235	G
MAY 13	244	G	AUG. 5	235	G
MAY 20	245	G	AUG. 12	235	G
MAY 28	241	G	AUG. 19	235	G
JUNE 1	239	G	AUG. 26	237	G
JUNE 10	241	G	SEP. 5	238	G
JUNE 17	239	G	SEP. 9	238	G
JUNE 24	239	G	SEP. 16	239	G
JUNE 30	239	G	APR. 6, 1950	242.49	
			JUNE 26, 1951	233.13	
			JUNE 30	233.17	
			JULY 5	233.48	
			JULY 10	233.82	
			JULY 15	234.18	
			JULY 20	234.75	

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 25, 1951	235.35	FEB. 29, 1952	242.78	DEC. 18, 1954	234.50
JULY 31	236.25	MAR. 5	242.85	FEB. 24, 1955	235.31
AUG. 5	236.99	MAR. 10	242.96	APR. 27	239.71
AUG. 10	237.70	MAR. 15	243.07	JUNE 22	237.22
AUG. 15	238.34	MAR. 20	243.18	AUG. 20	233.95
AUG. 20	238.91	MAR. 25	243.29	OCT. 28	235.10
AUG. 25	239.50	MAR. 31	243.36	DEC. 18	235.65
AUG. 31	240.09	APR. 5	243.33	APR. 24, 1956	234.22
SEP. 5	240.51	APR. 10	243.20	JUNE 27	230.76
SEP. 10	240.85	APR. 15	242.89	AUG. 23	230.88
SEP. 15	241.10	APR. 20	242.50	OCT. 24	232.32
SEP. 20	241.37	APR. 25	241.82	APR. 26, 1957	238.21
SEP. 25	241.62	APR. 30	240.86	MAY 22	235.95
SEP. 30	241.84	MAY 5	239.58	JUNE 23	233.11
OCT. 5	241.93	MAY 10	238.54	AUG. 25	231.88
OCT. 10	241.87	MAY 15	237.70	OCT. 25	234.25
OCT. 15	241.87	MAY 20	236.87	DEC. 17	239.12
OCT. 20	241.87	MAY 25	236.08	FEB. 25, 1958	241.53
OCT. 25	241.84	MAY 31	235.58	APR. 27	240.95
OCT. 31	241.81	JUNE 4	235.52	JUNE 27	234.19
NOV. 5	241.88	AUG. 16	231.81	SEP. 9	232.64
NOV. 10	241.97	AUG. 18	231.78	OCT. 19	232.64
NOV. 15	242.11	AUG. 19	231.78	DEC. 18	234.41
NOV. 20	242.20	AUG. 20	231.78	FEB. 28, 1959	235.00
NOV. 25	242.24	AUG. 21	231.78	APR. 26	235.39
NOV. 30	242.20	AUG. 24	231.81	JUNE 26	233.27
DEC. 5	242.19	SEP. 17	231.74	AUG. 28	232.73
DEC. 10	242.13	DEC. 11	239.12	OCT. 30	232.97
DEC. 15	242.16	FEB. 20, 1953	242.31	NOV. 30	235.10
DEC. 20	242.23	APR. 23	243.12	JAN. 24, 1960	236.94
DEC. 25	242.32	APR. 28	242.91	MAR. 28	237.48
DEC. 31	242.46	JUNE 17	237.33	MAY 25	235.56
FEB. 11, 1952	242.87	FEB. 25, 1954	243.91	JULY 23	232.33
FEB. 15	242.83	JUNE 25	236.30	SEP. 29	230.77
FEB. 20	242.78	SEP. 1	233.27	NOV. 30	234.810
FEB. 25	242.77	OCT. 23	232.94		

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO LAT-LONG NO. 475816N1163633.1
 WELL NO. 53N 02W 08CC01 DEPTH OF WELL 361.6 ALT. OF LSD 2289.98 ADJUSTER ON OR 46 W-T
 MEASURED BY OUTSIDE AGENCY OR PERSON O MEASUREMENTS DISCONTINUED



475657N1163635.1 53N 02W 08CC01 ID DEPT PARKS KOOTENAI COUNTY

DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 12 IN, REPORTED DEPTH 440 FT, CASED TO 440. LSD 2,440.48 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED FEB. 15, 1951. RECORDER REMOVED NOV. 23, 1951. MP NO. 3 TOP OF CASING SOUTHWEST SIDE, 0.28 FT BELOW LSD (SINCE DEC. 17, 1950).


HIGHEST WATER LEVEL 382.37 FT (116.546 M) BELOW LSD, JUNE 27, 1956.
 LOWEST WATER LEVEL 395.88 FT (120.664 M) BELOW LSD, FEB. 25, 1954.
 RECORDS AVAILABLE 1950-57.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 7, 1950	393.81	JUNE 30, 1951	384.71	OCT. 19, 1951	393.31
AUG. 30	389.21	JULY 1	384.71	NOV. 23	393.64
OCT. 25	393.25	JULY 2	384.71	DEC. 14	393.36
DEC. 17	393.26	JULY 5	384.87	FEB. 14, 1952	394.30
FEB. 15, 1951	391.83	JULY 10	385.20	APR. 16	394.41
APR. 10	391.94	JULY 15	385.51	JUNE 4	388.34
APR. 15	391.81	JULY 20	386.01	AUG. 16	383.55
APR. 20	391.24	JULY 25	386.54	SEP. 17	383.45
APR. 25	390.86	JULY 31	387.35	DEC. 11	390.18
APR. 30	390.53	AUG. 5	388.05	FEB. 20, 1953	393.71
MAY 5	390.15	AUG. 10	388.73	APR. 23	394.75
MAY 10	389.66	AUG. 15	389.40	APR. 28	394.74
MAY 15	388.78	AUG. 20	390.04	JUNE 17	389.51
MAY 20	387.63	AUG. 25	390.54	FEB. 25, 1954	395.88
MAY 25	386.61	AUG. 31	391.16	APR. 27	391.15
MAY 31	385.50	SEP. 5	391.59	JUNE 22, 1955	389.29
JUNE 5	384.86	SEP. 10	391.96	AUG. 20	386.26
JUNE 10	384.75	SEP. 15	392.24	OCT. 28	386.94
JUNE 15	384.75	SEP. 20	392.51	DEC. 18	388.38
JUNE 20	384.94	SEP. 25	392.77	APR. 24, 1956	385.83
JUNE 25	384.77	SEP. 30	393.00	JUNE 27	382.37
JUNE 27	384.71	OCT. 5	393.12	OCT. 24	383.94
JUNE 28	384.71	OCT. 9	393.16	APR. 26, 1957	389.740
JUNE 29	384.71				

O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 52N 04W 35DCD1 DEPTH OF WELL 440
 LAT-LONG NO. 475657N1163635-W-1
 ALT. OF LSD 2440-48 ADJUSTER OS GA W-T
 D. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DUG DOMESTIC WATER-TABLE WELL IN ALLOVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH 306 FT, CASIED TO 306. LSD 2,313.98 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING, 11.40 FT BELOW LSD (SINCE DEC. 17, 1953).


HIGHEST WATER LEVEL 291.42 FT (88.825 M) BELOW LSD, OCT. 25, 1950.
 LOWEST WATER LEVEL 315.93 FT (96.295 M) BELOW LSD, DEC. 18, 1955.
 RECORDS AVAILABLE 1948-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 30, 1948	298.30	FEB. 15, 1951	296.19	DEC. 18, 1954	301.53
OCT. 13	297.90	APR. 11	293.28	FEB. 25, 1955	299.10
MAR. 19, 1949	301.27	APR. 23	292.97	APR. 27	309.16
MAY 1	300.26	JUNE 20	293.71	JUNE 22	308.43
JUNE 23	298.31	AUG. 15	292.78	DEC. 18	315.93
JUNE 24	298.21	OCT. 18	292.59	JUNE 27, 1956	295.17
JULY 6	298.00	NOV. 23	293.49	OCT. 24	293.52
JULY 12	296.70	DEC. 14	293.95	APR. 26, 1957	298.16
JULY 19	297.36	APR. 17, 1952	300.05	MAY 22	298.16L
JULY 26	297.12	JUNE 4	295.45	JUNE 23	296.72
AUG. 2	296.94	AUG. 16	299.70	AUG. 25	295.04
AUG. 9	296.74	SEP. 23	293.32	NOV. 20	294.75
AUG. 16	296.62	DEC. 11	305.83	DEC. 17	296.41
AUG. 13	296.46	FEB. 20, 1953	297.00	FEB. 25, 1958	298.54
AUG. 30	296.36	APR. 23	297.62	APR. 27	298.36
SEP. 6	296.25	APR. 28	297.83	JUNE 26	297.29
NOV. 3	296.60	JUNE 17	301.83	SEP. 9	296.79B
JAN. 5, 1950	297.46	AUG. 25	297.38	OCT. 19	296.91
MAR. 30	299.38	OCT. 25	297.88	DEC. 18	298.59
APR. 13	298.39	DEC. 17	295.76	AUG. 28, 1959	295.16
JULY 6	296.47	FEB. 25, 1954	300.98	SEP. 9	296.79B
AUG. 31	294.92	JUNE 25	301.07	NOV. 30	296.74
OCT. 25	291.42	SEP. 1	303.10	JAN. 24, 1960	297.81U
DEC. 16	292.64	OCT. 23	300.16		

B WELL PUMPED RECENTLY.
 L ELECTRIC TAPE, M-SCOPE.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. SEN 04W 3500H DEPTH OF WELL 306.0
 LAT-LONG NO. 474812N1164737.1
 ALT. OF LSD 2913.99 AQUIFER 05 0A W-1
 S. WELL PUMPED RECENTLY
 G. MEASUREMENTS DISCONTINUED
 ELECTRIC TAPE, W-SCOPE



DUG AND DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 4 TO 6 IN, REPORTED DEPTH 190 FT, 4-IN CASING 0-20, 6-IN CASING 20-190. LSD ABOUT 2,138 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1/2-IN PIPE THROUGH PIT COVER, 0.17 FT ABOVE LSD (SINCE DEC. 5, 1959).


HIGHEST WATER LEVEL 139.72 FT (42.587 M) BELOW LSD, JUNE 16, 1961.
 LOWEST WATER LEVEL 149.03G FT (45.424 M) BELOW LSD, AUG. 17, 1964.
 RECORDS AVAILABLE 1958-61, 1964.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 20, 1958	141.73	JUNE 19, 1960	140.41	DEC. 30, 1960	145.30
DEC. 5, 1959	143.60	JUNE 25	140.68	JAN. 8, 1961	145.48
DEC. 12	143.60	JULY 2	140.49	JAN. 14	145.54
DEC. 19	143.73	JULY 10	141.06	JAN. 21	145.80
DEC. 26	143.89	JULY 16	140.66	JAN. 28	146.01
JAN. 2, 1960	144.01	JULY 22	140.66	FEB. 4	145.98
JAN. 9	144.42	JULY 29	141.02	FEB. 11	146.07
JAN. 16	144.37	AUG. 7	140.70	FEB. 18	145.15
JAN. 23	144.60	AUG. 15	140.84	FEB. 25	144.52
JAN. 30	144.90	AUG. 22	140.88	MAR. 4	144.11
FEB. 6	145.02	AUG. 29	141.37	MAR. 12	143.13
FEB. 13	145.01	SEP. 4	141.11	MAR. 18	143.10
FEB. 20	144.91	SEP. 10	141.20	MAR. 25	142.62
FEB. 27	145.09	SEP. 18	141.62	MAR. 31	142.92
MAR. 5	145.00	SEP. 24	141.57	APR. 9	142.07
MAR. 12	145.03	OCT. 2	141.88	APR. 16	142.26
MAR. 19	145.14	OCT. 8	142.22	APR. 23	142.00
MAR. 26	144.97	OCT. 15	142.36	APR. 29	141.80
APR. 2	144.87	OCT. 22	142.76	MAY 6	141.74
APR. 8	144.29	OCT. 30	142.90	MAY 13	141.46
APR. 16	142.81	NOV. 5	143.16	MAY 20	141.09
APR. 23	142.74	NOV. 9	143.52	MAY 27	140.81
APR. 30	142.40	NOV. 19	144.02	JUNE 3	140.27
MAY 7	142.08	NOV. 26	144.32	JUNE 10	140.00
MAY 14	141.91	DEC. 3	144.41	JUNE 16	139.72
MAY 21	141.55	DEC. 11	144.73	JUNE 24	140.14
MAY 28	141.11	DEC. 17	144.97	AUG. 17, 1964	149.03G
JUNE 3	140.79	DEC. 23	145.01	AUG. 17	0
JUNE 11	140.76				

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 51N 05W 280A1 DEPTH OF WELL 190 ALT. OF LSD 2138.00 AQUIFER 06 0A G W-T
 LAT-LONG NO. 474501N1165845-1
 G. MEASURED BY OUTSIDE AGENCY OR PERSON D. MEASUREMENTS DISCONTINUED



474424N1165727.1 51N 05W 280A1 J O SELF KOOTENAI COUNTY

DUG STOCK WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 4 IN, DEPTH 163 FT, CASSED TO 163. LSD 2,143.69 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING SOUTH SIDE, 6.00 FT BELOW LSD (SINCE MAY 23, 1957).


HIGHEST WATER LEVEL 137.83 FT (42.011 M) BELOW LSD, SEP. 1, 1950.
 LOWEST WATER LEVEL 151.77 FT (46.259 M) BELOW LSD, APR. 27, 1955.
 RECORDS AVAILABLE 1948-55, 1957-59.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 26, 1948	147.73	SEP. 1, 1950	137.83	JUNE 17, 1953	143.29
AUG. 26	142.54	OCT. 26	139.58	AUG. 25	143.95
MAR. 20, 1949	147.16	DEC. 14	140.81	OCT. 25	145.37
MAR. 21	146.73	FEB. 17, 1951	140.74	DEC. 17	147.46
APR. 30	144.64	APR. 11	140.20	FEB. 25, 1954	148.56
JUNE 23	141.73	APR. 24	139.67	JUNE 25	145.44
JULY 5	142.78	JUNE 21	138.81	SEP. 1	145.81
JULY 12	141.75	AUG. 15	138.71	OCT. 23	147.08
JULY 19	141.72	AUG. 24	142.10	DEC. 18	148.77
JULY 26	141.74	OCT. 18	140.63	FEB. 24, 1955	151.00
AUG. 2	141.74	NOV. 20	141.84	APR. 27	151.77
AUG. 9	141.73	DEC. 15	142.95	JUNE 22	149.05
AUG. 16	141.77	FEB. 14, 1952	143.70	AUG. 20	148.62
AUG. 23	141.85	APR. 17	143.58	OCT. 28	149.93
AUG. 30	142.51	JUNE 4	140.73	DEC. 18	150.27
SEP. 8	142.08	AUG. 16	140.26	MAY 23, 1957	143.24
NOV. 3	144.15	SEP. 23	140.90	OCT. 25	143.98
JAN. 6, 1950	145.36	DEC. 12	144.30	APR. 28, 1958	144.21
MAR. 30	143.84	FEB. 19, 1953	145.10	SEP. 9	143.79
APR. 13	142.77	APR. 25	145.60	OCT. 19	145.14
JULY 6	145.89	APR. 28	145.64	AUG. 28, 1959	142.780

0 MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 51N 05W 288BC1 DEPTH OF WELL 163-0
 LAT-LONG NO. 474424N1165727.1
 ALT. OF LSD 2193-69 AQUIFER OR ON G W-T
 D. MEASUREMENTS DISCONTINUED



474431N1165843.1 51N 05W 288BC1 LEONARD ADAMS KOOTENAI COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 8 IN, REPORTED DEPTH 181 FT, CASED TO 161, PERFORATED 161-181. LSD ABOUT 2,140 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 5/8-IN HOLE IN WELL SEAL SOUTH SIDE, 8.20 FT BELOW LSD (SINCE MAY 20, 1958).


HIGHEST WATER LEVEL 135.43 FT (41.279 M) BELOW LSD, JUNE 16, 1961.
 LOWEST WATER LEVEL 141.92 FT (43.257 M) BELOW LSD, FEB. 11, 1961.
 RECORDS AVAILABLE 1958-61.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 20, 1958	137.46	JUNE 11, 1960	136.49	DEC. 23, 1960	140.83
DEC. 5, 1959	139.30	JUNE 19	136.15	DEC. 30	141.18
DEC. 12	139.40	JUNE 25	136.27	JAN. 8, 1961	141.30
DEC. 19	139.53	JULY 2	136.28A	JAN. 14	141.37
DEC. 26	139.70	JULY 10	136.69	JAN. 21	141.58
JAN. 2, 1960	139.83	JULY 16	136.44	JAN. 28	141.89
JAN. 9	140.14	JULY 22	136.47	FEB. 4	141.77
JAN. 16	140.53	JULY 29	136.77	FEB. 11	141.92
JAN. 23	140.43	AUG. 7	136.50	FEB. 18	141.28
JAN. 30	140.66	AUG. 15	136.58	FEB. 25	140.38
FEB. 6	139.85	AUG. 22	136.68	MAR. 4	139.79
FEB. 13	140.86	AUG. 29	136.99	MAR. 12	138.90
FEB. 20	140.77	SEP. 4	136.93	MAR. 18	138.79
FEB. 27	140.86	SEP. 10	136.89	MAR. 25	139.15
MAR. 5	140.84	SEP. 18	137.13	MAR. 31	139.38
MAR. 12	140.87	SEP. 24	137.42	APR. 9	137.92
MAR. 19	140.97	OCT. 2	137.71	APR. 16	137.83
MAR. 26	140.71	OCT. 8	138.03	APR. 23	137.78
APR. 2	140.72	OCT. 15	138.43	APR. 29	137.64
APR. 8	140.14	OCT. 22	138.56	MAY 6	137.49
APR. 16	138.33	OCT. 30	138.86	MAY 13	137.22
APR. 23	138.53	NOV. 3	139.26	MAY 20	136.82
APR. 30	138.26	NOV. 9	139.41	MAY 27	136.52
MAY 7	137.85	NOV. 19	139.87	JUNE 3	135.97
MAY 14	137.63	NOV. 26	140.18	JUNE 10	135.69
MAY 21	137.42	DEC. 3	139.86	JUNE 16	135.43
MAY 28	136.84	DEC. 11	140.56	JUNE 24	135.830
JUNE 3	136.54	DEC. 17	140.78		

A WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 51N 05W 31BCC1 DEPTH OF WELL 181
 LAT-LONG NO. 474431N1165943.1
 ALT. OF LSD 2140 ADJUSTER ON GA G W-T
 A. WELL BEING PUMPED
 G. MEASUREMENTS DISCONTINUED



474329N1170116.1 51N 05W 31BCC1 PETER BECK KOOTENAI COUNTY

DUG AND DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 7 IN, REPORTED DEPTH 156 FT, CASIED TO 152. LSD 2,105.43 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 4 TOP OF PLATE OVER CASING AT HOLE FOR PUMP WIRES, 1.50 FT ABOVE LSD (SINCE DEC. 17, 1957).


HIGHEST WATER LEVEL 109.77 FT (33.458 M) BELOW LSD, JULY 6, 1950.
 LOWEST WATER LEVEL 132.66 FT (40.435 M) BELOW LSD, NOV. 29, 1941.
 RECORDS AVAILABLE 1941, 1948-59, 1964.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 29, 1941	132.66	SEP. 1, 1950	114.47	DEC. 17, 1953	121.78
MAY 28, 1948	116.65	OCT. 26	116.65	JUNE 25, 1954	116.73
AUG. 26	117.58	DEC. 14	116.85	DEC. 18	123.44
MAR. 20, 1949	120.88	FEB. 17, 1951	114.95	APR. 27, 1955	123.64
APR. 29	116.97	APR. 11	114.59	OCT. 28	124.06
JUNE 23	115.21	APR. 24	113.94	APR. 24, 1956	117.27
JUNE 24	115.00	JUNE 21	113.36	APR. 26, 1957	120.01
JULY 12	116.34	AUG. 15	115.50	MAY 23	115.32
JULY 19	116.69	AUG. 24	115.78	JUNE 24	113.23
JULY 26	116.97	OCT. 18	117.31	NOV. 26	119.46
AUG. 2	117.19	NOV. 21	119.61	DEC. 17	121.36
AUG. 9	117.35	DEC. 15	117.65	FEB. 25, 1958	120.30
AUG. 16	117.51	APR. 17, 1952	117.47A	APR. 28	117.38
AUG. 23	117.85	JUNE 4	112.25	JUNE 26	117.07
AUG. 30	117.94	SEP. 23	116.41	SEP. 9	119.80
SEP. 6	118.17	DEC. 12	120.28	OCT. 19	121.40
NOV. 3	120.67	FEB. 19, 1953	119.04	DEC. 18	121.29
DEC. 29	120.95	APR. 23	119.60	AUG. 27, 1959	118.15B
JAN. 6, 1950	121.87	APR. 28	119.90	OCT. 30	119.99
MAR. 30	116.14	JUNE 17	115.32	NOV. 30	120.21
APR. 13	114.92	AUG. 24	119.14	AUG. 12, 1964	126.24G
JULY 6	109.77	OCT. 25	121.27	AUG. 12	U

A WELL BEING PUMPED.
 B WELL PUMPED RECENTLY.
 G MEASURED BY OUTSIDE AGENCY OR PERSON.
 U MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 51N 05W 31E01 DEPTH OF WELL 156
 LAT-LONG NO. 474329N1170116.1
 ALT. OF LSD 2105.43 ADJUSTER CG 45 W-T
 B. WELL PUMPED REGULARLY
 C. MEASUREMENTS DISCONTINUED



474656N1165328.1 51N 04W 07BCC1 R PREUNINGER KOOTENAI COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN OUTWASH OF QUATERNARY AGE, DIAM 8 IN, 8-IN CASING 0-5, 5-IN CASING 5 TO UNKNOWN DEPTH. LSD 2,267.11 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 23, 1951. RECORDER REMOVED SEPT. 22, 1952. MP NO. 2 TOP OF 8-IN CASING NORTHEAST SIDE, 0.18 FT ABOVE LSD (SINCE APR. 23, 1951).


HIGHEST WATER LEVEL 250.61 FT (76.386 M) BELOW LSD, SEP. 29, 1960.
 LOWEST WATER LEVEL 272.45 FT (83.043 M) BELOW LSD, JULY 22, 1942.
 RECORDS AVAILABLE 1942, 1948-61.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 22, 1942	272.45	AUG. 15, 1951	251.65	DEC. 11, 1952	256.10
JUNE 11, 1948	261.46	AUG. 16	251.64	FEB. 20, 1953	257.66
AUG. 26	258.40	OCT. 20	252.95	APR. 23	258.40
OCT. 14	257.30	OCT. 25	253.09	APR. 28	258.40
MAR. 19, 1949	261.20	OCT. 28	253.22	JUNE 17	257.24
APR. 30	261.13	NOV. 23	254.16	FEB. 25, 1954	261.16
JUNE 23	251.82	NOV. 25	254.17	JUNE 25	259.40
JULY 5	257.86	NOV. 30	254.32	SEP. 1	256.54
JULY 12	255.96	DEC. 5	254.44	DEC. 18	261.01
JULY 19	255.73	DEC. 15	254.72	FEB. 24, 1955	263.06
JULY 26	255.55	DEC. 20	254.85	APR. 27	264.39
AUG. 2	255.39	DEC. 25	254.87	JUNE 22	262.94
AUG. 9	255.28	DEC. 28	254.95	OCT. 28	262.27
AUG. 16	255.22	DEC. 31	255.04	APR. 24, 1956	258.94
AUG. 23	255.16	FEB. 10, 1952	256.46	JUNE 27	252.24
AUG. 30	255.18	FEB. 15	256.59	APR. 20, 1957	257.64
SEP. 6	255.20	FEB. 20	256.68	MAY 22	250.84
NOV. 3	257.79	FEB. 25	256.87	JUNE 23	254.17
JAN. 6, 1950	259.09	FEB. 29	256.94	AUG. 23	252.66
MAR. 30	258.93	MAR. 5	256.96	OCT. 23	254.14
APR. 13	259.14	MAR. 10	257.03	NOV. 1	254.45
JULY 7	258.11	MAR. 15	257.12	DEC. 17	256.27
SEP. 1	254.37	MAR. 20	257.20	FEB. 25, 1958	258.22
OCT. 26	251.92	MAR. 25	257.29	APR. 27	256.49
DEC. 16	255.02	MAR. 27	257.30	JUNE 26	255.31
FEB. 16, 1951	250.91	MAR. 28	257.30	SEP. 9	255.21
APR. 23	253.12H	MAR. 29	257.30	OCT. 19	255.24
JUNE 21	252.62	MAR. 31	257.29	APR. 26, 1959	255.62
JUNE 25	252.60	APR. 1	257.30	JUNE 26	253.75
JUNE 30	252.53	APR. 2	257.30	AUG. 28	254.18
JULY 5	252.48	APR. 3	257.30	OCT. 30	254.86
JULY 10	252.37	APR. 5	257.30	NOV. 30	254.92
JULY 15	252.24	APR. 6	257.30	MAY 25, 1960	254.37
JULY 20	252.11	APR. 10	257.28	JULY 23	254.84
JULY 25	252.02	APR. 15	257.11	SEP. 29	250.61
JULY 31	251.86	APR. 20	256.90	NOV. 30	256.49
AUG. 5	251.78	AUG. 16	257.61	JAN. 25, 1961	257.26O
AUG. 10	251.72	SEP. 22	253.10		

H TAPE MEASUREMENT (RECORDER).
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 #WELL NO. 51N 04W 07B11 DEPTH OF WELL 289.0
 H. TAPE MEASUREMENT (RECORDED)
 LAT-LONG NO. 474656N1165328.1
 ALT. OF LSD 2887.11 AQUIFER 06 00 W-1
 D. MEASUREMENTS DISCONTINUED



474635N1164939.1 51N 04W 10CCB1 KOOTENAI COUNTY KOOTENAI COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN OUTWASH OF QUATERNARY AGE, DIAM 4 IN, DEPTH 304.6 FT, CASING DEPTH NOT AVAILABLE. LSD 2,288.05 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED APR. 20, 1951. RECORDER REMOVED NOV. 21, 1951. MP NO. 2 TOP OF CASING NORTH SIDE, 7.64 FT BELOW LSD (SINCE JUNE 22, 1951).


HIGHEST WATER LEVEL 269.20 FT (82.052 M) BELOW LSD, AUG. 31, 1950.
 LOWEST WATER LEVEL 291.54 FT (88.861 M) BELOW LSD, NOV. 5, 1941.
 RECORDS AVAILABLE 1941, 1948-59.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 5, 1941	291.54	JULY 31, 1951	270.23	FEB. 24, 1955	281.16
JUNE 12, 1948	280.53	AUG. 5	270.12	APR. 27	283.59
AUG. 27	275.20	AUG. 10	270.02	JUNE 22	282.41
OCT. 14	274.95	AUG. 15	269.96	AUG. 20	281.22
APR. 30, 1949	278.43	AUG. 16	269.91	OCT. 28	281.50
JUNE 24	274.96	OCT. 18	271.02	APR. 24, 1956	278.64
JULY 12	274.35	NOV. 21	272.83	AUG. 23	281.48
JULY 19	274.17	NOV. 21	272.83	OCT. 24	272.00
JULY 26	273.97	DEC. 14	272.94	APR. 26, 1957	277.44
AUG. 2	273.78	APR. 17, 1952	279.75	MAY 22	277.74
AUG. 9	273.61	JUNE 4	272.88	JUNE 23	273.69
AUG. 16	273.54	AUG. 16	271.26	AUG. 23	269.27
AUG. 23	273.49	SEP. 23	271.44	OCT. 23	273.52
AUG. 30	273.47	FEB. 20, 1953	276.46	NOV. 1	273.84
SEP. 6	273.49	APR. 23	276.08	DEC. 17	274.73
NOV. 3	274.89	APR. 28	277.18	FEB. 25, 1958	277.99
MAR. 30, 1950	277.60	JUNE 17	276.08	APR. 27	276.73
APR. 13	277.25	AUG. 25	275.15	JUNE 26	275.05
JULY 7	278.83	OCT. 25	276.03	SEP. 9	274.88
AUG. 31	269.20	DEC. 17	278.02	OCT. 19	275.70
OCT. 25	270.50	JUNE 23, 1954	279.74	DEC. 18	277.58
DEC. 16	271.66	SEP. 1	277.93	APR. 26, 1959	277.08
FEB. 15, 1951	271.28	OCT. 23	277.21	JUNE 26	273.81
APR. 11	272.07	DEC. 18	279.86	AUG. 28	273.470
JULY 26	270.24				

0 MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 51N 04W 26BAA1 DEPTH OF WELL 304.6 ALT. OF LSD 2888.05 ADJUFER 00 G #1
 LAT-LONG NO. 474635N1164939.1
 J. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

474440N1165537.1 51N 04W 26BAA1 RUDOLPH KOOTENAI COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN OUTWASH OF QUATERNARY AGE, DEPTH 283 FT, CASING INFORMATION NOT AVAILABLE. LSD 2,277.13 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING NORTHWEST SIDE, 3.20 FT BELOW LSD (SINCE MAY 22, 1957).


HIGHEST WATER LEVEL 246.17 FT (75.033 M) BELOW LSD, AUG. 31, 1950.
 LOWEST WATER LEVEL 271.3 FT (82.692 M) BELOW LSD, JULY 22, 1942.
 RECORDS AVAILABLE 1942, 1948-55, 1957-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 22, 1942	271.3	OCT. 25, 1950	247.19	JUNE 28, 1954	259.16
JUNE 12, 1948	257.35	DEC. 16	249.16	SEP. 1	257.03
AUG. 27	251.79	FEB. 16, 1951	250.69	OCT. 23	256.94
OCT. 14	251.98	APR. 11	249.84	DEC. 18	258.14
MAR. 19, 1949	257.07	APR. 23	249.70	FEB. 24, 1955	260.24
APR. 30	257.04	JUNE 20	255.69	MAY 22, 1957	255.65
JUNE 23	253.30	AUG. 15	248.35	NOV. 1	255.98L
JUNE 24	253.32	OCT. 18	248.90	DEC. 17	253.27
JULY 6	253.11	NOV. 20	249.97	FEB. 25, 1958	256.07
JULY 12	252.86	DEC. 14	250.67	APR. 27	256.49
JULY 19	252.61	FEB. 14, 1952	252.55	JUNE 26	254.14
JULY 26	252.36	APR. 17	255.31	SEP. 10	253.77
AUG. 2	252.15	JUNE 4	252.25	OCT. 19	254.37
AUG. 9	251.98	AUG. 16	249.33	DEC. 18	255.50
AUG. 16	251.82	SEP. 23	249.19	FEB. 28, 1959	256.26
AUG. 23	251.64	DEC. 11	251.88	APR. 26	253.28
AUG. 30	251.54	FEB. 20, 1953	260.90A	JUNE 26	250.04
SEP. 6	251.49	APR. 23	255.71	AUG. 28	251.45
NOV. 3	252.34	APR. 28	255.82	OCT. 30	253.03
DEC. 31	255.18	JUNE 17	254.99	NOV. 30	253.90
JAN. 6, 1950	254.07	AUG. 25	252.98	JAN. 24, 1960	255.70
MAR. 30	256.57	OCT. 25	253.83	MAR. 28	255.23
APR. 13	256.11	DEC. 17	255.76	MAY 25	248.22
JULY 6	247.17	FEB. 25, 1954	258.49	JULY 23	248.360
AUG. 31	246.17				

A WELL BEING PUMPED.
 L ELECTRIC TAPE, M-SCOPE.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 50N 05W 01A01 DEPTH OF WELL 283.0
 LAT-LONG NO. 474440N1165341.1
 ALT. OF LSD 2277.43 ADJUSTER CG 00 G W-T
 L. ELECTRIC TAPE, M-SCOPE



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

474246N1165341.1 50N 05W 01A01 POST FALLS IRR KOOTENAI COUNTY

DUG PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 30 IN, DEPTH 230.6 FT, CASING DEPTH NOT AVAILABLE. LSD 2,192.53 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS PRIOR TO JULY 5, 1949, MADE BY WASHINGTON WATER POWER COMPANY. MP NO. 1 TOP OF I-BEAM, AT LSD (SINCE AUG. 23, 1929).

HIGHEST WATER LEVEL 176.07 FT (53.666 M) BELOW LSD, SEP. 1, 1950.
 LOWEST WATER LEVEL 206.86 FT (63.051 M) BELOW LSD, OCT. 23, 1930.
 RECORDS AVAILABLE 1929-60, 1964.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 23, 1929	196.20	JAN. 23, 1934	190.26A	NOV. 15, 1938	195.29A
DEC. 2	200.70	MAR. 15	190.10A	DEC. 9	196.19A
JAN. 10, 1930	201.84	MAY 2	189.08A	JAN. 20, 1939	197.77A
FEB. 17	202.98	JUNE 20	188.53A	FEB. 16	198.75A
MAR. 17	202.59	AUG. 7	186.93A	MAR. 2	198.76A
MAY 12	204.96A	OCT. 4	188.87A	APR. 5	199.37A
JUNE 12	204.62A	NOV. 20	191.25A	APR. 26	199.31A
JULY 9	203.44A	JAN. 17, 1935	192.98A	MAY 26	198.35A
AUG. 18	203.23A	MAR. 14	194.20A	JUNE 7	198.13A
SEP. 18	204.31A	MAY 1	194.00A	JULY 5	196.68A
OCT. 23	206.86	JUNE 26	191.11A	JULY 25	196.12A
NOV. 24	207.40A	AUG. 15	188.41	SEP. 15	197.29A
DEC. 22	208.47A	OCT. 2	189.82A	OCT. 10	198.30
JAN. 30, 1931	210.00A	NOV. 19	192.42A	DEC. 12	199.85
FEB. 24	211.34A	DEC. 31	194.93A	JAN. 22, 1940	202.25A
MAR. 27	211.79A	FEB. 25, 1936	195.66A	FEB. 28	202.35
APR. 20	211.14A	MAY 1	195.42A	MAR. 23	202.73A
MAY 26	210.54A	JUNE 23	192.73A	APR. 24	201.00A
JUNE 25	208.55A	AUG. 21	191.31A	MAY 8	200.78A
JULY 27	206.63A	OCT. 6	193.40A	JUNE 3	199.65A
AUG. 27	207.82A	NOV. 27	196.32A	JUNE 14	199.42A
OCT. 6	209.78A	JAN. 27, 1937	199.08A	JULY 25	196.30A
OCT. 28	210.78A	APR. 13	200.65A	JULY 31	196.70A
DEC. 8	212.34A	JUNE 7	198.69A	AUG. 29	197.00A
JAN. 11, 1932	211.58A	JULY 7	197.54A	OCT. 5	198.63A
FEB. 11	211.85A	SEP. 3	195.80A	OCT. 29	199.15A
MAR. 22	212.03A	NOV. 10	198.46A	DEC. 7	201.07A
APR. 15	211.02A	DEC. 23	200.15A	DEC. 30	201.10A
MAY 24	204.86A	JAN. 21, 1938	200.35	FEB. 5, 1941	201.86A
JULY 15	199.70A	MAR. 19	200.15A	MAR. 3	201.61A
OCT. 25	199.30A	APR. 13	199.30A	MAR. 26	202.12A
MAR. 17, 1933	201.78A	APR. 26	198.18A	MAY 1	201.65A
MAY 5	201.15A	MAY 18	196.60A	JUNE 5	200.43A
JUNE 13	198.59A	JUNE 9	195.20	JULY 2	198.47A
JULY 17	196.05	JUNE 29	194.90	AUG. 8	197.34A
AUG. 29	193.63	JULY 13	193.72A	SEP. 3	197.34A
OCT. 10	195.44A	AUG. 4	192.20A	OCT. 9	199.07A
NOV. 28	197.19A	AUG. 26	192.50A	NOV. 7	199.65A
DEC. 28	197.05A	OCT. 19	194.24A	DEC. 6	201.16A

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 2, 1942	201.13A	APR. 18, 1947	195.22A	DEC. 15, 1951	181.37A
FEB. 5	201.79A	MAY 24	194.90A	FEB. 14, 1952	184.35A
MAR. 2	201.50A	JULY 18	189.19A	APR. 17	185.36B
MAR. 31	202.38A	JULY 21	189.22A	JUNE 4	181.88
MAY 5	202.19A	SEP. 2	190.02A	SEP. 23	179.80B
JUNE 2	201.19A	OCT. 31	192.69A	DEC. 11	183.95B
JULY 3	199.35A	DEC. 12	193.35A	FEB. 20, 1953	186.22B
AUG. 12	196.79A	APR. 8, 1948	194.53A	APR. 23	186.75B
SEP. 14	196.72A	MAY 25	191.71A	APR. 28	186.85B
OCT. 7	197.48A	JULY 13	184.92A	JUNE 17	185.42B
NOV. 10	198.70A	AUG. 12	182.35A	AUG. 25	182.93
DEC. 14	199.75A	OCT. 18	182.94A	OCT. 25	185.05B
JAN. 11, 1943	200.28A	OCT. 25	179.46A	DEC. 17	187.57B
FEB. 18	201.27A	MAR. 21, 1949	189.10A	FEB. 25, 1954	189.79B
APR. 2	201.95A	MAY 4	187.30A	JUNE 25	187.46
MAY 4	199.00A	JUNE 23	183.40A	SEP. 1	185.06B
JUNE 5	196.95A	JULY 5	181.78B	OCT. 23	186.43
JULY 6	195.64A	JULY 12	181.17B	DEC. 18	189.36
AUG. 13	191.18A	JULY 19	180.71B	FEB. 24, 1955	191.89
SEP. 9	190.60A	JULY 26	180.44B	APR. 27	193.28B
OCT. 10	191.87A	JULY 28	180.55B	JUNE 22	191.39B
NOV. 10	192.90A	AUG. 2	180.33B	AUG. 20	188.25
DEC. 28	195.26A	AUG. 6	180.55B	OCT. 28	189.52B
FEB. 10, 1944	196.08A	AUG. 9	180.69B	DEC. 18	190.88B
MAR. 28	198.44A	AUG. 16	180.33B	FEB. 23, 1956	189.86B
MAY 17	199.05A	AUG. 23	180.48B	APR. 24	188.47B
JULY 11	195.40A	AUG. 30	180.60B	JUNE 27	180.76B
AUG. 10	194.55A	SEP. 6	180.77B	AUG. 23	180.26B
AUG. 22	195.01A	NOV. 3	183.04	OCT. 24	181.05B
OCT. 16	197.50A	DEC. 6	184.52G	APR. 26, 1957	186.95B
DEC. 5	200.04A	DEC. 31	184.14	MAY 23	185.72B
JAN. 12, 1945	201.50A	JAN. 4, 1950	186.65	JUNE 27	182.75B
FEB. 13	201.75A	MAR. 21	187.63A	AUG. 25	180.19B
APR. 25	201.60A	MAR. 30	186.57	OCT. 25	182.32B
JUNE 15	199.75A	APR. 9	185.90	DEC. 17	185.27B
JULY 31	195.92A	APR. 13	185.75	FEB. 24, 1958	187.69B
OCT. 6	197.44A	JUNE 13	180.64G	APR. 27	186.14B
NOV. 21	198.93A	SEP. 1	176.07	JUNE 26	184.03
JAN. 25, 1946	200.17A	OCT. 26	178.02	SEP. 10	182.92B
MAR. 25	200.37A	DEC. 14	180.30	OCT. 9	184.44B
APR. 9	200.08A	FEB. 16, 1951	181.73B	DEC. 19	186.51B
MAY 16	197.19A	APR. 11	181.43B	FEB. 28, 1959	185.97B
AUG. 1	192.17A	APR. 12	181.13B	APR. 26	185.61B
AUG. 15	191.82A	JUNE 21	180.13B	JUNE 26	183.37B
NOV. 4	193.40A	AUG. 15	176.72	AUG. 28	182.83B
DEC. 19	194.42A	AUG. 24	176.84	OCT. 30	183.50B
FEB. 28, 1947	194.88A	OCT. 18	179.38B	NOV. 30	183.93B
MAR. 3	195.00A	NOV. 20	180.85	JAN. 24, 1960	184.09B

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1960	186.74	SEP. 29, 1960	181.41B	AUG. 13, 1964	191.10G
MAY 25	183.25	NOV. 30	184.78	AUG. 13	0
JULY 23	180.91B				

A WELL BEING PUMPED.
 B WELL PUMPED RECENTLY.
 G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.


KOOTENAI COUNTY, IDAHO
 WELL NO. 50N 05W 01A01 DEPTH OF WELL 230.6 ALT. OF LSD 2192.53 AQUIFER OG OR R #1



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM



KOOTENAI COUNTY, IDAHO
 WELL NO. 50N 05W 01A01 DEPTH OF WELL 230.6 ALT. OF LSD 2192.53 AQUIFER OG OR R #1



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 170 FT, CASED 7-157. LSD 2,122.89 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 3/4-IN HOLE IN WELL SEAL, 7.30 FT BELOW LSD (SINCE JULY 11, 1949).


HIGHEST WATER LEVEL 122.31 FT (37.280 M) BELOW LSD, JUNE 10, 1961.
 LOWEST WATER LEVEL 133.79 FT (40.779 M) BELOW LSD, JAN. 28, 1961.
 RECORDS AVAILABLE 1949, 1959-61, 1964.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 11, 1949	126.70	MAY 28, 1960	124.98	DEC. 23, 1960	133.30
SEP. 6	127.70	JUNE 3	125.50	DEC. 30	133.59
DEC. 5, 1959	131.13A	JUNE 11	125.39	JAN. 8, 1961	133.56
DEC. 12	131.04	JUNE 19	127.31A	JAN. 14	133.61
DEC. 19	131.69A	JUNE 25	128.07	JAN. 28	133.79
DEC. 26	131.24	JULY 2	126.84	FEB. 4	133.52
JAN. 2, 1960	131.10	JULY 10	127.39	FEB. 11	130.70
JAN. 9	131.34	JULY 16	127.74	FEB. 25	127.99
JAN. 16	132.35	JULY 22	130.08	MAR. 4	127.19
JAN. 23	132.76	JULY 29	130.99A	MAR. 12	129.75
JAN. 30	132.94	AUG. 15	129.90	MAR. 18	129.69
FEB. 6	133.42	AUG. 22	130.20	MAR. 25	130.60
FEB. 13	130.70	AUG. 29	130.37	MAR. 31	130.79
FEB. 20	131.97	SEP. 4	130.20	APR. 9	129.37
FEB. 27	132.43	SEP. 10	130.11	APR. 16	129.44
MAR. 5	132.60	SEP. 18	130.41	APR. 23	129.59
MAR. 12	132.73	OCT. 2	131.40	APR. 29	128.30A
MAR. 19	132.80	OCT. 8	131.69	MAY 13	125.24
MAR. 26	132.63	OCT. 15	131.88	MAY 20	123.89
APR. 2	131.30A	OCT. 22	132.00	MAY 27	123.67
APR. 8	130.24	OCT. 30	132.39	JUNE 3	122.55
APR. 16	128.43	NOV. 5	132.73	JUNE 10	122.31
APR. 23	128.57	NOV. 9	132.74	JUNE 16	123.30
APR. 30	128.11	DEC. 3	133.09	JUNE 24	123.79
MAY 7	127.25	DEC. 11	132.74	AUG. 11, 1964	126.73B
MAY 14	127.04	DEC. 17	132.99	AUG. 11	0
MAY 21	126.66				

A WELL BEING PUMPED.
 B WELL PUMPED RECENTLY.
 D MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 50N 05W 05DBC1 DEPTH OF WELL 170
 LAT-LONG NO. 474222N1165919.1
 ALT. OF LSD 2122.89 AQUIFER 06 0A R W-T
 A. WELL BEING PUMPED
 B. WELL PUMPED RECENTLY
 D. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 8 TO 4 IN, REPORTED DEPTH 153 FT, 8-IN CASING 0-60, 4-IN CASING 60-153. LSD 2,145.73 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING SOUTH SIDE, 3.30 FT BELOW LSD (SINCE SEPT. 2, 1950).


HIGHEST WATER LEVEL 107.98 FT (32.912 M) BELOW LSD, AUG. 23, 1951.
 LOWEST WATER LEVEL 137.34 FT (41.861 M) BELOW LSD, APR. 27, 1955.
 RECORDS AVAILABLE 1950-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 2, 1950	109.34	APR. 23, 1953	131.20	OCT. 23, 1957	118.30
OCT. 26	111.20	APR. 28	131.79	DEC. 17	125.67
DEC. 16	116.73	JUNE 17	131.02	FEB. 24, 1958	130.53
FEB. 16, 1951	122.45	AUG. 25	114.75	APR. 27	131.27
APR. 11	125.41	OCT. 25	121.33	JUNE 26	125.74
APR. 24	125.73	FEB. 25, 1954	133.26	SEP. 9	117.45
JUNE 21	131.01	JUNE 25	131.02	OCT. 19	120.55
AUG. 15	108.18	SEP. 1	117.68	DEC. 18	125.19
AUG. 23	107.98	OCT. 23	120.91	FEB. 28, 1959	127.61
OCT. 18	112.55	DEC. 18	129.64	APR. 26	130.13B
NOV. 20	115.92	APR. 27, 1955	137.34	JUNE 26	128.04B
DEC. 14	119.18	AUG. 20	120.46	AUG. 29	120.24
FEB. 14, 1952	125.67	OCT. 28	122.79	OCT. 30	119.51
APR. 17	129.35	APR. 24, 1956	131.57	NOV. 30	122.37
JUNE 4	126.20	JUNE 27	121.13	JAN. 24, 1960	126.22
AUG. 16	109.03	OCT. 24	117.80	MAR. 28	129.63
SEP. 23	114.80	APR. 26, 1957	132.37	JULY 23	119.60
DEC. 11	123.91	MAY 23	128.21	SEP. 29	117.33
FEB. 20, 1953	133.11	JUNE 24	125.01	NOV. 30	125.250

B WELL PUMPED RECENTLY.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 50N 04W 05DDA1 DEPTH OF WELL 153
 ALT. OF LSD 2145.73 AQUIFER 05 OR R W-T
 O. MEASUREMENTS DISCONTINUED
 B. WELL PUMPED RECENTLY



DUG AND DRILLED WATER-TABLE WELL IN FLUVIOGLACIAL GRAVEL OF QUATERNARY AGE, DIAM 8 IN, REPORTED DEPTH 120 FT, 36-IN CASING 0-92, 8-IN CASING 0-112, PERFORATED, INTERVAL NOT AVAILABLE. LSD 2,143.37 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. RECORDER INSTALLED SEPT. 3, 1949. RECORDER REMOVED OCT. 25, 1950. MP NO. 2 TOP OF PLANK COVER OVER WELL PIT, 0.51 FT ABOVE LSD (SINCE DEC. 17, 1957).

HIGHEST WATER LEVEL 63.38 FT (19.318 M) BELOW LSD, JUNE 28, 1950, JUNE 29, 1950, JUNE 30, 1950.
 LOWEST WATER LEVEL 80.12 FT (24.421 M) BELOW LSD, APR. 27, 1955.
 RECORDS AVAILABLE 1949-55, 1957-71.

WATER LEVELS IN FEET BELOW LSD.




DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1949	73.56	JAN. 31, 1950	70.08	JULY 20, 1950	64.74
JUNE 23	65.56	FEB. 5	70.33	JULY 25	65.09
JULY 5	66.0 G	FEB. 10	70.55	JULY 31	65.32
JULY 9	65.3 G	FEB. 15	70.82	AUG. 5	65.45
JULY 15	66.0 G	FEB. 20	71.10	AUG. 10	65.58
JULY 23	66.1 G	FEB. 25	71.32	AUG. 15	65.60
AUG. 30	66.44G	FEB. 28	71.46	AUG. 20	65.63
SEP. 3	66.50	MAR. 3	71.58	AUG. 25	65.64
SEP. 5	66.53	MAR. 5	71.56	AUG. 31	65.69
SEP. 10	66.58	MAR. 10	71.40	SEP. 5	65.70
SEP. 15	66.64	MAR. 15	71.05	SEP. 10	65.68
SEP. 20	66.73	MAR. 20	70.71	SEP. 15	65.70
SEP. 25	66.75	MAR. 25	70.16	SEP. 20	65.73
SEP. 30	66.77	MAR. 31	69.57	SEP. 25	65.72
OCT. 5	66.75	APR. 5	69.13	SEP. 30	65.75
OCT. 10	66.82	APR. 10	68.75	OCT. 5	65.73
OCT. 15	66.87	APR. 15	68.41	OCT. 10	65.83
OCT. 20	66.97	APR. 20	68.08	OCT. 15	65.93
OCT. 25	67.08	APR. 25	67.66	OCT. 20	66.00
OCT. 31	67.20	APR. 30	67.25	OCT. 24	66.06
NOV. 5	67.29	MAY 5	66.98	OCT. 25	66.07
NOV. 10	67.39	MAY 10	66.88	DEC. 16	67.11
NOV. 15	67.57	MAY 15	66.79	FEB. 16, 1951	68.15
NOV. 20	67.70	MAY 20	66.38	APR. 12	69.06
NOV. 25	67.82	MAY 25	65.70	JUNE 21	69.07
NOV. 30	67.96	MAY 31	64.88	AUG. 15	68.41
DEC. 5	68.04	JUNE 5	64.30	AUG. 23	68.15
DEC. 10	68.13	JUNE 10	63.92	OCT. 18	68.01
DEC. 15	68.22	JUNE 15	63.70	NOV. 20	68.45
DEC. 20	68.36	JUNE 20	63.54	FEB. 14, 1952	71.42
DEC. 25	68.47	JUNE 25	63.41	APR. 17	72.83
DEC. 31	68.70	JUNE 28	63.38	JUNE 4	68.17
JAN. 5, 1950	68.82	JUNE 29	63.38	SEP. 23	68.71
JAN. 10	69.00	JUNE 30	63.38	DEC. 11	71.79
JAN. 15	69.25	JULY 5	63.57	FEB. 20, 1953	75.25
JAN. 20	69.50	JULY 10	63.86	APR. 23	74.64
JAN. 25	69.80	JULY 15	64.31	APR. 28	74.83

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 17, 1953	73.00	MAY 29, 1963	75.84	NOV. 15, 1967	74.02
JUNE 25, 1954	71.71	JULY 24	73.43	DEC. 18	75.16
OCT. 23	71.58	SEP. 26	73.90	JAN. 19, 1968	75.86
APR. 27, 1955	80.12	JAN. 23, 1964	74.54	FEB. 27	78.34
JUNE 22	75.66	MAR. 25	77.80	MAR. 18	76.54
AUG. 20	74.45	MAY 21	77.75	APR. 23	77.89
OCT. 28	73.18	JULY 28	73.08	MAY 17	78.44
APR. 26, 1957	73.71	SEP. 30	72.22	JUNE 25	77.96
JUNE 26	67.20	NOV. 9	72.33	AUG. 22	74.91
OCT. 25	67.47	DEC. 9	72.76	SEP. 27	74.20
NOV. 1	67.73	JAN. 19, 1965	71.32	OCT. 29	73.96
DEC. 17	70.19	FEB. 23	72.81	NOV. 29	74.40
FEB. 24, 1958	73.39	MAR. 26	73.55	DEC. 26	74.73
JUNE 26	70.90	APR. 26	74.08	FEB. 26, 1969	76.93
SEP. 10	69.45	MAY 26	71.15	MAR. 17	77.97
FEB. 28, 1959	70.16	JULY 15	71.73	MAY 7	75.10
JUNE 26	70.26	AUG. 31	70.47	JUNE 23	72.57
AUG. 28	69.91	SEP. 29	70.08	JULY 24	72.66
OCT. 30	69.98	OCT. 28	70.15	SEP. 3	72.09
NOV. 30	70.08	NOV. 24	70.68	SEP. 17	72.23
DEC. 18, 1958	70.42	JAN. 4, 1966	72.82	OCT. 17	73.04
MAR. 12, 1960	73.66	MAR. 25	76.98	NOV. 20	74.37
MAY 25	73.31	APR. 27	76.59	DEC. 19	75.89
JULY 23	72.76	MAY 31	76.09	JAN. 19, 1970	77.65
SEP. 29	70.03	JULY 12	75.20	FEB. 9	78.30
NOV. 30	72.00	AUG. 23	73.49	MAR. 19	77.59
JAN. 25, 1961	74.14	SEP. 20	72.83	APR. 23	77.50
MAY 23	72.33	NOV. 17	73.61	MAY 21	77.21
JULY 25	72.89	DEC. 21	74.61	JUNE 22	74.93
SEP. 27	69.53	FEB. 3, 1967	75.29	JULY 22	74.57
NOV. 30	70.94	MAR. 27	76.32	AUG. 25	73.61
JAN. 29, 1962	73.93	APR. 12	76.83	SEP. 18	73.60
MAR. 27	76.43	MAY 15	77.44	OCT. 27	74.65
JULY 25	73.54	JUNE 29	75.15	NOV. 19	75.50
SEP. 20	71.82	JULY 24	74.76	DEC. 21	76.93
NOV. 29	70.18	SEP. 20	72.97	JAN. 21, 1971	78.40
JAN. 24, 1963	73.02	OCT. 20	73.17	FEB. 22	78.260
MAR. 27	75.14				

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

KOOTENAI COUNTY, IDAHO
 WELL NO. 504 WADW DEPTH OF WELL 120
 LAT-LONG NO. 474023N1164653.1
 ALT. OF LSI 2149.97 AQUIFER 06 0A G W-T
 G. MEASURED BY OUTSIDE AGENCY OR PERSON
 O. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

AREA 2


BORED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 1 1/2 IN, DEPTH 21.5 FT, CASED TO 21.5, SAND POINT 19-21.5. LSD ABOUT 2,628 FT ABOVE MSL DATUM OF 1929. JUNE 22, 1972, WELL HAD FILLED IN TO A DEPTH OF 18.7 FT. MEASUREMENTS FROM NOV. 2, 1964, THROUGH NOV. 4, 1966, MADE BY IDAHO BUREAU OF MINES & GEOLOGY. 1934 THROUGH 1939 MEASUREMENTS FROM WSP 777, 817, 840, AND 886. PREVIOUSLY PUBLISHED AS WELL NO. 39/5W 10G1 AND 39N 5W 10AC1. MP NO. 1 TOP OF 1 1/2-IN PIPE, 2.07 FT ABOVE LSD (SINCE OCT. 22, 1934).

HIGHEST WATER LEVEL 5.97 FT (1.820 M) BELOW LSD, MAR. 21, 1949.
 LOWEST WATER LEVEL 18.460 FT (5.627 M) BELOW LSD, JUNE 22, 1972.
 RECORDS AVAILABLE 1934-40, 1947-60, 1964-66, 1972.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1934	16.15	JULY 15, 1935	12.44	MAR. 16, 1936	13.89
OCT. 29	16.21	JULY 22	12.75	MAR. 23	12.98
NOV. 5	16.31	JULY 29	13.29	MAR. 30	12.74
NOV. 12	16.30	AUG. 7	13.58	APR. 6	12.88
NOV. 19	16.19	AUG. 12	13.80	APR. 13	12.29
NOV. 26	16.18	AUG. 19	13.87	APR. 20	12.61
DEC. 3	16.67	AUG. 26	14.17	APR. 27	12.70
DEC. 10	16.65	SEP. 3	14.26	MAY 4	13.09
DEC. 17	16.78	SEP. 9	14.46	MAY 11	13.44
DEC. 24	16.46	SEP. 16	15.03	MAY 18	13.59
JAN. 3, 1935	16.39	SEP. 23	14.81	MAY 25	13.97
JAN. 7	16.41	SEP. 30	15.05	JUNE 1	14.10
JAN. 14	15.48	OCT. 7	15.20	JUNE 8	14.54
JAN. 29	14.23	OCT. 14	14.85	JUNE 15	14.58
FEB. 4	13.20	OCT. 21	15.75	JUNE 22	14.78
FEB. 11	12.53	OCT. 28	14.93	JUNE 29	15.04
FEB. 18	12.98	NOV. 4	15.74	JULY 6	15.19
FEB. 25	12.28	NOV. 12	15.78	JULY 13	15.37
MAR. 4	11.03	NOV. 15	15.57	AUG. 4	15.84
MAR. 11	11.05	NOV. 18	15.83	AUG. 13	16.25
MAR. 18	11.44	NOV. 25	15.94	SEP. 8	16.33
APR. 1	10.50	DEC. 2	16.00	SEP. 14	16.41
APR. 8	9.12	DEC. 10	16.09	SEP. 21	16.35
APR. 15	8.93	DEC. 16	16.33	SEP. 28	16.54
APR. 22	8.65	DEC. 23	16.19	OCT. 5	16.73
APR. 29	9.19	DEC. 30	16.14	OCT. 12	16.66
MAY 6	8.58	JAN. 6, 1936	16.36	OCT. 19	16.52
MAY 13	8.98	JAN. 13	16.26	OCT. 26	16.78
MAY 20	9.56	JAN. 20	16.40	NOV. 2	17.08
MAY 27	9.73	JAN. 27	16.31	NOV. 9	16.82
JUNE 4	10.45	FEB. 3	16.34	NOV. 16	16.98
JUNE 11	10.61	FEB. 10	16.43	NOV. 23	17.16
JUNE 17	11.14	FEB. 17	16.63	NOV. 30	17.21
JUNE 25	11.64	FEB. 24	16.45	DEC. 7	17.12
JULY 2	11.86	MAR. 2	16.34	DEC. 14	17.10
JULY 9	11.64	MAR. 9	15.35	DEC. 21	17.21

FIGURE 5.--Index map of area 2, north-central Idaho.



WATER LEVELS IN FEET BELOW LSD.



DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 28, 1936	17.30	FEB. 8, 1938	14.28	OCT. 2, 1940	16.39
JAN. 4, 1937	17.34	FEB. 15	13.74	MAY 2, 1947	12.29
JAN. 11	17.47	FEB. 22	13.08	AUG. 24, 1948	11.14
FEB. 1	17.61	MAR. 1	11.77	MAR. 21, 1949	5.97
FEB. 15	17.57	MAR. 8	11.52	APR. 29	7.63
FEB. 24	17.55	MAR. 15	11.06	JAN. 4, 1950	15.34
MAR. 1	17.57	MAR. 22	10.26	MAR. 29	9.00
MAR. 8	17.46	MAR. 29	9.64	APR. 14	8.12
MAR. 15	16.78	APR. 5	9.27	AUG. 29	13.88
MAR. 22	16.00	APR. 12	9.20	OCT. 27	14.76
MAR. 29	15.81	APR. 19	9.32	DEC. 17	15.24
APR. 5	15.31	APR. 26	9.09	FEB. 19, 1951	8.86
APR. 12	14.94	MAY 3	9.31	APR. 10	8.22
APR. 19	14.22	MAY 10	9.80	JUNE 18	11.73
APR. 26	13.05	MAY 17	10.07	AUG. 14	13.55
MAY 3	13.09	MAY 24	10.76	OCT. 20	14.44
MAY 10	13.35	MAY 31	11.40	NOV. 19	13.39
MAY 17	13.67	JUNE 7	11.75	DEC. 13	11.39
MAY 24	13.84	JUNE 14	12.14	FEB. 15, 1952	7.63
JUNE 1	14.66	JUNE 21	12.44	APR. 15	7.20
JUNE 7	14.71	JUNE 28	12.74	JUNE 5	9.95
JUNE 14	14.94	JULY 6	13.30	AUG. 15	13.06
JUNE 21	15.16	AUG. 9	14.60	DEC. 9	15.37
JUNE 28	15.37	SEP. 6	15.29	FEB. 18, 1953	12.19
JULY 6	15.76	SEP. 27	15.61	APR. 25	10.67
AUG. 3	16.33	OCT. 25	16.08	MAY 1	11.11
SEP. 2	16.60	NOV. 29	16.34	JUNE 19	12.60
SEP. 14	16.82	DEC. 27	16.48	AUG. 23	13.92
SEP. 22	16.91	JAN. 24, 1939	16.94	OCT. 23	14.91
OCT. 1	16.94	FEB. 21	16.83	FEB. 17, 1954	10.54
OCT. 4	17.03	MAR. 28	9.50	MAY 18	12.37
OCT. 13	17.01	APR. 25	12.94	JUNE 8	12.84
OCT. 19	17.09	MAY 23	14.23	JULY 7	13.87
OCT. 27	17.12	JUNE 26	15.24	AUG. 3	14.50
NOV. 2	17.35	JULY 13	15.44	OCT. 6	15.08
NOV. 9	17.20	AUG. 15	16.22	NOV. 10	15.71
NOV. 16	17.29	SEP. 3	16.46	DEC. 8	15.89
NOV. 23	17.24	OCT. 15	16.77	JAN. 4, 1955	13.92
NOV. 30	17.43	DEC. 18	17.31	APR. 26	11.42
DEC. 7	17.40	JAN. 16, 1940	17.37	JUNE 22	13.72
DEC. 14	17.38	FEB. 16	16.92	JULY 7	14.29
DEC. 21	17.39	MAR. 21	12.26	AUG. 3	15.07
DEC. 28	17.46	APR. 16	11.37	OCT. 4	15.89
JAN. 4, 1938	17.25	MAY 18	13.32	NOV. 1	16.11
JAN. 11	16.96	JUNE 19	14.49	DEC. 7	14.83
JAN. 18	16.32	JULY 19	15.62	JAN. 11, 1956	10.54
JAN. 25	15.58	AUG. 21	16.13	FEB. 8	9.26
FEB. 1	15.33	SEP. 17	16.35	MAR. 6	8.69

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 3, 1956	6.39	OCT. 24, 1957	13.70	JUNE 25, 1959	10.00
MAY 10	8.45	OCT. 31	14.42	AUG. 26	12.96
JUNE 6	10.01	DEC. 16	14.35	OCT. 29	13.97
JUNE 29	11.07	FEB. 23, 1958	10.33	NOV. 29	15.27
AUG. 24	13.14	APR. 26	6.90	JAN. 23, 1960	14.84
OCT. 3	14.08	JUNE 25	10.03	MAR. 29	11.48
DEC. 18	15.10	SEP. 12	12.79	MAY 24	11.38
APR. 27, 1957	9.49	OCT. 20	14.11	JULY 22	13.57
MAY 21	9.53	DEC. 17	9.35	SEP. 30	14.67
JUNE 25	10.21	FEB. 27, 1959	6.27	DEC. 1	14.82
AUG. 23	12.90	APR. 25	7.49	JUNE 22, 1972	18.460

0 MEASUREMENTS DISCONTINUED.

LATAH COUNTY, IDAHO
 WELL NO. 287206, DEPTH OF WELL 21.5' ALT. OF L.S. 2828' AQUIFER OR ON S.W.T.
 D. MEASUREMENTS DISCONTINUED



AREA 3




FIGURE 7.--Index map of area 3, west-central Idaho.

443923N1162646.1

15N 01W 10BAC1

J F SMITH

ADAMS COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN, DEPTH 61.0 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,935 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING, 1.00 FT ABOVE LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 40.98 FT (12.491 M) BELOW LSD, APR. 24, 1967, SEP. 16, 1967.


LOWEST WATER LEVEL 41.690 FT (12.707 M) BELOW LSD, MAR. 18, 1968. RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	41.17	SEP. 16, 1967	40.98	MAR. 18, 1968	41.690
APR. 24	40.98				

0 MEASUREMENTS DISCONTINUED.

ADAMS COUNTY, IDAHO LAT-LONG NO. 443923N1162646.1
 WELL NO. 15N 01W 10BAC1 DEPTH OF WELL 61.0 ALT. OF LSD 2935 AQUIFER W-T
 0- MEASUREMENTS DISCONTINUED



DUG DOMESTIC WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 60-36 IN, DEPTH 44.8 FT, CRIBBED WITH ROCK AND CONCRETE TO 42. LSD 2,649.10 FT ABOVE MSL DATUM OF 1929 (UNADJUSTED). MP NO. 3 7/16-IN TAP HOLE IN SOUTH SIDE OF 2-FT SQUARE STEEL PLATE, 0.90 FT ABOVE LSD (SINCE OCT. 26, 1959).

HIGHEST WATER LEVEL 31.6 FT (9.632 M) BELOW LSD, MAY 12, 1943.
 LOWEST WATER LEVEL 43.1 FT (13.137 M) BELOW LSD, JULY 23, 1947.
 RECORDS AVAILABLE 1943-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 2, 1943	38.1	SEP. 21, 1943	38.0	SEP. 9, 1944	39.0
JAN. 12	36.3	SEP. 28	38.0	SEP. 16	39.0
JAN. 22	36.6	OCT. 5	37.8	SEP. 23	39.1
FEB. 11	36.7	OCT. 12	38.1	SEP. 30	39.1
FEB. 12	36.7	OCT. 28	38.2	OCT. 7	39.2
FEB. 18	34.5	NOV. 19	37.9	OCT. 14	39.2
FEB. 26	34.4	NOV. 29	38.0	OCT. 21	39.3
MAR. 13	34.8	DEC. 8	37.9	OCT. 28	39.5
MAR. 20	33.7	DEC. 28	38.4	NOV. 4	39.5
MAR. 29	32.9	DEC. 29	38.1	NOV. 11	39.5
APR. 12	33.8	JAN. 22, 1944	38.3	NOV. 18	39.5
APR. 28	32.2	FEB. 18	38.4	NOV. 25	39.5
MAY 3	32.2	FEB. 26	38.4	DEC. 2	39.5
MAY 12	31.6	FEB. 27	38.4	DEC. 9	39.5
MAY 21	33.6	MAR. 27	38.5	DEC. 16	39.5
MAY 26	33.5	APR. 8	38.6	DEC. 30	39.4
MAY 28	34.0	APR. 14	39.3	JAN. 6, 1945	39.3
JUNE 1	34.7	APR. 15	39.2	JAN. 8	39.2
JUNE 7	34.4	APR. 22	39.0	JAN. 13	39.3
JUNE 12	34.8	APR. 29	38.7	FEB. 3	39.3
JUNE 17	34.6	MAY 6	38.8	FEB. 26	38.6
JUNE 28	32.7	MAY 13	38.8	FEB. 28	38.7
JUNE 29	32.8	MAY 20	38.8	MAR. 12	38.6
JULY 7	33.6	MAY 27	38.8	APR. 3	38.9
JULY 13	33.4	JUNE 2	38.5	APR. 30	39.0
JULY 20	33.3	JUNE 3	38.4	MAY 30	38.7
JULY 27	33.9	JUNE 10	38.0	JUNE 6	38.9
AUG. 3	34.2	JUNE 17	38.4	JUNE 13	38.8
AUG. 5	34.3	JUNE 24	38.5	JUNE 20	39.5
AUG. 10	35.2	JULY 1	38.2	JUNE 27	39.4
AUG. 13	33.4	JULY 8	38.1	JULY 28	39.4
AUG. 17	35.9	JULY 15	38.6	JULY 1	39.3
AUG. 20	36.9	JULY 22	38.6	JULY 4	40.00
AUG. 24	36.9	JULY 29	39.0	JULY 10	40.4
AUG. 27	33.3	AUG. 5	39.0	JULY 11	40.9
AUG. 31	37.1	AUG. 12	38.9	JULY 18	38.4
SEP. 7	37.2	AUG. 19	39.1	JULY 25	39.0
SEP. 10	37.4	AUG. 26	39.0	AUG. 1	40.0
SEP. 14	37.8	SEP. 2	39.0	AUG. 8	40.6

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 9, 1945	41.6	JULY 3, 1946	39.5	MAY 28, 1947	40.3
AUG. 24	41.5	JULY 10	38.5	JUNE 4	40.3
AUG. 25	40.9	JULY 16	38.9	JUNE 11	39.9
AUG. 28	40.9	JULY 18	38.4	JUNE 18	39.5
SEP. 6	40.7	JULY 24	38.8	JUNE 25	40.4
SEP. 11	40.6	AUG. 3	38.0	JULY 2	40.4
SEP. 22	40.3	AUG. 7	38.9	JULY 9	40.4
SEP. 26	40.1	AUG. 14	38.8	JULY 16	42.2
OCT. 4	40.1	AUG. 22	38.8	JULY 23	43.1
OCT. 10	39.9	AUG. 31	39.0	JULY 30	41.9
OCT. 18	39.9	SEP. 5	39.1	AUG. 6	42.1
OCT. 24	39.9	SEP. 11	39.2	AUG. 13	42.1
OCT. 31	40.00	SEP. 18	39.3	AUG. 20	41.7
NOV. 10	39.8	SEP. 25	39.2	AUG. 27	41.9
NOV. 14	39.7	OCT. 3	39.1	SEP. 3	41.6
NOV. 21	39.8	OCT. 9	39.1	SEP. 10	41.2
NOV. 28	39.7	OCT. 19	39.0	SEP. 17	40.9
DEC. 5	39.6	OCT. 24	39.2	SEP. 24	40.8
DEC. 12	39.4	OCT. 30	39.3	OCT. 1	41.4
DEC. 19	39.6	NOV. 1	39.3	OCT. 8	41.7
DEC. 27	39.4	NOV. 6	39.2	OCT. 15	41.2
JAN. 2, 1946	39.1	NOV. 20	38.95	OCT. 22	41.1
JAN. 10	39.3	NOV. 27	38.75	OCT. 29	40.8
JAN. 16	39.2	DEC. 4	38.8	NOV. 5	40.8
JAN. 24	38.7	DEC. 11	38.8	NOV. 12	41.3
JAN. 30	38.8	DEC. 18	38.9	NOV. 19	40.6
FEB. 5	38.7	DEC. 25	38.9	NOV. 26	40.8
FEB. 14	38.7	JAN. 1, 1947	38.8	DEC. 3	40.5
FEB. 20	38.8	JAN. 8	39.0	DEC. 6	40.8
FEB. 26	38.7	JAN. 15	38.6	DEC. 10	40.8
MAR. 8	38.1	JAN. 22	38.8	DEC. 17	40.8
MAR. 13	38.2	JAN. 29	38.6	DEC. 24	40.7
MAR. 20	38.2	FEB. 5	38.8	DEC. 31	40.5
MAR. 27	38.0	FEB. 12	38.9	JAN. 7, 1948	40.4
APR. 3	37.8	FEB. 19	38.9	JAN. 14	40.6
APR. 10	38.0	FEB. 26	38.8	JAN. 21	40.6
APR. 17	37.8	MAR. 5	38.8	JAN. 28	40.5
APR. 20	37.8	MAR. 12	39.2	FEB. 4	40.5
APR. 25	37.9	MAR. 19	39.2	FEB. 11	40.4
MAY 1	37.8	MAR. 26	39.0	FEB. 18	40.2
MAY 7	37.7	APR. 2	39.0	FEB. 25	39.5
MAY 15	39.0	APR. 9	39.1	MAR. 3	38.7
MAY 22	38.1	APR. 16	39.1	MAR. 10	38.5
JUNE 1	39.1	APR. 23	39.3	MAR. 17	38.4
JUNE 5	37.4	APR. 30	39.7	MAR. 24	37.6
JUNE 13	38.1	MAY 6	39.8	MAR. 31	37.4
JUNE 19	40.7	MAY 14	39.5	APR. 7	37.0
JUNE 26	38.1	MAY 21	40.3	APR. 14	36.8

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 21, 1948	36.8	MAR. 23, 1949	39.0	MAR. 8, 1950	39.7
APR. 28	36.5	MAR. 30	39.7	MAR. 15	39.5
MAY 5	36.3	APR. 6	39.9	MAR. 22	39.5
MAY 12	36.0	APR. 13	40.1	MAR. 29	39.4
MAY 19	35.7	APR. 20	41.4	APR. 5	40.4
MAY 26	36.1	APR. 27	40.5	APR. 12	39.8
JUNE 2	36.4	MAY 4	40.0	APR. 19	39.7
JUNE 9	40.3	MAY 11	41.7	APR. 26	39.5
JUNE 16	41.7	MAY 18	41.4	MAY 3	39.2
JUNE 23	40.4	MAY 24	41.1	MAY 10	40.4
JUNE 30	40.7	MAY 25	40.9	MAY 17	40.9
JULY 7	40.0	JUNE 29	41.1	MAY 24	40.6
JULY 14	40.3	JULY 6	41.8	MAY 31	40.00
JULY 21	40.8	JULY 13	42.8	JUNE 7	39.9
JULY 28	40.8	JULY 20	41.1	JUNE 14	39.8
AUG. 4	41.2	JULY 27	41.2	JUNE 21	40.8
AUG. 11	41.0	AUG. 3	42.0	JUNE 28	40.6
AUG. 18	41.8	AUG. 10	41.8	JULY 5	41.2
AUG. 25	40.8	AUG. 17	41.8	JULY 12	41.6
SEP. 1	41.4	AUG. 24	40.8	JULY 19	41.3
SEP. 8	41.6	AUG. 31	41.5	JULY 26	42.4
SEP. 15	41.3	SEP. 7	41.5	AUG. 2	41.8
SEP. 22	41.3	SEP. 14	41.0	AUG. 9	42.4
SEP. 29	41.8	SEP. 21	41.5	AUG. 16	41.7
OCT. 6	40.7	SEP. 28	41.7	AUG. 23	42.2
OCT. 13	40.6	OCT. 5	40.7	AUG. 30	42.0
OCT. 20	40.8	OCT. 12	40.9	SEP. 6	42.0
OCT. 27	40.7	OCT. 19	40.7	SEP. 13	40.7
NOV. 3	40.3	OCT. 26	40.9	SEP. 20	40.8
NOV. 10	40.4	NOV. 2	40.7	SEP. 27	40.8
NOV. 17	40.1	NOV. 9	40.4	OCT. 4	41.5
NOV. 24	40.2	NOV. 16	40.4	OCT. 11	40.9
DEC. 1	40.1	NOV. 23	40.2	OCT. 18	41.1
DEC. 8	40.1	NOV. 30	40.1	OCT. 25	40.8
DEC. 15	40.1	DEC. 7	40.0	NOV. 1	40.2
DEC. 22	39.9	DEC. 14	40.4	NOV. 8	40.1
DEC. 29	39.8	DEC. 21	40.1	NOV. 15	39.9
JAN. 5, 1949	39.5	DEC. 28	39.9	NOV. 22	40.0
JAN. 12	40.0	JAN. 4, 1950	40.1	NOV. 29	39.7
JAN. 19	41.1	JAN. 11	40.0	DEC. 6	39.6
JAN. 26	41.1	JAN. 18	40.0	DEC. 13	39.5
FEB. 2	40.5	JAN. 24	40.5	DEC. 20	39.3
FEB. 9	40.3	JAN. 25	40.0	DEC. 27	40.1
FEB. 16	40.1	FEB. 1	40.2	JAN. 3, 1951	39.1
FEB. 23	40.1	FEB. 8	40.1	JAN. 10	39.1
MAR. 2	39.3	FEB. 15	39.8	JAN. 17	38.8
MAR. 9	39.1	FEB. 22	39.7	JAN. 19	39.9
MAR. 16	39.1	MAR. 1	40.2	JAN. 24	39.1

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1951	39.2	DEC. 26, 1951	38.6	FEB. 4, 1953	34.3
FEB. 7	39.0	JAN. 3, 1952	38.5	FEB. 11	34.3
FEB. 14	38.7	JAN. 9	38.30	FEB. 18	34.8
FEB. 21	38.4	JAN. 16	38.2	FEB. 25	33.5
FEB. 28	38.2	JAN. 23	38.1	MAR. 4	34.8
MAR. 7	38.1	JAN. 30	38.1	MAR. 11	35.2
MAR. 14	37.9	FEB. 6	37.8	MAR. 18	33.6
MAR. 21	38.0	APR. 18	35.73	MAR. 25	33.4
MAR. 28	37.6	APR. 21	35.58	MAR. 26	33.6
APR. 4	37.6	APR. 23	36.05	APR. 1	33.8
APR. 11	38.3	APR. 30	38.7	APR. 8	33.4
APR. 18	38.1	MAY 7	36.6	APR. 15	33.7
APR. 25	39.0	MAY 14	36.2	APR. 22	34.1
MAY 2	37.9	MAY 21	35.4	APR. 29	34.8
MAY 9	38.1	MAY 28	36.0	MAY 6	36.5
MAY 16	38.7	JUNE 4	36.7	MAY 13	36.5
MAY 23	40.5	JUNE 11	38.0	MAY 20	35.6
MAY 30	38.5	JUNE 18	38.4	MAY 27	35.8
JUNE 6	37.6	JUNE 25	37.1	JUNE 3	35.8
JUNE 13	39.1	JULY 2	37.35	JUNE 10	35.7
JUNE 20	38.9	JULY 9	38.8	JUNE 17	35.8
JUNE 27	39.7	JULY 16	38.9	JUNE 24	37.0
JULY 4	39.8	JULY 23	39.1	JULY 1	37.8
JULY 11	39.1	JULY 30	39.4	JULY 8	38.0
JULY 18	40.6	AUG. 6	39.1	JULY 15	38.7
JULY 25	40.8	AUG. 13	39.5	JULY 22	38.7
AUG. 1	40.5	AUG. 20	39.8	JULY 29	38.5
AUG. 8	40.7	AUG. 27	40.0	AUG. 5	38.4
AUG. 9	40.0	SEP. 3	39.2	AUG. 12	38.9
AUG. 15	40.8	SEP. 10	38.6	AUG. 19	39.4
AUG. 22	40.8	SEP. 17	38.4	AUG. 26	39.6
AUG. 29	40.0	SEP. 25	38.7	SEP. 2	40.3
SEP. 5	39.6	OCT. 1	39.0	SEP. 9	39.7
SEP. 12	39.7	OCT. 8	38.7	SEP. 16	39.4
SEP. 19	40.3	OCT. 15	38.6	SEP. 23	39.1
SEP. 26	40.1	OCT. 22	37.6	SEP. 30	38.4
OCT. 3	40.0	OCT. 29	37.7	OCT. 7	39.2
OCT. 10	39.9	NOV. 5	37.2	OCT. 14	38.4
OCT. 17	39.5	NOV. 12	36.9	OCT. 21	38.3
OCT. 24	39.6	DEC. 3	37.0	OCT. 28	38.7
OCT. 31	39.1	DEC. 10	36.9	NOV. 4	38.0
NOV. 7	39.4	DEC. 17	36.9	NOV. 11	37.7
NOV. 14	39.1	DEC. 24	36.9	NOV. 18	37.6
NOV. 21	38.8	DEC. 31	36.9	NOV. 25	37.7
NOV. 28	38.7	JAN. 7, 1953	35.3	DEC. 2	37.3
DEC. 5	38.6	JAN. 14	35.1	DEC. 9	37.1
DEC. 12	38.6	JAN. 21	35.0	DEC. 16	37.0
DEC. 19	38.4	JAN. 28	34.8	DEC. 23	37.1

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 30, 1953	37.1	DEC. 1, 1954	39.8	DEC. 7, 1955	38.8
JAN. 6, 1954	37.0	DEC. 8	39.7	DEC. 14	38.8
JAN. 13	36.9	DEC. 15	39.7	DEC. 21	38.3
JAN. 20	37.0	DEC. 22	39.9	DEC. 22	38.23
JAN. 27	36.9	DEC. 29	39.6	DEC. 28	38.0
FEB. 3	37.0	JAN. 5, 1955	39.7	JAN. 4, 1956	37.7
FEB. 10	37.2	JAN. 12	39.6	JAN. 11	37.4
FEB. 17	36.8	FEB. 16	39.6	JAN. 18	37.1
FEB. 24	37.2	FEB. 23	39.5	JAN. 25	36.9
MAR. 3	37.3	MAR. 2	39.6	FEB. 1	36.6
MAR. 10	37.4	MAR. 9	39.7	FEB. 8	36.3
MAR. 17	37.7	MAR. 16	39.5	FEB. 15	36.2
MAR. 24	37.7	MAR. 23	39.3	FEB. 22	36.0
MAR. 31	38.0	MAR. 30	39.2	FEB. 29	36.1
APR. 7	38.0	APR. 6	39.3	MAR. 7	36.3
APR. 14	38.1	APR. 13	39.1	MAR. 14	36.1
APR. 21	38.2	APR. 20	38.9	MAR. 21	36.2
APR. 28	38.7	APR. 27	39.0	MAR. 28	36.5
MAY 5	40.0	MAY 4	38.8	APR. 4	36.1
MAY 12	39.4	MAY 11	39.0	APR. 11	36.9
MAY 19	39.7	MAY 18	38.7	APR. 18	36.2
MAY 26	40.0	MAY 25	39.5	APR. 25	36.8
JUNE 2	39.8	JUNE 1	39.9	APR. 30	36.5 E
JUNE 9	38.7	JUNE 8	40.2	MAY 2	36.8
JUNE 16	38.8	JUNE 15	40.4	MAY 9	36.2
JUNE 23	40.1	JUNE 22	41.4	MAY 16	36.2
JUNE 30	39.8	JUNE 29	39.5	MAY 23	36.2
JULY 7	40.1	JULY 6	40.2	MAY 30	36.5
JULY 14	39.5	JULY 13	40.0	JUNE 6	35.8
JULY 21	40.8	JULY 20	40.9	JUNE 13	35.8
JULY 28	39.9	JULY 27	40.8	JUNE 20	36.1
AUG. 4	40.9	AUG. 3	41.1	JUNE 27	36.7
AUG. 11	41.1	AUG. 10	41.4	JULY 3	36.6
AUG. 18	40.6	AUG. 17	41.1	JULY 4	36.7
AUG. 25	39.8	AUG. 24	41.7	JULY 11	38.9
SEP. 1	40.2	AUG. 31	42.5	JULY 18	38.0
SEP. 8	40.4	SEP. 7	42.3	JULY 25	37.7
SEP. 15	40.5	SEP. 14	41.7	AUG. 1	39.3
SEP. 22	40.0	SEP. 21	40.2	AUG. 8	37.4
SEP. 29	39.8	SEP. 26	40.5	AUG. 15	38.0
OCT. 6	40.1	OCT. 5	40.6	AUG. 22	38.2
OCT. 13	39.6	OCT. 12	40.9	AUG. 29	37.2
OCT. 20	40.2	OCT. 19	41.1	SEP. 5	37.3
OCT. 27	39.7	OCT. 26	40.2	SEP. 12	37.3
NOV. 3	40.5	NOV. 2	40.9	SEP. 19	37.6
NOV. 10	40.1	NOV. 16	39.8	SEP. 20	37.2 E
NOV. 17	39.6	NOV. 23	39.3	SEP. 26	37.3
NOV. 24	39.7	NOV. 30	38.9	OCT. 3	36.9

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1956	36.9	SEP. 4, 1957	39.2	AUG. 6, 1958	39.8
OCT. 17	36.5	SEP. 11	38.9	AUG. 13	39.8
OCT. 24	36.2	SEP. 18	39.4	AUG. 20	39.0
OCT. 31	36.1	SEP. 25	38.9	AUG. 27	40.7
NOV. 7	36.0	OCT. 2	39.4	SEP. 3	39.9
NOV. 14	36.1	OCT. 9	39.1	SEP. 10	39.5
NOV. 21	36.3	OCT. 16	39.2	SEP. 17	39.1
NOV. 28	36.6	OCT. 23	39.2	SEP. 24	39.0
DEC. 5	36.6	OCT. 30	38.9	OCT. 1	38.6
DEC. 12	36.8	NOV. 6	38.8	OCT. 8	38.5
DEC. 19	37.1	NOV. 13	38.9	OCT. 22	38.9
DEC. 26	37.4	NOV. 20	38.7	OCT. 29	38.4
JAN. 2, 1957	37.4	NOV. 27	38.6	NOV. 5	38.4
JAN. 9	37.4	DEC. 4	38.3	NOV. 12	38.3
JAN. 16	37.7	DEC. 11	38.5	NOV. 19	38.1
JAN. 23	37.8	DEC. 18	38.3	NOV. 26	37.9
JAN. 30	37.8	DEC. 25	38.5	DEC. 3	37.6
FEB. 6	37.9	JAN. 1, 1958	38.0	DEC. 10	37.7
FEB. 13	38.0	JAN. 8	38.3	DEC. 17	37.7
FEB. 20	38.0	JAN. 15	38.4	DEC. 24	37.5
FEB. 27	38.0	JAN. 22	38.2	DEC. 31	37.2
MAR. 6	37.6	JAN. 29	38.3	JAN. 7, 1959	37.3
MAR. 13	37.4	FEB. 5	38.5	JAN. 14	37.6
MAR. 20	37.0	FEB. 12	38.4	JAN. 21	37.5
MAR. 27	36.5	FEB. 19	38.3	JAN. 28	37.5
APR. 3	36.3	FEB. 26	38.1	FEB. 4	37.4
APR. 10	36.0	MAR. 5	37.8	FEB. 11	37.5
APR. 17	36.1	MAR. 12	37.4	FEB. 18	37.3
APR. 24	35.9	MAR. 19	36.5	FEB. 25	37.5
MAY 1	36.2	MAR. 26	37.6	MAR. 4	37.7
MAY 8	36.3	APR. 2	37.5	MAR. 11	37.5
MAY 15	36.1	APR. 9	37.5	MAR. 18	37.6
MAY 22	36.6	APR. 16	37.3	MAR. 25	37.6
MAY 29	36.4	APR. 23	37.3	APR. 1	37.7
JUNE 5	36.9	APR. 30	37.1	APR. 8	38.5
JUNE 12	37.9	MAY 7	37.0	APR. 15	38.4
JUNE 19	36.7	MAY 14	36.5	APR. 22	39.3
JUNE 26	37.5	MAY 21	37.0	APR. 29	38.3
JULY 3	38.3	MAY 28	37.5	MAY 6	37.4
JULY 10	38.1	JUNE 4	36.7	MAY 13	39.1
JULY 17	39.1	JUNE 11	36.8	MAY 20	37.4
JULY 24	38.5	JUNE 18	38.3	MAY 27	37.2
JULY 31	38.8	JUNE 25	38.2	JUNE 3	39.3
AUG. 7	39.0	JULY 2	39.1	JUNE 10	39.2
AUG. 14	38.7	JULY 9	39.3	JUNE 17	41.7 B
AUG. 21	39.6	JULY 16	39.5	JUNE 24	41.1 B
AUG. 28	39.4	JULY 23	39.6	JUNE 26	39.5
		JULY 30	39.1	JUNE 26	39.3

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 1, 1959	41.3	JUNE 8, 1960	41.2	MAY 17, 1961	39.9
JULY 8	40.0	JUNE 15	40.3	MAY 24	39.9
JULY 15	41.4	JUNE 22	42.9	MAY 31	40.2
JULY 22	41.5	JULY 6	41.7	JUNE 7	39.9
JULY 29	40.2	JULY 13	41.5	JUNE 14	39.1
AUG. 5	41.9	JULY 20	41.7	JUNE 21	39.8
AUG. 12	41.5	JULY 27	41.5	JUNE 28	39.6
AUG. 19	41.0	AUG. 3	40.8	JULY 5	40.2
SEP. 2	41.6	AUG. 10	40.4	JULY 12	39.1
SEP. 9	42.9	AUG. 17	40.6	JULY 19	39.7
SEP. 16	40.4	AUG. 24	41.3	JULY 26	39.8
SEP. 23	39.7	AUG. 31	41.4	AUG. 2	39.9
SEP. 30	39.7	SEP. 7	41.7	AUG. 9	40.3
OCT. 7	39.8	SEP. 14	40.6	AUG. 16	39.7
OCT. 14	39.4	SEP. 21	40.1	AUG. 23	39.7
OCT. 21	39.4	SEP. 28	40.9	AUG. 30	40.4
OCT. 26	39.198	OCT. 5	41.2	SEP. 6	40.2
OCT. 28	39.1	OCT. 12	40.7	SEP. 13	39.7
NOV. 4	39.3	OCT. 19	41.3	SEP. 20	40.1
NOV. 11	39.4	OCT. 26	41.1	SEP. 27	40.2
NOV. 18	39.2	NOV. 2	42.6	OCT. 3	40.2
NOV. 25	39.0	NOV. 9	42.1	OCT. 11	40.3
DEC. 2	39.1	NOV. 16	41.6	OCT. 18	40.3
DEC. 9	39.1	NOV. 23	41.6	OCT. 25	39.9
DEC. 16	39.3	NOV. 30	41.9	NOV. 1	40.3
DEC. 23	39.0	DEC. 7	41.9	NOV. 8	39.7
DEC. 30	38.8	DEC. 14	42.1	NOV. 15	40.9
JAN. 6, 1960	39.3	DEC. 21	42.3	NOV. 22	41.5
JAN. 13	39.2	DEC. 28	42.1	NOV. 29	41.8
JAN. 20	38.9	JAN. 4, 1961	41.0	DEC. 6	40.8
JAN. 27	39.0	JAN. 11	40.7	DEC. 13	40.3
FEB. 3	39.0	JAN. 18	40.8	DEC. 20	40.3
FEB. 10	38.6	JAN. 25	40.5	DEC. 27	40.1
FEB. 17	39.0	FEB. 1	40.8	JAN. 3, 1962	40.1
FEB. 24	38.7	FEB. 8	40.5	JAN. 10	40.2
MAR. 2	38.5	FEB. 15	40.6	JAN. 17	40.3
MAR. 9	38.5	FEB. 22	40.6	JAN. 24	40.1
MAR. 16	38.4	MAR. 1	41.5	JAN. 31	40.3
MAR. 23	38.2	MAR. 8	39.8	FEB. 7	40.2
MAR. 30	38.2	MAR. 15	39.7	FEB. 14	40.1
APR. 6	38.3	MAR. 22	41.5	FEB. 21	40.0
APR. 13	39.3	MAR. 29	39.7	FEB. 28	39.9
APR. 20	38.4	APR. 5	39.1	MAR. 7	40.1
MAY 4	38.7	APR. 12	39.1	MAR. 14	39.9
MAY 11	38.5	APR. 19	39.2	MAR. 21	39.9
MAY 18	39.1	APR. 26	39.3	MAR. 28	40.7
MAY 25	40.5	MAY 3	40.4	APR. 4	40.1
JUNE 1	41.5	MAY 10	39.8	APR. 11	40.9

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 17, 1962	40.0	MAR. 20, 1963	40.0	FEB. 19, 1964	39.1
APR. 25	40.2	MAR. 26	40.2	FEB. 26	39.2
MAY 2	40.0	APR. 3	40.1	MAR. 4	40.0
MAY 9	40.5	APR. 10	40.0	MAR. 11	40.1
MAY 16	41.7	APR. 17	39.8	MAR. 18	39.9
MAY 23	40.6	APR. 24	39.8	MAR. 25	40.1
MAY 30	41.2	MAY 1	40.6	APR. 1	39.7
JUNE 6	40.6	MAY 8	40.0	APR. 8	39.6
JUNE 14	40.6	MAY 15	40.3	APR. 15	39.9
JUNE 20	40.7	MAY 22	41.1	APR. 22	40.8
JUNE 27	41.0	MAY 29	40.7	APR. 29	39.6
JULY 4	41.6	JUNE 5	40.3	MAY 6	39.9
JULY 11	40.7	JUNE 12	40.2	MAY 13	39.7
JULY 18	40.9	JUNE 19	41.2	MAY 20	40.5
JULY 25	41.3	JUNE 26	40.7	MAY 27	40.0
AUG. 1	40.6	JULY 3	41.2	JUNE 3	39.4
AUG. 8	40.4	JULY 10	40.3	JUNE 10	39.3
AUG. 15	41.1	JULY 17	40.0	JUNE 17	39.4
AUG. 22	40.9	JULY 24	40.6	JUNE 24	40.1
AUG. 29	40.2	JULY 31	40.4	JULY 1	39.3
SEP. 5	40.8	AUG. 7	40.4	JULY 8	39.1
SEP. 12	40.6	AUG. 14	40.6	JULY 15	39.1
SEP. 19	40.7	AUG. 21	40.8	JULY 22	39.9
SEP. 26	40.8	AUG. 28	39.7	JULY 29	39.4
OCT. 3	39.6	SEP. 4	40.6	AUG. 5	40.1
OCT. 10	39.8	SEP. 11	40.6	AUG. 12	39.0
OCT. 17	40.6	SEP. 18	40.6	AUG. 19	39.4
OCT. 24	40.6	SEP. 25	41.2	AUG. 26	39.3
OCT. 31	40.9	OCT. 2	41.4	SEP. 2	39.6
NOV. 7	40.8	OCT. 16	39.1	SEP. 9	39.9
NOV. 14	40.6	OCT. 18	36.4	SEP. 16	40.0
NOV. 21	40.4	OCT. 23	35.6	SEP. 23	39.7
NOV. 28	40.5	OCT. 30	36.3	SEP. 30	39.8
DEC. 5	40.4	NOV. 6	37.8	OCT. 7	39.4
DEC. 12	40.5	NOV. 13	38.1	OCT. 14	39.9
DEC. 19	40.5	NOV. 21	37.9	OCT. 21	39.8
DEC. 26	40.7	NOV. 27	39.8	OCT. 28	39.5
JAN. 3, 1963	40.6	DEC. 4	40.0	NOV. 4	39.9
JAN. 9	40.3	DEC. 11	40.0	NOV. 11	39.6
JAN. 16	40.6	DEC. 18	39.9	NOV. 18	39.7
JAN. 23	40.3	DEC. 25	40.3	NOV. 25	39.5
JAN. 30	40.3	JAN. 1, 1964	39.7	DEC. 2	39.5
FEB. 6	40.2	JAN. 8	39.9	DEC. 9	38.8
FEB. 13	40.2	JAN. 15	39.4	DEC. 16	39.2
FEB. 20	39.9	JAN. 22	40.0	DEC. 23	39.5
FEB. 27	40.1	JAN. 29	39.8	DEC. 30	39.3
MAR. 6	40.2	FEB. 5	40.0	JAN. 6, 1965	39.6
MAR. 13	40.0	FEB. 12	39.1	JAN. 13	39.4

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1965	39.2	DEC. 15, 1965	36.1	JAN. 20, 1967	39.30
JAN. 27	39.6	DEC. 22	35.7	JAN. 25	39.57
FEB. 3	39.6	DEC. 29	36.3	JAN. 26	39.67
FEB. 10	37.6	JAN. 5, 1966	36.0	FEB. 1	39.54
FEB. 15	35.9	JAN. 12	36.2	FEB. 8	39.38
FEB. 17	35.7	JAN. 19	36.2	FEB. 15	39.26
FEB. 24	35.6	JAN. 26	36.3	FEB. 22	39.38
MAR. 3	35.7	FEB. 2	36.2	MAR. 1	39.18
MAR. 10	35.7	FEB. 9	36.2	MAR. 8	39.10
MAR. 17	35.8	FEB. 16	36.3	MAR. 15	39.00
MAR. 24	35.8	FEB. 23	36.2	MAR. 22	39.55
MAR. 31	36.8	MAR. 2	36.2	MAR. 29	39.03
APR. 7	36.0	MAR. 9	36.2	APR. 5	39.19
APR. 14	36.2	MAR. 16	36.2	APR. 12	39.06
APR. 21	36.3	MAR. 23	36.2	APR. 19	39.27
APR. 28	36.4	MAR. 30	36.4	APR. 24	39.13
MAY 5	35.7	APR. 6	36.1	APR. 26	39.16
MAY 12	35.7	APR. 13	36.4	MAY 3	39.60
MAY 19	36.1	APR. 20	36.2	MAY 10	39.46
MAY 26	35.6	APR. 27	36.1	MAY 17	39.91
JUNE 2	36.9	MAY 4	36.1	MAY 24	40.01
JUNE 11	37.1	MAY 11	35.9	MAY 31	39.78
JUNE 16	36.1	MAY 18	35.8	JUNE 7	39.76
JUNE 23	36.0	MAY 25	35.9	JUNE 14	40.51
JUNE 30	36.8	JUNE 1	35.9	JUNE 21	40.13
JULY 7	36.8	JUNE 8	36.2	JUNE 27	40.47
JULY 14	36.1	JUNE 15	36.1	JUNE 28	40.40
JULY 21	36.5	JUNE 22	35.7	JULY 5	40.30
JULY 28	35.9	JUNE 29, 1966	36.3	JULY 12	40.13
AUG. 4	36.3	JULY 6	36.1	JULY 19	40.33
AUG. 11	36.2	JULY 12	33.7	JULY 26	40.71
AUG. 18	36.3	JULY 20	33.6	JULY 31	40.59
AUG. 25	36.7	JULY 27	33.6	AUG. 2	40.60
SEP. 1	35.8	AUG. 3	33.7	AUG. 9	40.53
SEP. 8	36.0	AUG. 10	34.4	AUG. 16	40.76
SEP. 15	36.5	AUG. 17	34.2	AUG. 23	40.13
SEP. 22	35.8	AUG. 24	34.5	AUG. 30	40.47
SEP. 29	35.8	AUG. 31	34.4	SEP. 6	41.05
OCT. 6	36.3	SEP. 7	34.3	SEP. 13	40.85
OCT. 13	36.1	SEP. 14	33.8	SEP. 16	40.76
OCT. 20	36.5	SEP. 21	34.2	SEP. 20	41.26
OCT. 27	36.4	SEP. 28	34.4	SEP. 27	40.45
NOV. 3	36.3	OCT. 5	34.0	OCT. 4	40.13
NOV. 10	36.4	OCT. 12	33.8	OCT. 11	40.21
NOV. 17	36.2	DEC. 27	40.69	OCT. 18	40.43
NOV. 24	36.4	JAN. 4, 1967	39.94	OCT. 25	40.40
DEC. 1	36.5	JAN. 11	39.42	NOV. 1	40.37
DEC. 8	36.3	JAN. 18	39.39	NOV. 8	40.31

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1965	39.2	DEC. 15, 1965	36.1	JAN. 20, 1967	39.30
JAN. 27	39.6	DEC. 22	35.7	JAN. 25	39.57
FEB. 3	39.6	DEC. 29	36.3	JAN. 26	39.67
FEB. 10	37.6	JAN. 5, 1966	36.0	FEB. 1	39.54
FEB. 15	35.9	JAN. 12	36.2	FEB. 8	39.38
FEB. 17	35.7	JAN. 19	36.2	FEB. 15	39.26
FEB. 24	35.6	JAN. 26	36.3	FEB. 22	39.38
MAR. 3	35.7	FEB. 2	36.2	MAR. 1	39.18
MAR. 10	35.7	FEB. 9	36.2	MAR. 8	39.10
MAR. 17	35.8	FEB. 16	36.3	MAR. 15	39.00
MAR. 24	35.8	FEB. 23	36.2	MAR. 22	39.55
MAR. 31	36.8	MAR. 2	36.2	MAR. 29	39.03
APR. 7	36.0	MAR. 9	36.2	APR. 5	39.19
APR. 14	36.2	MAR. 16	36.2	APR. 12	39.06
APR. 21	36.3	MAR. 23	36.2	APR. 19	39.27
APR. 28	36.4	MAR. 30	36.4	APR. 24	39.13
MAY 5	35.7	APR. 6	36.1	APR. 26	39.16
MAY 12	35.7	APR. 13	36.4	MAY 3	39.60
MAY 19	36.1	APR. 20	36.2	MAY 10	39.46
MAY 26	35.6	APR. 27	36.1	MAY 17	39.91
JUNE 2	36.9	MAY 4	36.1	MAY 24	40.01
JUNE 11	37.1	MAY 11	35.9	MAY 31	39.78
JUNE 16	36.1	MAY 18	35.8	JUNE 7	39.76
JUNE 23	36.0	MAY 25	35.9	JUNE 14	40.51
JUNE 30	36.8	JUNE 1	35.9	JUNE 21	40.13
JULY 7	36.8	JUNE 8	36.2	JUNE 27	40.47
JULY 14	36.1	JUNE 15	36.1	JUNE 28	40.46
JULY 21	36.5	JUNE 22	35.7	JULY 5	40.30
JULY 28	35.9	JUNE 29, 1966	36.3	JULY 12	40.13
AUG. 4	36.3	JULY 6	36.1	JULY 19	40.33
AUG. 11	36.2	JULY 12	33.7	JULY 26	40.71
AUG. 18	36.3	JULY 20	33.6	JULY 31	40.59
AUG. 25	36.7	JULY 27	33.6	AUG. 2	40.60
SEP. 1	35.8	AUG. 3	33.7	AUG. 9	40.53
SEP. 8	36.0	AUG. 10	34.4	AUG. 16	40.76
SEP. 15	36.5	AUG. 17	34.2	AUG. 23	40.13
SEP. 22	35.8	AUG. 24	34.5	AUG. 30	40.47
SEP. 29	35.8	AUG. 31	34.4	SEP. 6	41.05
OCT. 6	36.3	SEP. 7	34.3	SEP. 13	40.85
OCT. 13	36.1	SEP. 14	33.8	SEP. 16	40.76
OCT. 20	36.5	SEP. 21	34.2	SEP. 20	41.26
OCT. 27	36.4	SEP. 28	34.4	SEP. 27	40.45
NOV. 3	36.3	OCT. 5	34.0	OCT. 4	40.13
NOV. 10	36.4	OCT. 12	33.8	OCT. 11	40.21
NOV. 17	36.2	DEC. 27	40.69	OCT. 18	40.43
NOV. 24	36.4	JAN. 4, 1967	39.94	OCT. 25	40.40
DEC. 1	36.5	JAN. 11	39.42	NOV. 1	40.37
DEC. 8	36.3	JAN. 18	39.39	NOV. 8	40.31

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 15, 1967	40.26	SEP. 18, 1968	41.71	JULY 30, 1969	39.11
NOV. 22	40.26	SEP. 25	40.88	AUG. 6	39.24
NOV. 29	40.50	OCT. 2	40.85	AUG. 13	39.31
DEC. 6	40.21	OCT. 9	41.08	AUG. 20	39.49
DEC. 13	40.43	OCT. 16	40.89	AUG. 27	39.59
DEC. 20	40.98	OCT. 23	40.84	SEP. 3	39.67
DEC. 27	40.19	OCT. 30	40.84	SEP. 9	39.54
JAN. 3, 1968	40.37	NOV. 6	40.72	SEP. 10	39.61
JAN. 10	40.28	NOV. 13	40.76	SEP. 17	39.51
JAN. 17	40.02	NOV. 20	40.72	SEP. 24	39.71
JAN. 22	39.93	NOV. 27	40.14	OCT. 1	39.78
JAN. 24	40.19	DEC. 2	41.20	OCT. 8	39.61
JAN. 31	40.00	DEC. 4	40.92	OCT. 15	39.85
FEB. 7	40.01	DEC. 11	40.69	OCT. 22	40.20
FEB. 14	39.91	DEC. 18	40.54	OCT. 29	39.90
FEB. 21	40.06	DEC. 25	41.22	NOV. 5	39.64
FEB. 28	39.99	JAN. 1, 1969	41.55	NOV. 10	39.51
MAR. 6	39.84	JAN. 8	40.76	NOV. 12	39.79
MAR. 13	39.86	JAN. 15	40.29	NOV. 19	39.74
MAR. 18	39.79	JAN. 22	40.31	NOV. 26	40.02
MAR. 20	39.92	JAN. 29	40.00	DEC. 3	40.22
MAR. 27	39.99	FEB. 5	39.87	DEC. 10	39.66
APR. 3	39.81	FEB. 12	39.64	DEC. 17	39.72
APR. 10	39.99	FEB. 19	39.54	DEC. 24	39.66
APR. 17	40.07	FEB. 26	39.49	DEC. 31	40.58
APR. 24	40.13	MAR. 5	39.38	JAN. 7, 1970	39.95
MAY 1	40.61	MAR. 12	38.97	JAN. 12	39.49
MAY 8	40.58	MAR. 19	38.96	JAN. 14	39.87
MAY 15	40.49	MAR. 26	39.00	JAN. 21	39.63
MAY 22	40.42	APR. 2	39.29	JAN. 28	39.41
MAY 27	40.08	APR. 7	38.76	FEB. 4	39.47
MAY 29	40.45	APR. 9	38.81	FEB. 11	39.04
JUNE 5	41.31	APR. 16	38.71	FEB. 19	39.04
JUNE 19	41.00	APR. 23	38.79	FEB. 25	38.12
JUNE 26	41.18	APR. 30	38.91	MAR. 4	38.18
JULY 3	41.27	MAY 7	38.84	MAR. 9	38.13
JULY 12	40.69	MAY 14	38.97	MAR. 11	38.17
JULY 17	40.55	MAY 21	38.77	MAR. 18	38.70
JULY 22	41.22	MAY 28	38.75	MAR. 25	38.51
JULY 24	41.40	JUNE 4	39.21	APR. 1	38.05
JULY 31	41.35	JUNE 11	38.92	APR. 8	38.19
AUG. 7	40.93	JUNE 18	39.29	APR. 15	38.01
AUG. 14	40.80	JUNE 25	38.90	APR. 22	38.36
AUG. 21	41.60	JULY 2	38.86	APR. 29	38.18
AUG. 28	41.37	JULY 9	39.50	MAY 6	37.93
SEP. 4	40.96	JULY 14	39.09	MAY 11	37.81
SEP. 9	40.82	JULY 16	39.24	MAY 13	38.19
SEP. 11	40.90	JULY 23	39.27	MAY 20	38.29

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 27, 1970	38.13	AUG. 26, 1970	37.89	NOV. 11, 1970	38.13
JUNE 3	38.13	SEP. 2	38.11	NOV. 18	37.68
JUNE 10	38.02	SEP. 9	38.31	NOV. 25	37.62
JUNE 17	38.02	SEP. 14	37.62	DEC. 2	38.61
JUNE 24	38.03	SEP. 16	37.71	DEC. 9	38.41
JULY 1	38.02	SEP. 23	37.98	DEC. 16	38.84
JULY 8	38.06	SEP. 30	38.11	DEC. 30	39.02
JULY 13	37.77	OCT. 7	38.16	JAN. 6, 1971	38.78
JULY 15	37.98	OCT. 14	38.37	JAN. 11	38.53
JULY 22	38.33	OCT. 21	38.51	MAR. 15	37.88
JULY 29	38.11	OCT. 28	38.65	MAY 10	37.38
AUG. 5	38.59	NOV. 4	38.58	JULY 12	37.91
AUG. 12	38.02	NOV. 10	38.50	SEP. 13	36.700
AUG. 19	38.18				

B WELL PUMPED RECENTLY.
 E ESTIMATED.
 O MEASUREMENTS DISCONTINUED.

BOISE COUNTY, IDAHO
 WELL NO. 07N 02E 34CAA1 DEPTH OF WELL 44-B
 LAT-LONG NO. 435400N1161213.1
 ALT. OF LSD 2649.10 AQUIFER O OR R W-T
 B- WELL PUMPED RECENTLY
 C- MEASUREMENTS DISCONTINUED
 E- ESTIMATED



435657N1164016.1 07N 03W 148BC1 CLAYNE COOPER GEM COUNTY

DRILLED STOCK WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 IN, REPORTED DEPTH 170 FT, CASING TO 160. LSD ABOUT 2,400 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF CASING COVER NORTH SIDE, 2.00 FT ABOVE LSD (SINCE MAR. 6, 1967).

HIGHEST WATER LEVEL 105.010 FT (32.007 M) BELOW LSD, SEP. 21, 1971.
 LOWEST WATER LEVEL 106.26 FT (32.388 M) BELOW LSD, MAR. 18, 1968.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1967	105.34	SEP. 10, 1968	105.55	SEP. 15, 1970	105.55
APR. 26	105.81	APR. 9, 1969	105.98	MAR. 16, 1971	105.57
SEP. 17	105.26	SEP. 11	105.21	SEP. 21	105.010
MAR. 18, 1968	106.26	MAR. 11, 1970	105.18		

0 MEASUREMENTS DISCONTINUED.

435344N1163846.1 07N 03W 36CDD1 TRUE GARNER GEM COUNTY



DRILLED DOMESTIC ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 4 IN, REPORTED DEPTH 82 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,285 FT ABOVE MSL DATUM OF 1929. MP NO. 2 GROUND ON WEST SIDE OF WELL CASING, AT LSD (SINCE JAN. 23, 1968).

HIGHEST WATER LEVEL 15.86 FT (4.834 M) ABOVE LSD, JUNE 24, 1967.
 LOWEST WATER LEVEL 9.10 FT (2.774 M) ABOVE LSD, JAN. 15, 1971.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 24, 1967	+ 15.86	DEC. 3, 1968	+ 11.27	JULY 14, 1970	+ 10.02
JUNE 27	+ 15.10	APR. 9, 1969	+ 12.67	SEP. 15	+ 11.60
AUG. 1	+ 14.12	JULY 14	+ 11.32	NOV. 11	+ 11.01
SEP. 17	+ 12.31	SEP. 11	+ 11.05	JAN. 15, 1971	+ 9.10
JAN. 23, 1968	+ 11.83	NOV. 11	+ 11.72	MAR. 16	+ 9.15
MAR. 19	+ 13.55	JAN. 13, 1970	+ 11.78	MAY 11	+ 11.71
MAY 28	+ 12.50	MAR. 11	+ 11.40	JULY 12	+ 9.15
JULY 23	+ 10.00	MAY 12	+ 10.46	SEP. 21	+ 9.600
SEP. 10	+ 12.72				

0 MEASUREMENTS DISCONTINUED.



435442N1162817.1 07N 01W 28CBC1 JOHN T VEENSTRA GEM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN, REPORTED DEPTH 64 FT, CASIED TO 64, PERFORATED 54-64. LSD ABOUT 2,500 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 6-IN CASING COVER, 1.20 FT ABOVE LSD (SINCE MAR. 6, 1967).

HIGHEST WATER LEVEL 35.010 FT (10.671 M) BELOW LSD, SEP. 21, 1971.
 LOWEST WATER LEVEL 42.55 FT (12.969 M) BELOW LSD, APR. 26, 1967.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1967	41.03	SEP. 10, 1968	35.35	SEP. 15, 1970	36.27
APR. 26	42.55	APR. 10, 1969	42.13B	MAR. 16, 1971	41.90
SEP. 16	35.70	SEP. 12	36.12	SEP. 21	35.010
MAR. 18, 1968	42.02	MAR. 11, 1970	42.03		

B WELL PUMPED RECENTLY.
 U MEASUREMENTS DISCONTINUED.

435824N1161922.1 C7N 01E 03ACCI DONNA VALDEZ GEM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 24 IN, DEPTH 6.2 FT, CASIED TO 6.2. LSD ABOUT 2,560 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 24-IN CONCRETE CASING WEST SIDE, 0.50 FT ABOVE LSD (SINCE MAR. 6, 1967).


HIGHEST WATER LEVEL 1.98 FT (0.604 M) BELOW LSD, SEP. 9, 1969.
 LOWEST WATER LEVEL 3.27 FT (0.997 M) BELOW LSD, MAR. 18, 1968.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1967	2.98	SEP. 9, 1968	2.22	MAR. 9, 1970	2.58
APR. 24	3.14	APR. 7, 1969	2.61	SEP. 14	2.52
SEP. 16	2.07	SEP. 9	1.98	MAR. 15, 1971	2.700
MAR. 18, 1968	3.27				

O MEASUREMENTS DISCONTINUED.

GEM COUNTY, IDAHO
 WELL NO. 07N 01W 28CBC1 DEPTH OF WELL 64
 LAT-LONG NO. 435442N1162817.1
 ALT. OF LSD 2500 AQUIFER NO ID G W-1
 B. WELL PUMPED RECENTLY
 O. MEASUREMENTS DISCONTINUED



GEM COUNTY, IDAHO
 WELL NO. 07N 01E 03ACCI DEPTH OF WELL 6.2
 LAT-LONG NO. 435824N1161922.1
 ALT. OF LSD 2560 AQUIFER W-1
 O. MEASUREMENTS DISCONTINUED



435104N1163313.1

06N 02W 15DDD1

CHARLES SUITTER

GEM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN, REPORTED DEPTH 20 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,350 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF HOLE IN WELL SEAL, AT LSD (SINCE MAR. 2, 1967).


HIGHEST WATER LEVEL 5.95 FT (1.814 M) BELOW LSD, JUNE 29, 1970.
LOWEST WATER LEVEL 7.47 FT (2.277 M) BELOW LSD, MAR. 2, 1967.
RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1967	7.47	SEP. 10, 1968	7.05	APR. 28, 1970	6.49
APR. 26	7.32	OCT. 28	7.12	MAY 12	6.28
JUNE 28	6.72	DEC. 3	7.05	JUNE 29	5.95
AUG. 1	7.05	DEC. 30	7.22	JULY 14	6.57
AUG. 28	6.89	FEB. 26, 1969	7.30	AUG. 20	6.57
SEP. 16	6.77	APR. 10	7.18B	SEP. 15	6.75
OCT. 26	7.25	MAY 27	6.75B	OCT. 27	6.84
NOV. 30	7.48B	JUNE 25	6.38	NOV. 11	6.89
DEC. 26	7.46	JULY 14	6.09	DEC. 21	6.79
JAN. 23, 1968	7.46	SEP. 12	6.11	JAN. 13, 1971	6.94
FEB. 22	7.45A	OCT. 21	6.01	MAR. 16	6.90
MAR. 19	8.55A	NOV. 11	7.13	APR. 27	6.61
APR. 29	6.91	DEC. 29	6.94	MAY 11	6.58
MAY 28	6.57	JAN. 13, 1970	6.98	JUNE 24	6.28
JUNE 24	6.72	FEB. 19	6.89	JULY 12	6.82
JULY 23	6.10B	MAR. 11	6.97	SEP. 21	6.580
AUG. 26	6.49				

A WELL BEING PUMPED.
B WELL PUMPED RECENTLY.
O MEASUREMENTS DISCONTINUED.

GEM COUNTY, IDAHO
 WELL NO. 05N 02W 13000L DEPTH OF WELL 20
 LAT-LONG NO. 435104N1163313.1
 ALT. OF LST 2389 AQUIFER #1
 A. WELL BEING PUMPED B. WELL PUMPED RECENTLY



435158N1162816.1

06N 01W 09CCC1

W C STONE

GEM COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN, REPORTED DEPTH 385 FT, CASSED TO 373. LSD ABOUT 2,405 FT ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO MAR. 1, 1967, MADE BY W. C. STONE. MP NO. 1 TOP OF HOLE IN WELL SEAL NORTHWEST SIDE, 7.00 FT BELOW LSD (SINCE MAR. 1, 1967).


HIGHEST WATER LEVEL 22.7 G FT (6.919 M) BELOW LSD, SEP. 2, 1941.
 LOWEST WATER LEVEL 28.80 FT (8.778 M) BELOW LSD, MAR. 19, 1968.
 RECORDS AVAILABLE 1941-46, 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 11, 1941	24.1 G	JUNE 1, 1942	23.7 G	MAR. 1, 1967	25.89
AUG. 1	23.5 G	JULY 1	23.6 G	APR. 26	26.45
SEP. 2	22.7 G	SEP. 28	23.5 G	SEP. 16	23.85
OCT. 2	23.2 G	JULY 9, 1943	23.3 G	MAR. 19, 1968	28.80
NOV. 4	23.3 G	OCT. 1	23.1 G	DEC. 3	24.47
DEC. 3	23.3 G	APR. 2, 1944	24.8 G	APR. 10, 1969	26.66
JAN. 2, 1942	23.7 G	UCT. 4	23.2 G	SEP. 12	24.49
FEB. 2	24.3 G	APR. 1, 1945	24.7 G	MAR. 11, 1970	26.20
MAR. 2	23.8 G	UCT. 9	23.9 G	SEP. 15	23.95
APR. 2	24.2 G	APR. 1, 1946	24.1 G	MAR. 16, 1971	26.29
MAY 2	24.1 G	AUG. 24	22.8 G	SEP. 21	24.380

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 D MEASUREMENTS DISCONTINUED.

GEM COUNTY, IDAHO
 WELL NO. 06N 01W 09CCC1 DEPTH OF WELL 385
 LAT-LONG NO. 435158N1162816.1
 ALT. OF LSD 2405 AQUIFER W-T
 G- MEASURED BY OUTSIDE AGENCY OR PERSON D- MEASUREMENTS DISCONTINUED



440649N1165328.1 09N 05W 13CCB1 WALLACE DAVIS PAYETTE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 88 FT, CASING TO 83, 6-IN SCREEN 83-88. LSD ABOUT 2,195 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF CASING, 0.30 FT ABOVE LSD (SINCE MAR. 8, 1967).

HIGHEST WATER LEVEL 55.74 FT (16.990 M) BELOW LSD, MAR. 8, 1967.
LOWEST WATER LEVEL 56.92 FT (17.349 M) BELOW LSD, MAR. 10, 1970.
RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1967	55.74	SEP. 10, 1968	56.17	MAR. 10, 1970	56.92
APR. 25	56.72	APR. 8, 1969	57.60B	SEP. 15	56.10
SEP. 17	55.87	SEP. 11	56.50	MAR. 16, 1971	56.910
MAR. 18, 1968	56.68				

B WELL PUMPED RECENTLY.
O MEASUREMENTS DISCONTINUED.

440134N1165416.1 08N 05W 14CDD1 RUEBEN LOFQUIST PAYETTE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 3 IN, REPORTED DEPTH 42 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,212 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 3-IN CASING NORTH SIDE, 4.00 FT BELOW LSD (SINCE MAR. 8, 1967).

HIGHEST WATER LEVEL 23.10 FT (7.041 M) BELOW LSD, SEP. 17, 1967.
LOWEST WATER LEVEL 31.08 FT (9.473 M) BELOW LSD, APR. 25, 1967.
RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1967	30.04	SEP. 10, 1968	24.20	MAR. 10, 1970	30.84
APR. 25	31.08	APR. 9, 1969	30.30	SEP. 15	24.05
SEP. 17	23.10	SEP. 11	23.17B	MAR. 16, 1971	30.550
MAR. 19, 1968	30.76				

B WELL PUMPED RECENTLY.
O MEASUREMENTS DISCONTINUED.

PAYETTE COUNTY, IDAHO
 WELL NO. 09N 05W 1300B1 DEPTH OF WELL 88
 B. WELL PUMPED RECENTLY

LAT-LONG NO. 440649N1165328.1
 ALT. OF LSD 2195 AQUIFER 06 OA S W-T
 D. MEASUREMENTS DISCONTINUED


WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM



PAYETTE COUNTY, IDAHO
 WELL NO. 09N 05W 1400D1 DEPTH OF WELL 42
 B. WELL PUMPED RECENTLY

LAT-LONG NO. 440134N1165416.1
 ALT. OF LSD 2212 AQUIFER 06 OA W-T
 D. MEASUREMENTS DISCONTINUED

WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM



440340N1164749.1

08N 04W 03ACD1

ALBERT MITCHELL

PAYETTE COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 5 IN, REPORTED DEPTH 183 FT, CASING TO 169, PERFORATED 129-169, GRAVEL PACKED. LSD ABOUT 2,335 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 5-IN CASING, 1.60 FT ABOVE LSD (SINCE SEPT. 11, 1969).

HIGHEST WATER LEVEL 69.240 FT (21.104 M) BELOW LSD, MAR. 16, 1971.
 LOWEST WATER LEVEL 76.25 FT (23.241 M) BELOW LSD, SEP. 11, 1969.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	74.76	SEP. 10, 1968	75.04	SEP. 15, 1970	75.04
APR. 25	74.69	APR. 8, 1969	75.32	MAR. 16, 1971	69.24B
SEP. 17	74.40	SEP. 11	76.25	MAR. 16	69.240
MAR. 18, 1968	75.05	MAR. 10, 1970	75.09		

B WELL PUMPED RECENTLY.
 O MEASUREMENTS DISCONTINUED.

440155N1164215.1

08N 03W 19ADC1

CLIFFORD BARKER

PAYETTE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN, REPORTED DEPTH 600 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,280 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 12-IN CASING, 1.00 FT ABOVE LSD (SINCE MAR. 17, 1967).


HIGHEST WATER LEVEL 30.290 FT (9.232 M) BELOW LSD, MAR. 16, 1971.
 LOWEST WATER LEVEL 32.40 FT (9.876 M) BELOW LSD, SEP. 17, 1967.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	30.94	SEP. 10, 1968	31.89	MAR. 10, 1970	30.37
APR. 25	30.74	APR. 9, 1969	30.40	SEP. 15	31.59
SEP. 17	32.40	SEP. 11	31.76	MAR. 16, 1971	30.290
MAR. 18, 1968	31.03				

O MEASUREMENTS DISCONTINUED.

PAYETTE COUNTY, IDAHO
 WELL NO. 08N 04W 03ACCL DEPTH OF WELL 188
 LAT-LONG NO. 440340N164749.1
 ALT. OF LSO 2385
 AQUIFER AO ID 65
 #-T
 B. WELL PUMPED RECENTLY
 D. MEASUREMENTS DISCONTINUED



PAYETTE COUNTY, IDAHO
 WELL NO. 08N 03W 19ACCL DEPTH OF WELL 600
 LAT-LONG NO. 440155N164215.1
 ALT. OF LSO 2280
 AQUIFER AO ID
 #-T
 D. MEASUREMENTS DISCONTINUED



DUG DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 48 IN, DEPTH 56 FT, CASED TO 56. LSD ABOUT 2,282 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CURB THROUGH CRACK IN PLATFORM, AT LSD (SINCE AUG. 23, 1948).

HIGHEST WATER LEVEL 31.0 FT (9.449 M) BELOW LSD, SEP. 12, 1949, OCT. 7, 1949.
 LOWEST WATER LEVEL 43.35 FT (13.213 M) BELOW LSD, APR. 27, 1949.
 RECORDS AVAILABLE 1941-55.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 25, 1941	38.2 G	JUNE 21, 1949	39.80	NOV. 20, 1950	35.3
SEP. 1	38.3 G	JUNE 28	39.20	NOV. 27	35.6
NOV. 30	36.1 G	JULY 5	38.44	DEC. 4	36.2
FEB. 1942	41.8 G	JULY 11	38.44	DEC. 11	36.4
MAR. 1	41.7 G	JULY 19	37.49	DEC. 18	36.8
MAY 5	43.0 G	JULY 26	37.12	DEC. 26	37.5
JULY	38.9 G	AUG. 2	36.94	JAN. 1, 1951	37.7
AUG. 12	38.4 G	SEP. 2	34.60	JAN. 8	37.9
NOV. 16, 1943	41.3 G	SEP. 12	31.0	JAN. 16	38.3
APR. 14, 1944	42.2 G	SEP. 20	32.9	JAN. 22	38.6
NOV. 2	40.3 G	SEP. 27	33.1	JAN. 29	39.0
APR. 4, 1945	41.5 G	OCT. 7	31.0	FEB. 5	39.3
NOV. 16	39.5 G	OCT. 24	32.5	FEB. 12	39.5
APR. 1, 1946	42.3 G	NOV. 5	32.8	FEB. 19	39.9
NOV. 8	36.3 G	NOV. 17	35.4	FEB. 26	39.6
APR. 1, 1947	41.7 G	NOV. 25	36.4	MAR. 5	40.4
AUG. 23, 1948	38.6	DEC. 6	36.3	MAR. 12	40.6
SEP. 25	35.25	JAN. 7, 1950	35.1	MAR. 19	40.9
OCT. 25	35.82	JAN. 18	34.6	MAR. 27	41.2
NOV. 25	37.62	FEB. 4	38.7	APR. 2	41.4
DEC. 23	38.80	JULY 7	39.05	APR. 9	41.5
JAN. 31, 1949	40.76	JULY 17	38.17	APR. 17	41.8
FEB. 25	41.55	JULY 24	37.70	APR. 23	42.1
MAR. 1	41.00	JULY 31	36.83	APR. 30	42.2
MAR. 8	41.85	AUG. 7	36.36	MAY 7	42.1
MAR. 15	42.07	AUG. 11	33.40	MAY 14	41.6
MAR. 22	42.37	AUG. 14	35.10	MAY 21	41.1
MAR. 29	42.77	AUG. 21	35.29	MAY 29	40.6
APR. 15	42.74	AUG. 28	37.64	JUNE 4	40.2
APR. 12	43.23	SEP. 4	33.9	JUNE 11	39.6
APR. 19	43.25	SEP. 18	34.2	JUNE 18	39.4
APR. 27	43.35	SEP. 25	33.1	JUNE 25	38.1
MAY 3	43.34	OCT. 2	32.8	JULY 2	38.6
MAY 10	42.82	OCT. 9	32.5	JULY 9	38.2
MAY 17	42.28	OCT. 17	32.8	JULY 16	38.0
MAY 24	41.76	OCT. 23	33.2	JULY 23	37.1
MAY 31	41.40	OCT. 30	33.3	JULY 30	36.8
JUNE 7	40.69	NOV. 6	33.7	AUG. 7	35.7
JUNE 16	40.26	NOV. 11	34.5	AUG. 13	35.2

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 20, 1951	34.6	JULY 21, 1952	37.8	JUNE 15, 1953	40.7
AUG. 28	34.0	JULY 28	37.0	JUNE 22	40.5
SEP. 3	33.8	AUG. 4	36.6	JUNE 29	40.5
SEP. 10	33.8	AUG. 11	35.7	JULY 6	40.1
SEP. 17	33.7	AUG. 18	35.1	JULY 13	39.9
SEP. 24	33.6	AUG. 26	34.4	JULY 20	39.0
OCT. 1	33.6	SEP. 1	33.9	JULY 27	38.5
OCT. 8	33.7	SEP. 8	33.6	AUG. 3	37.5
OCT. 15	33.7	SEP. 15	33.3	AUG. 10	37.1
OCT. 22	33.5	SEP. 22	33.2	AUG. 17	36.4
OCT. 29	34.8	SEP. 29	33.1	AUG. 24	35.7
NOV. 5	35.6	OCT. 6	33.1	AUG. 31	34.9
NOV. 20	36.2	OCT. 13	33.2	SEP. 7	34.2
NOV. 26	37.1	OCT. 20	33.2	SEP. 14	33.7
DEC. 3	37.1	OCT. 27	33.6	SEP. 21	33.5
DEC. 10	37.5	NOV. 2	34.1	SEP. 28	33.2
DEC. 17	37.7	NOV. 10	34.4	OCT. 5	32.9
DEC. 24	38.2	NOV. 18	35.2	OCT. 11	33.1
DEC. 31	38.5	NOV. 24	35.5	OCT. 19	33.1
JAN. 7, 1952	38.7	NOV. 30	36.1	OCT. 26	33.8
JAN. 14	39.1	DEC. 8	36.6	NOV. 2	33.9
JAN. 21	39.4	DEC. 15	37.1	NOV. 9	34.5
JAN. 28	39.8	DEC. 22	37.4	NOV. 16	35.3
FEB. 4	40.0	DEC. 28	37.9	NOV. 23	34.5
FEB. 11	40.1	JAN. 5, 1953	38.2	NOV. 30	35.9
FEB. 18	40.3	JAN. 12	38.4	DEC. 7	36.4
FEB. 25	40.7	JAN. 19	38.7	DEC. 14	37.1
MAR. 3	40.8	JAN. 26	38.9	DEC. 21	37.2
MAR. 10	40.9	FEB. 2	39.2	DEC. 28	37.6
MAR. 17	41.2	FEB. 9	39.6	JAN. 4, 1954	38.1
MAR. 24	41.4	FEB. 16	39.9	JAN. 11	38.3
MAR. 31	41.6	FEB. 23	40.1	JAN. 18	38.8
APR. 7	41.9	MAR. 2	40.5	JAN. 25	38.9
APR. 14	42.1	MAR. 9	40.8	FEB. 1	39.4
APR. 18	42.29	MAR. 15	40.8	FEB. 8	39.6
APR. 21	42.2	MAR. 19	41.10	FEB. 15	40.1
APR. 28	42.5	MAR. 23	41.1	FEB. 22	40.3
MAY 5	42.5	MAR. 30	41.4	MAR. 1	40.4
MAY 12	42.6	APR. 6	41.5	MAR. 8	40.7
MAY 19	42.1	APR. 13	41.7	MAR. 15	40.9
MAY 26	41.7	APR. 20	41.9	MAR. 22	41.3
JUNE 2	41.2	APR. 27	42.1	MAR. 29	41.6
JUNE 9	40.8	MAY 4	41.9	APR. 5	41.9
JUNE 16	40.4	MAY 11	41.8	APR. 12	42.1
JUNE 23	40.2	MAY 18	41.5	APR. 19	42.1
JUNE 30	39.8	MAY 25	41.1	APR. 26	42.3
JULY 7	39.2	JUNE 1	40.8	MAY 3	42.5
JULY 14	38.5	JUNE 8	40.7	MAY 10	42.1

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 17, 1954	41.7	NOV. 1, 1954	34.0	APR. 18, 1955	42.1
MAY 24	41.2	NOV. 8	34.3	APR. 25	42.3
MAY 31	40.8	NOV. 15	34.8	MAY 2	42.7
JUNE 7	40.6	NOV. 22	34.6	MAY 9	42.7
JUNE 14	40.6	NOV. 29	35.9	MAY 16	42.7
JUNE 21	40.0	DEC. 6	36.3	MAY 23	42.8
JUNE 28	39.6	DEC. 13	36.9	MAY 30	42.5
JULY 5	38.9	DEC. 20	37.2	JUNE 5	41.9
JULY 12	38.5	DEC. 27	37.6	JUNE 13	41.3
JULY 19	38.0	JAN. 3, 1955	38.0	JUNE 20	40.0
JULY 27	37.2	JAN. 10	38.5	JUNE 29	40.0
AUG. 1	36.3	JAN. 17	38.7	JULY 4	39.3
AUG. 9	35.5	JAN. 24	39.1	JULY 11	38.2
AUG. 16	35.1	JAN. 31	39.4	JULY 18	38.1
AUG. 23	34.3	FEB. 7	39.7	JULY 25	37.4
AUG. 30	33.9	FEB. 14	39.8	AUG. 1	36.0
SEP. 6	33.4	FEB. 21	40.4	AUG. 8	35.9
SEP. 13	33.4	FEB. 28	40.7	AUG. 15	35.0
SEP. 20	32.9	MAR. 7	40.7	AUG. 22	34.6
SEP. 27	32.7	MAR. 14	40.9	AUG. 29	33.8
OCT. 4	32.8	MAR. 21	41.3	SEP. 5	33.2
OCT. 11	32.5	MAR. 28	41.4	SEP. 12	32.9
OCT. 18	32.7	APR. 4	41.6	SEP. 19	32.3
OCT. 25	33.1	APR. 11	41.9	SEP. 26	32.2 0

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

FAYETTE COUNTY, IDAHO
 WELL NO. 07N 05W 03DAA1 DEPTH OF WELL 56.0 ALT. OF LSD 2882
 LAT-LONG NO. 435758N1165448.1
 AQUIFER O OR R W-T
 G. MEASURED BY OUTSIDE AGENCY OR PERSON O. MEASUREMENTS DISCONTINUED



435511N1165332.1 07N 05W 25BCB1 BECKMAN REALTY PAYETTE COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN, DEPTH 160.2 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,360 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CASING SOUTH SIDE, 8.10 FT BELOW LSD (SINCE APR. 9, 1969).

HIGHEST WATER LEVEL 57.59 FT (17.553 M) BELOW LSD, SEP. 10, 1968.
 LOWEST WATER LEVEL 59.37 FT (18.096 M) BELOW LSD, APR. 25, 1967.
 RECORDS AVAILABLE 1967-69.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	58.67	SEP. 17, 1967	58.11	SEP. 10, 1968	57.59
APR. 25	59.37	MAR. 19, 1968	58.97	APR. 9, 1969	58.180

O MEASUREMENTS DISCONTINUED.



435448N1164617.1 07N 04W 25CBC1 A N MOORE PAYETTE COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 TO 3 IN, REPORTED DEPTH 99 FT, 4-IN CASING 0-97, 3-IN CASING 94-99, PERFORATED 97-99. LSD 2,390 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 4-IN CASING, 0.30 FT ABOVE LSD (SINCE MAR. 7, 1967).

HIGHEST WATER LEVEL 34.400 FT (10.485 M) BELOW LSD, SEP. 11, 1969.
 LOWEST WATER LEVEL 47.42 FT (14.454 M) BELOW LSD, APR. 25, 1967.
 RECORDS AVAILABLE 1967-69.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1967	45.66	MAR. 19, 1968	46.72B	APR. 9, 1969	46.09B
APR. 25	47.42	SEP. 10	37.88	SEP. 11	34.400
SEP. 17	38.15				

B WELL PUMPED RECENTLY.
 U MEASUREMENTS DISCONTINUED.



435111N1164411.1

06N 03W 180001

LEE GRAHAM

PAYETTE COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 IN, REPORTED DEPTH 300 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,610 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 4-IN CASING, 0.40 FT ABOVE LSD (SINCE MAR. 10, 1967).

HIGHEST WATER LEVEL 141.520 FT (43.135 M) BELOW LSD, SEP. 11, 1969.
LOWEST WATER LEVEL 153.07L FT (46.656 M) BELOW LSD, MAR. 10, 1967.
RECORDS AVAILABLE 1967-69.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1967	153.07L	SEP. 10, 1968	144.00	SEP. 11, 1969	141.520
APR. 25	148.02	APR. 9, 1969	142.49	SEP. 11	141.520
SEP. 18	146.75				

B WELL PUMPED RECENTLY.
L ELECTRIC TAPE, M-SCOPE.
O MEASUREMENTS DISCONTINUED.



435111N1164411.1 06N 03W 18DDD1 LEE GRAHAM PAYETTE COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 IN, REPORTED DEPTH 300 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,610 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 4-IN CASING, 0.40 FT ABOVE LSD (SINCE MAR. 10, 1967).

HIGHEST WATER LEVEL 141.520 FT (43.135 M) BELOW LSD, SEP. 11, 1969.
 LOWEST WATER LEVEL 153.07L FT (46.636 M) BELOW LSD, MAR. 10, 1967.
 RECORDS AVAILABLE 1967-69.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1967	153.07L	SEP. 10, 1968	144.00	SEP. 11, 1969	141.52B
APR. 25	148.02	APR. 9, 1969	142.49	SEP. 11	141.520
SEP. 18	146.75				

B WELL PUMPED RECENTLY.
 L ELECTRIC TAPE, M-SCOPE.
 O MEASUREMENTS DISCONTINUED.



442322N1160032.1 12N 04E 08ACC1 LYMAN P DAVISON VALLEY COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 TO 5 IN, DEPTH 53.7 FT, 6-IN CASING 0-50, 5-IN CASING 48-55, PERFORATED 30-55, GRAVEL PACKED 10-55. LSD ABOUT 4,775 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 6-IN CASING, 0.20 FT ABOVE LSD (SINCE MAR. 14, 1967).


HIGHEST WATER LEVEL 13.19 FT (4.020 M) BELOW LSD, MAY 11, 1970.
 LOWEST WATER LEVEL 29.68 FT (9.046 M) BELOW LSD, JAN. 12, 1970.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	27.10B	APR. 7, 1969	20.04	MAR. 9, 1970	27.92
APR. 24	15.86	JULY 14	23.09	MAY 11	13.19
SEP. 16	24.79	SEP. 10	25.54	JULY 13	24.22
MAR. 18, 1968	24.60	NOV. 10	29.43	NOV. 10	28.29
MAY 27	23.12	JAN. 12, 1970	29.68	JAN. 11, 1971	26.020
SEP. 9	28.77				

B WELL PUMPED RECENTLY.
 O MEASUREMENTS DISCONTINUED.

VALLEY COUNTY, IDAHO
 WELL NO. 441957N1165142.1
 LAT-LONG NO. 442322N1160032.1
 A.T. OF LSD 4775
 59.7
 AQUIFER
 45
 W-T
 D. MEASUREMENTS DISCONTINUED
 B. WELL PUMPED RECENTLY



441957N1165142.1 12N 04W 31DBB1 HAROLD BOLES WASHINGTON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN, REPORTED DEPTH 95 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,510 FT ABOVE MSL DATUM OF 1929. MP NO. 1 INNER EDGE OF CONCRETE PIT LINING EAST SIDE, 1.20 FT ABOVE LSD (SINCE MAR. 23, 1967).



HIGHEST WATER LEVEL 24.12 FT (7.352 M) BELOW LSD, SEP. 9, 1968.
 LOWEST WATER LEVEL 39.88 FT (12.155 M) BELOW LSD, MAR. 10, 1970.
 RECORDS AVAILABLE 1967-72.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	39.938	APR. 8, 1969	38.20	MAR. 15, 1971	38.47
APR. 24	39.01	SEP. 11	38.728	SEP. 16	27.34
SEP. 16	28.55	MAR. 10, 1970	39.88	MAR. 16, 1972	39.04
MAR. 18, 1968	38.89	SEP. 15	32.21	SEP. 19	30.510
SEP. 9	24.12				

B WELL PUMPED RECENTLY.
 D MEASUREMENTS DISCONTINUED.

WASHINGTON COUNTY, IDAHO
 WELL NO. 12N 04W 30E81 DEPTH OF WELL 95
 LAT-LONG NO. 441957N1165142.1
 ALT. OF LST. 2510 AQUIFER NO. 10 W-T
 B. WELL PUMPED RECENTLY D. MEASUREMENTS DISCONTINUED



AREA 4

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD 6,348.75 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 16-IN CASING NORTH SIDE, 0.25 FT ABOVE LSD (SINCE JULY 27, 1966).

HIGHEST WATER LEVEL 52.51 FT (16.005 M) BELOW LSD, MAY 27, 1968.
 LOWEST WATER LEVEL 54.21 FT (16.523 M) BELOW LSD, APR. 24, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	53.35	JULY 26, 1967	53.38	APR. 9, 1968	53.70
SEP. 9	53.40	AUG. 26	53.30	APR. 25	53.65
NOV. 6	53.56	SEP. 29	53.23	MAY 27	52.51
DEC. 12	53.88	NOV. 1	53.22	JUNE 20	53.36
JAN. 5, 1967	53.81	DEC. 9	52.87	JULY 18	53.25
APR. 24	54.21	JAN. 11, 1968	53.38	AUG. 22	53.17
MAY 26	54.11	FEB. 14	53.40	SEP. 29	53.18
JUNE 18	53.24	MAR. 19	53.65		

0 MEASUREMENTS DISCONTINUED.





FIGURE 9.--Index map of area 4, east-central Idaho.



440704N1135603.1

09N 21E 11DDC1

CUSTER COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD 6,323.85 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP EDGE OF CONCRETE SOUTH SIDE, 0.50 FT ABOVE LSD (SINCE JULY 27, 1966).


HIGHEST WATER LEVEL 32.99 FT (10.055 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 33.89 FT (10.330 M) BELOW LSD, DEC. 12, 1966.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	33.45	JULY 26, 1967	33.54	APR. 9, 1968	33.71
SEP. 9	33.61	AUG. 26	33.61	APR. 23	33.66
NOV. 6	33.70	SEP. 29	33.69	MAY 27	33.55
DEC. 12	33.89	NOV. 1	33.64	JUNE 20	32.99
JAN. 5, 1967	33.70	DEC. 9	33.52	JULY 18	33.53
APR. 24	33.85	JAN. 11, 1968	33.61	AUG. 22	33.42
MAY 28	33.71	FEB. 14	33.62	SEP. 29	33.630
JUNE 18	33.48	MAR. 19	33.73		

0 MEASUREMENTS DISCONTINUED.

CUSTER COUNTY, IDAHO LAT-LONG NO. 440704N1135603.1
 WELL NO. 09N 21E 11DDC1 DEPTH OF WELL ALT. OF LSD 6323.85 AQUIFER 08 0A R W-T
 0. MEASUREMENTS DISCONTINUED



DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16-14-12 IN, REPORTED DEPTH 433 FT, 16-IN CASING 0-309, 14-IN CASING 299-366, 12-IN CASING 323-369, PERFORATED 299-336, 323-369. LSD 6,429.55 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING SOUTHWEST SIDE, 0.65 FT ABOVE LSD (SINCE JULY 27, 1966).


HIGHEST WATER LEVEL 124.570 FT (37.969 M) BELOW LSD, SEP. 29, 1968.
 LOWEST WATER LEVEL 128.50 FT (39.167 M) BELOW LSD, APR. 24, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	125.59	JULY 26, 1967	126.27	APR. 9, 1968	126.78
SEP. 9	125.46	SEP. 28	125.44	APR. 25	126.58
NOV. 6	125.89	NOV. 1	125.21	MAY 27	126.35
DEC. 12	126.99	DEC. 9	125.55	JUNE 20	125.79
JAN. 5, 1967	126.55	JAN. 11, 1968	125.59	JULY 18	125.32
APR. 24	128.50	FEB. 14	125.72	AUG. 22	124.67
MAY 26	128.38	MAR. 19	126.57	SEP. 29	124.570
JUNE 18	127.65				

0 MEASUREMENTS DISCONTINUED.

CUSTER COUNTY, IDAHO
 WELL NO. 09N 21E 23BBC1 DEPTH OF WELL 433
 LAT-LONG NO. 440558N1135657.1
 ALT. OF LSD 6429.55 AQUIFER QB OA R W-T
 0 MEASUREMENTS DISCONTINUED




DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, REPORTED DEPTH 277 FT, CASED TO 276.5 FT, PERFORATED 217-273. LSD 6,429.10 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 3/4-IN HOLE INSIDE PUMP BASE, 0.90 FT ABOVE LSD (SINCE JULY 27, 1966).

HIGHEST WATER LEVEL 135.390 FT (41.267 M) BELOW LSD, SEP. 29, 1968.
 LOWEST WATER LEVEL 139.19 FT (42.425 M) BELOW LSD, MAY 26, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	136.69	JULY 25, 1967	137.58	APR. 9, 1968	137.38
SEP. 9	136.17	AUG. 26	137.00	APR. 25	137.22
NOV. 6	136.36	SEP. 28	136.42	MAY 27	137.28
DEC. 12	137.52	NOV. 1	135.91	JUNE 20	136.81
JAN. 5, 1967	136.51	DEC. 9	136.16	JULY 18	136.45
APR. 24	139.04	JAN. 11, 1968	136.25	AUG. 22	135.81
MAY 26	139.19	FEB. 14	136.22	SEP. 29	135.390
JUNE 18	138.82	MAR. 19	137.07		

0 MEASUREMENTS DISCONTINUED.




DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, REPORTED DEPTH 267 FT, CASED TO 267, PERFORATED 167-267, GRAVEL PACKED. LSD 6,357.20 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING NORTHEAST SIDE, 0.50 FT ABOVE LSD (SINCE JULY 27, 1966).

HIGHEST WATER LEVEL 52.420 FT (15.978 M) BELOW LSD, SEP. 29, 1968.
 LOWEST WATER LEVEL 58.59 FT (17.858 M) BELOW LSD, APR. 24, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	54.51	JUNE 18, 1967	55.44	MAR. 19, 1968	55.97
SEP. 9	54.21	JULY 26	53.60	APR. 9	56.09
NOV. 6	55.54	AUG. 26	53.30	APR. 25	55.73
DEC. 12	56.78	SEP. 28	53.00	MAY 27	54.74
JAN. 5, 1967	56.56	NOV. 1	53.07	JUNE 20	53.92
FEB. 10	57.45	DEC. 9	54.01	JULY 18	53.00
APR. 24	58.59	JAN. 11, 1968	54.18	AUG. 22	52.54
MAY 26	57.46	FEB. 14	55.09	SEP. 29	52.420

0 MEASUREMENTS DISCONTINUED.



440454N1135544.1 09N 21E 25BCC1 MYRON HARBAUGH CUSTER COUNTY


DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 16 IN, DEPTH AND CASING DEPTH NOT AVAILABLE, PERFORATED, INTERVAL NOT AVAILABLE. LSD 6,379.80 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING NORTH SIDE, 0.30 FT ABOVE LSD (SINCE SEPT. 9, 1966).

HIGHEST WATER LEVEL 73.490 FT (22.400 M) BELOW LSD, SEP. 29, 1968.
 LOWEST WATER LEVEL 79.91 FT (24.357 M) BELOW LSD, APR. 24, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1966	75.27	JULY 26, 1967	75.02	MAR. 18, 1968	77.19
NOV. 6	76.49	AUG. 25	74.45	APR. 9	77.41
DEC. 12	77.93	SEP. 29	73.99	APR. 25	77.04
JAN. 5, 1967	77.75	NOV. 1	73.90	MAY 27	76.23
APR. 24	79.91	DEC. 9	75.12	JULY 18	74.40
MAY 29	78.39	JAN. 11, 1968	75.68	AUG. 22	73.76
JUNE 18	76.22	FEB. 14	75.73	SEP. 29	73.490

0 MEASUREMENTS DISCONTINUED.



440615N1135243.1 09N 22E 17CDD1 DEAN ANDERSON CUSTER COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 120 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 6,311 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING SOUTH SIDE, 5.50 FT BELOW LSD (SINCE JULY 26, 1966).

HIGHEST WATER LEVEL 16.31 FT (4.971 M) BELOW LSD, MAY 27, 1968.
 LOWEST WATER LEVEL 18.03 FT (5.496 M) BELOW LSD, JULY 25, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1966	17.53	JUNE 18, 1967	17.79	MAR. 19, 1968	16.67
SEP. 9	17.74	JULY 25	18.03	APR. 9	16.71
NOV. 7	17.30	AUG. 25	17.84	APR. 25	16.54
DEC. 12	17.56	SEP. 29	17.61	MAY 27	16.31
JAN. 7, 1967	17.62	NOV. 1	16.80	JUNE 20	17.14
FEB. 10	17.52	DEC. 10	16.47	JULY 18	17.63
MAR. 18	17.61	JAN. 11, 1968	17.02	AUG. 22	17.44
APR. 24	17.65	FEB. 14	17.98	SEP. 29	17.110
MAY 26	17.86				

0 MEASUREMENTS DISCONTINUED.



440335N1135238.1 09N 22E 32DCC1 IDAHO INV CORP CUSTER COUNTY


DUG DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD ABOUT 6,332 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING SOUTH SIDE, 3.50 FT BELOW LSD (SINCE JULY 26, 1966).

HIGHEST WATER LEVEL 23.90L FT (7.285 M) BELOW LSD, JUNE 23, 1967.
 LOWEST WATER LEVEL 65.29 FT (19.900 M) BELOW LSD, MAR. 18, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1966	40.11	APR. 24, 1967	65.17	APR. 10, 1968	48.33L
SEP. 9	52.29	JUNE 23	23.90L	MAY 22	37.58L
NOV. 7	59.90	AUG. 23	28.20L	JULY 18	27.87L
DEC. 10	62.05	SEP. 29	38.90	AUG. 22	32.96
JAN. 5, 1967	63.30	NOV. 1	39.10	SEP. 29	38.56L
FEB. 10	64.78	DEC. 10	40.87	SEP. 29	38.500
MAR. 18	65.29	JAN. 11, 1968	39.30		

L ELECTRIC TAPE, M-SCOPE.
 O MEASUREMENTS DISCONTINUED.



440208N1135539.1 08N 21E 12CBC1 WISEMAN CUSTER COUNTY


DUG DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 34 IN, DEPTH 46.5 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 6,434 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 34-IN CONCRETE CASING, 0.50 FT ABOVE LSD (SINCE JULY 26, 1966).

HIGHEST WATER LEVEL 38.15 FT (11.628 M) BELOW LSD, JUNE 19, 1967.
 LOWEST WATER LEVEL 46.50F FT (14.173 M) BELOW LSD, SEP. 9, 1966,
 NOV. 7, 1966, DEC. 10, 1966, JAN. 5, 1967, APR. 24, 1967, MAY 26, 1967,
 NOV. 1, 1967, DEC. 10, 1967, JAN. 11, 1968, FEB. 14, 1968, MAR. 19, 1968,
 APR. 23, 1968.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1966	45.03	JUNE 19, 1967	38.15	FEB. 14, 1968	46.50F
SEP. 9	46.50F	JULY 26	39.98	MAR. 19	46.50F
NOV. 7	46.50F	AUG. 25	41.86	APR. 23	46.50F
DEC. 10	46.50F	SEP. 29	43.09	MAY 27	44.18
JAN. 5, 1967	46.50F	NOV. 1	46.50F	JUNE 20	40.30
APR. 24	46.50F	DEC. 10	46.50F	AUG. 20	41.34
MAY 26	46.50F	JAN. 11, 1968	46.50F	SEP. 29	41.430

F DRY.
 O MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH 127.4 FT, CASIED TO 74.5. LSD 6,640.22 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING SOUTH SIDE, 0.30 FT ABOVE LSD (SINCE AUG. 8, 1967).

HIGHEST WATER LEVEL 12.50 FT (3.810 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 18.41 FT (5.611 M) BELOW LSD, MAR. 19, 1968.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 8, 1967	12.90	MAR. 19, 1968	18.41	JUNE 20, 1968	12.50
AUG. 23	14.32	APR. 8	18.00	JULY 17	13.92
SEP. 24	16.19	APR. 25	17.72	AUG. 20	15.96
NOV. 1	16.82	MAY 27	15.59	SEP. 29	17.180
DEC. 9	16.84				

0 MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH 37.9 FT, CASIED TO 37.9, PERFORATED 0-37.9. LSD 6,634.80 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING WEST SIDE, 0.80 FT ABOVE LSD (SINCE AUG. 23, 1967).

HIGHEST WATER LEVEL 5.29 FT (1.612 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 9.55 FT (2.911 M) BELOW LSD, MAR. 19, 1968.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 23, 1967	7.52	MAR. 19, 1968	9.55	JUNE 20, 1968	5.29
SEP. 24	8.54	APR. 8	9.39	JULY 17	6.39
NOV. 1	8.88	APR. 25	9.24	AUG. 20	7.98
DEC. 9	6.49	MAY 27	7.69	SEP. 29	9.090

0 MEASUREMENTS DISCONTINUED.




DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 4 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD ABOUT 6,163 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING SOUTH SIDE, 0.50 FT ABOVE LSD (SINCE JULY 26, 1966).

HIGHEST WATER LEVEL 4.60 FT (1.402 M) BELOW LSD, AUG. 20, 1968.
 LOWEST WATER LEVEL 16.33 FT (4.977 M) BELOW LSD, APR. 22, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1966	7.49	JUNE 16, 1967	8.36	MAR. 19, 1968	11.93
SEP. 9	6.14	JULY 25	5.66	APR. 9	12.13
NOV. 11	7.13	AUG. 25	5.11	APR. 25	12.41
DEC. 12	10.07	SEP. 29	5.06	MAY 27	9.78
JAN. 7, 1967	11.69	NOV. 1	5.00	JUNE 18	6.61
FEB. 9	13.40	DEC. 10	8.48	JULY 17	5.42
MAR. 18	15.19	JAN. 11, 1968	9.46	AUG. 20	4.60
APR. 22	16.33	FEB. 14	10.93	SEP. 29	4.740
MAY 26	11.64				

0 MEASUREMENTS DISCONTINUED.




DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 80 FT, CASED TO 80, PERFORATED 60-80. LSD ABOUT 6,068 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE IN WELL SEAL, 2.10 FT ABOVE LSD (SINCE MAY 27, 1968).

HIGHEST WATER LEVEL 20.91 FT (6.373 M) BELOW LSD, AUG. 25, 1967.
 LOWEST WATER LEVEL 66.09 FT (20.144 M) BELOW LSD, NOV. 1, 1967.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 31, 1967	35.46	SEP. 29, 1967	60.93	APR. 8, 1968	29.86
APR. 20	35.45	NOV. 1	66.09	APR. 25	28.52
MAY 26	43.63	DEC. 10	47.39	JUNE 20	21.99
JUNE 14	36.50	JAN. 11, 1968	47.88	JULY 17	25.43
JULY 25	22.81	FEB. 14	35.00	OCT. 1	31.950
AUG. 25	20.91	MAR. 22	31.21		

0 MEASUREMENTS DISCONTINUED.



435716N1134020.1 07N 23E 12B0A1 W STEWART CUSTER COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD 6,067.95 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP EDGE OF WELL SEAL IN 6-IN CASING 1.40 FT ABOVE LSD (SINCE MAY 29, 1967).

HIGHEST WATER LEVEL 49.04 FT (14.947 M) BELOW LSD, JULY 25, 1967.
 LOWEST WATER LEVEL 73.95 FT (22.540 M) BELOW LSD, NOV. 1, 1967.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 29, 1967	60.91	NOV. 1, 1967	73.95	JUNE 20, 1968	49.42
JUNE 25	52.12	MAR. 22, 1968	55.63	JULY 19	52.16
JULY 25	49.04	APR. 8	55.28	AUG. 20	59.72
AUG. 27	64.33	APR. 25	54.62	SEP. 29	57.010
SEP. 28	64.74				

0 MEASUREMENTS DISCONTINUED.



435654N1133928.1 07N 24E 07CCB2 EARL MCAFFEE CUSTER COUNTY


DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 1 1/2 IN, DEPTH 17.5 FT, CASING DEPTH NOT AVAILABLE. LSD 5,986.94 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF 1 1/2-IN PIPE SOUTH SIDE, 0.50 FT ABOVE LSD (SINCE SEPT. 9, 1966).

HIGHEST WATER LEVEL 6.00 FT (1.829 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 10.45 FT (3.185 M) BELOW LSD, NOV. 1, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1966	9.77	AUG. 25, 1967	7.14	APR. 8, 1968	7.48
NOV. 6	9.71	SEP. 25	8.66	APR. 25	7.32
DEC. 12	9.86	NOV. 1	10.45	MAY 27	7.08
MAR. 31, 1967	7.65	DEC. 10	8.90	JUNE 20	6.00
APR. 20	7.68	JAN. 11, 1968	8.32	JULY 17	6.47
MAY 25	7.40	FEB. 14	7.86	AUG. 20	7.60
JUNE 14	7.22	MAR. 22	7.50	SEP. 29	7.450
JULY 25	6.05				

0 MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 19.3 FT, CASING DEPTH NOT AVAILABLE. LSD 5,980.41 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF 1 1/4-IN PIPE, 4.75 FT ABOVE LSD (SINCE NOV. 1, 1967).

HIGHEST WATER LEVEL 0.53 FT (0.162 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 5.45 FT (1.661 M) BELOW LSD, NOV. 1, 1967.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 28, 1967	2.02	FEB. 14, 1968	3.61	JUNE 20, 1968	0.53
SEP. 27	3.94	MAR. 22	3.31	JULY 17	2.60
NOV. 1	5.45	APR. 8	3.25	AUG. 20	3.34
DEC. 10	4.30	APR. 25	3.12	SEP. 29	3.300
JAN. 11, 1968	3.90	MAY 27	2.94		

0 MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH 298.0 FT, CASING TO 242.75, PERFORATED 25-115, 126-224. LSD 5,980.90 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 HOLE IN PLATE WELDED TO TOP OF CASING, 1.25 FT ABOVE LSD (SINCE SEPT. 28, 1967).

HIGHEST WATER LEVEL 3.10 FT (0.945 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 6.34 FT (1.932 M) BELOW LSD, NOV. 1, 1967.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 28, 1967	5.20	MAR. 22, 1968	4.31	JUNE 20, 1968	3.10
NOV. 1	6.34	APR. 8	4.31	JULY 17	3.56
DEC. 10	5.26	APR. 23	4.21	AUG. 20	4.32
JAN. 11, 1968	5.00	MAY 27	4.04	SEP. 27	4.210
FEB. 14	4.55				

0 MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH 82.0 FT, CASIED TO 82, PERFORATED 30-80. LSD 5,981.40 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING SOUTH SIDE, 1.10 FT ABOVE LSD (SINCE OCT. 3, 1967).

HIGHEST WATER LEVEL 3.34 FT (1.018 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 8.25 FT (2.515 M) BELOW LSD, OCT. 3, 1967.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 3, 1967	8.25	MAR. 22, 1968	4.46	JUNE 20, 1968	3.34
NOV. 1	6.70	APR. 8	4.56	JULY 17	3.79
DEC. 10	5.55	APR. 25	4.44	AUG. 20	4.53
JAN. 11, 1968	5.12	MAY 27	4.25	SEP. 27	4.510
FEB. 14	4.83				

0 MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH 74.8 FT, CASIED TO 74.8, PERFORATED 25-72. LSD 5,982.33 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 HOLE IN PLATE WELDED TO CASING, 1.25 FT ABOVE LSD (SINCE NOV. 1, 1967).

HIGHEST WATER LEVEL 3.87 FT (1.180 M) BELOW LSD, JUNE 20, 1968.
 LOWEST WATER LEVEL 7.41 FT (2.259 M) BELOW LSD, NOV. 1, 1967.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 1, 1967	7.41	MAR. 22, 1968	5.17	JUNE 20, 1968	3.87
DEC. 10	6.18	APR. 8	5.15	JULY 17	4.32
JAN. 11, 1968	5.94	APR. 25	5.04	AUG. 20	5.22
FEB. 14	5.45	MAY 27	4.83	SEP. 27	5.040

0 MEASUREMENTS DISCONTINUED.



435624N1133759.1 07N 24E 178DC1 REED NIELSON CUSTER COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 70 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,987 FT ABOVE MSL DATUM OF 1929. MP NO. 1 1/4-IN HOLE IN CASING WEST SIDE, 5.30 FT BELOW LSD (SINCE SEPT. 9, 1966).

HIGHEST WATER LEVEL 51.49 FT (15.694 M) BELOW LSD, NOV. 1, 1967.
 LOWEST WATER LEVEL 71.45 FT (21.778 M) BELOW LSD, APR. 20, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1966	69.41	AUG. 26, 1967	65.18	APR. 25, 1968	70.85
APR. 20, 1967	71.45	SEP. 29	66.76	MAY 27	70.28
MAY 25	69.79	NOV. 1	51.49	JUNE 20	67.57
JUNE 14	67.90	DEC. 10	64.80	JULY 23	66.78
JULY 25	66.16	APR. 8, 1968	71.32	SEP. 28	68.450

O MEASUREMENTS DISCONTINUED.



435505N1133718.1 07N 24E 20DDA1 CUSTER COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 1 1/2 IN, DEPTH 7.3 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,954 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1 1/2-IN CASING, 1.50 FT ABOVE LSD (SINCE JULY 17, 1968).

HIGHEST WATER LEVEL 6.59 FT (2.009 M) BELOW LSD, JULY 11, 1966.
 LOWEST WATER LEVEL 7.910 FT (2.411 M) BELOW LSD, SEP. 29, 1968.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 11, 1966	6.59	DEC. 12, 1966	7.30F	AUG. 20, 1968	6.97
SEP. 9	7.30F	JAN. 6, 1967	7.30F	SEP. 29	7.910
NOV. 11	7.30F	JULY 17, 1968	7.00		

F DRY.
 O MEASUREMENTS DISCONTINUED.



435503N1133718.2 07N 24E 20DDA2 HERSHEL IVIE CUSTER COUNTY


DUG IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 7 X 6 FT, DEPTH 8.0 FT, CASED TO 8.0. LSD ABOUT 5,912 FT ABOVE MSL DATUM OF 1929. MP NO. 1 2 X 6-FT TIMBER SOUTHEAST SIDE, 1.50 FT BELOW LSD (SINCE JULY 27, 1966).

HIGHEST WATER LEVEL 3.14 FT (0.957 M) BELOW LSD, JULY 17, 1968.
 LOWEST WATER LEVEL 9.00F FT (2.743 M) BELOW LSD, APR. 8, 1968,
 APR. 25, 1968.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	6.88	SEP. 29, 1967	7.26	JUNE 20, 1968	4.63
SEP. 9	8.00	APR. 8, 1968	9.00F	JULY 17	3.14
MAY 26, 1967	5.34	APR. 25	9.00F	AUG. 20	4.79
JULY 25	6.36A	MAY 27	7.59	SEP. 29	5.350
AUG. 26	5.98				

A WELL BEING PUMPED.
 F DRY.
 O MEASUREMENTS DISCONTINUED.



435318N1133118.1 07N 25E 31DDC1 STERLING LARSEN CUSTER COUNTY


DUG UNCASD IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DEPTH NOT AVAILABLE. LSD ABOUT 5,772 FT ABOVE MSL DATUM OF 1929. MP NO. 1 2 X 8-IN TIMBER OVER MIDDLE OF WELL, 1.50 FT ABOVE LSD (SINCE JULY 27, 1966).

HIGHEST WATER LEVEL 3.00 FT (0.914 M) BELOW LSD, JULY 17, 1968.
 LOWEST WATER LEVEL 8.41 FT (2.563 M) BELOW LSD, APR. 20, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 27, 1966	6.84	JULY 25, 1967	3.36	APR. 23, 1968	6.65
SEP. 9	7.16	AUG. 26	3.15	MAY 27	6.30
NOV. 3	7.40	SEP. 29	4.17	JUNE 20	3.18
APR. 20, 1967	8.41	NOV. 1	4.89	JULY 17	3.00
MAY 25	6.14	MAR. 22, 1968	6.48	AUG. 20	4.58
JUNE 12	3.32	APR. 9	6.59	SEP. 29	4.830

O MEASUREMENTS DISCONTINUED.



435158N1133311.1 06N 24E 12BDC1 WORTH IVE CUSTER COUNTY


DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 20 TO 16 IN, REPORTED DEPTH 235 FT, 20-IN CASING 0-140, 16-IN CASING 140-235. LSD ABOUT 5,868 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 20-IN CASING WEST SIDE, 2.35 FT ABOVE LSD (SINCE JULY 25, 1966).

HIGHEST WATER LEVEL 52.99 FT (16.151 M) BELOW LSD, AUG. 26, 1967.
 LOWEST WATER LEVEL 58.83 FT (17.931 M) BELOW LSD, JULY 25, 1966.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 25, 1966	58.83	AUG. 26, 1967	52.99	APR. 25, 1968	58.31
SEP. 9	58.19	SEP. 29	56.82	MAY 27	58.29
NOV. 3	57.85	NOV. 1	57.12	JUNE 20	57.36
APR. 22, 1967	58.81	DEC. 9	57.15	JULY 23	53.71
MAY 25	58.67	MAR. 22, 1968	57.84	AUG. 20	53.16
JUNE 14	58.35	APR. 8	58.26	SEP. 29	55.490

0 MEASUREMENTS DISCONTINUED.



435313N1132950.1 06N 25E 05AAA1 PHILLIP SAYER CUSTER COUNTY


DUG PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 2 1/2 IN, DEPTH 10.6 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,740 FT ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF 2 1/2-IN CASING, 5.00 FT BELOW LSD (SINCE JULY 11, 1966).

HIGHEST WATER LEVEL 4.54 FT (1.384 M) BELOW LSD, AUG. 26, 1967.
 LOWEST WATER LEVEL 14.64 FT (4.462 M) BELOW LSD, MAY 25, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 11, 1966	10.48	JUNE 12, 1967	10.72	MAR. 22, 1968	11.32
SEP. 9	11.13	JULY 25	5.00	APR. 9	11.62
NOV. 3	11.80	AUG. 26	4.54	APR. 25	11.87
DEC. 8	11.95	SEP. 29	5.70	MAY 27	11.51
JAN. 6, 1967	12.80	NOV. 1	6.27	JUNE 20	11.05
FEB. 9	13.47	DEC. 8	7.28	JULY 16	10.24
MAR. 16	14.04	JAN. 8, 1968	9.00	AUG. 20	10.27
APR. 21	14.43	FEB. 14	10.37	SEP. 29	8.500
MAY 25	14.64				

0 MEASUREMENTS DISCONTINUED.



DUG DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 18 IN, DEPTH 11.0 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,765 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED SEPT. 30, 1966. RECORDER REMOVED OCT. 2, 1968. MP NO. 2 TOP OF CORRUGATED CASING EAST SIDE, 0.30 FT BELOW LSD (SINCE SEPT. 30, 1966).

HIGHEST WATER LEVEL 0.69 FT (0.210 M) BELOW LSD, JUNE 21, 1967.
 LOWEST WATER LEVEL 9.08 FT (2.768 M) BELOW LSD, MAR. 20, 1967.
 RECORDS AVAILABLE 1966-68.


WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 20, 1966	6.74	APR. 5, 1967	8.81	OCT. 15, 1967	5.17
SEP. 9	7.55	APR. 10	8.85	OCT. 20	4.83
OCT. 5	7.97	APR. 15	8.90	OCT. 25	6.13
OCT. 10	8.02	APR. 20	8.93	OCT. 31	5.67
OCT. 15	7.93	APR. 25	9.04	NOV. 5	6.03
OCT. 20	7.90	APR. 29	9.07	NOV. 10	6.13
OCT. 25	7.92	APR. 30	9.07	NOV. 15	6.27
OCT. 31	8.03	MAY 5	8.95	NOV. 20	6.33
NOV. 5	8.06	MAY 10	8.59	NOV. 25	6.48
NOV. 10	7.98	MAY 15	8.20	NOV. 30	6.63
NOV. 13	7.72	MAY 16	9.07	DEC. 5	6.78
NOV. 15	7.81	MAY 20	7.42	DEC. 10	6.93
NOV. 20	8.06	MAY 25	6.03	DEC. 15	6.99
NOV. 25	8.15	MAY 31	3.85	DEC. 20	7.07
NOV. 30	8.27	JUNE 5	3.01	DEC. 25	7.14
DEC. 5	8.34	JUNE 10	3.39	DEC. 31	7.20
DEC. 10	8.35	JUNE 15	3.24	JAN. 5, 1968	7.26
DEC. 15	8.37	JUNE 20	1.55	JAN. 10	7.28
DEC. 20	8.39	JUNE 21	0.69	JAN. 15	7.32
DEC. 25	8.42	JUNE 25	1.76	JAN. 20	7.39
DEC. 31	8.50	JUNE 30	2.27	JAN. 25	7.46
JAN. 5, 1967	8.54	JULY 5	2.11	JAN. 31	7.53
JAN. 10	8.60	JULY 10	1.79	FEB. 5	7.58
JAN. 15	8.64	JULY 15	2.93	FEB. 10	7.63
JAN. 20	8.69	JULY 20	3.30	FEB. 15	7.69
JAN. 25	8.74	JULY 25	3.27	FEB. 20	7.73
JAN. 31	8.80	JULY 31	1.77	FEB. 25	7.75
FEB. 5	8.83	AUG. 5	2.35	FEB. 28	7.72
FEB. 10	8.87	AUG. 10	2.43	MAR. 5	7.43
FEB. 15	8.90	AUG. 15	1.07	MAR. 10	7.42
FEB. 20	8.93	AUG. 20	1.77	MAR. 15	7.52
FEB. 25	8.97	AUG. 25	2.70	MAR. 20	7.58
FEB. 28	8.98	AUG. 31	4.08	MAR. 25	7.63
MAR. 5	9.02	SEP. 5	4.77	MAR. 31	7.69
MAR. 10	9.04	SEP. 10	5.34	APR. 5	7.72
MAR. 15	9.07	SEP. 25	5.03	APR. 10	7.76
MAR. 20	9.08	SEP. 30	4.82	APR. 15	7.83
MAR. 25	8.93	OCT. 5	4.67	APR. 20	7.88
MAR. 31	8.83	OCT. 10	4.96	APR. 25	7.93

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 30, 1968	7.92	JUNE 25, 1968	2.93	AUG. 20, 1968	4.77
MAY 5	7.14	JUNE 30	1.73	AUG. 25	5.45
MAY 10	7.08	JULY 5	3.12	AUG. 31	5.99
MAY 15	6.38	JULY 10	3.52	SEP. 5	6.17
MAY 20	6.85	JULY 15	4.18	SEP. 10	5.93
MAY 25	7.20	JULY 20	4.80	SEP. 15	6.05
MAY 31	7.23	JULY 25	4.53	SEP. 20	6.03
JUNE 5	6.72	JULY 31	3.90	SEP. 25	6.04
JUNE 10	4.34	AUG. 5	4.68	SEP. 30	5.93
JUNE 15	3.66	AUG. 10	4.85	OCT. 2	5.880
JUNE 20	2.99	AUG. 15	5.02		

0 MEASUREMENTS DISCONTINUED.



435159N1132714.1 06N 25E 118CB1 LYNN METCALF CUSTER COUNTY


DUG STOCK WATER-TABLE WELL IN ALLOUVIUM OF QUATERNARY AGE, DIAM 30 IN, REPORTED DEPTH 12 FT, CASING TO 12. LSD ABOUT 5,680 FT ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 SOUTHWEST EDGE OF 3 X 12-IN TIMBER OVER WELL, 0.50 FT ABOVE LSD (SINCE SEPT. 8, 1966).

HIGHEST WATER LEVEL 1.39 FT (0.424 M) BELOW LSD, JULY 25, 1967.
 LOWEST WATER LEVEL 6.12 FT (1.865 M) BELOW LSD, APR. 20, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 8, 1966	3.93	SEP. 29, 1967	2.65	MAY 27, 1968	4.31
NOV. 3	4.40	NOV. 1	2.52	JUNE 20	1.64
APR. 20, 1967	6.12	DEC. 8	3.37	JULY 17	1.99
MAY 24	4.82	JAN. 8, 1968	4.32	AUG. 18	2.52
JULY 25	1.39	MAR. 22	4.18	SEP. 29	2.790
AUG. 26	1.47	APR. 25	4.60		

0 MEASUREMENTS DISCONTINUED.



4847N1132845.1 06N 25E 33AAB1 HAROLD SMITH CUSTER COUNTY


DRILLED IRRIGATION WATER-TABLE WELL IN ALLOUVIUM OF QUATERNARY AGE, DIAM 20 IN, REPORTED DEPTH 450 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 1808 FT ABOVE MSL DATUM OF 1929. MP NO. 1 4-IN HOLE IN DISC WELDED TO TOP OF CASING, 0.20 FT ABOVE LSD (SINCE JULY 26, 1966).

HIGHEST WATER LEVEL 186.25 FT (56.769 M) BELOW LSD, SEP. 29, 1967.
 LOWEST WATER LEVEL 213.23 FT (64.992 M) BELOW LSD, APR. 20, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 26, 1966	201.18	JULY 25, 1967	188.90	APR. 25, 1968	204.14
SEP. 8	203.13	AUG. 26	186.65	MAY 27	204.68
NOV. 3	204.42	SEP. 29	186.25	JUNE 19	201.77
DEC. 7	206.57	NOV. 2	188.02	JULY 16	197.33
APR. 20, 1967	213.23	DEC. 8	191.25	AUG. 18	196.88
MAY 24	211.54	JAN. 8, 1968	194.68	SEP. 29	195.040
JUNE 12	203.49	APR. 10	203.81		

0 MEASUREMENTS DISCONTINUED.



434937N1132452.1 06N 26E 3088B1 RAY STEWART CUSTER COUNTY



DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD ABOUT 5,613 FT ABOVE MSL DATUM OF 1929, SUPPLEMENTARY ADJUSTMENT OF 1962. MP NO. 1 TOP OF CASING NORTHWEST SIDE, 3.90 FT BELOW LSD (SINCE JULY 21, 1966).

HIGHEST WATER LEVEL 4.13 FT (1.259 M) BELOW LSD, JULY 25, 1967.
 LOWEST WATER LEVEL 22.69 FT (6.916 M) BELOW LSD, APR. 20, 1967.
 RECORDS AVAILABLE 1966-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 21, 1966	13.63	MAY 24, 1967	17.95	FEB. 14, 1968	15.20
SEP. 8	12.23	JUNE 12	6.45	MAR. 22	17.62
NOV. 2	19.72	JULY 25	4.13	APR. 25	18.90
DEC. 7	20.82	AUG. 26	4.70	MAY 27	17.50
JAN. 3, 1967	19.62	SEP. 29	5.82	JUNE 18	10.86
FEB. 8	19.65	NOV. 2	8.51	JULY 16	8.79
MAR. 15	22.29	DEC. 8	8.70	AUG. 18	10.22
APR. 20	22.69	JAN. 8, 1968	8.84	SEP. 29	11.960

0 MEASUREMENTS DISCONTINUED.



AREA 5

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 14 IN, REPORTED DEPTH 153 FT, CASING TO 109, PERFORATED 49-109. LSD ABOUT 2,610 FT ABOVE MSL DATUM OF 1929. NO. 1 LOWER EDGE OF PORT EAST SIDE OF PUMP BASE, 2.50 FT ABOVE LSD (INCE DEC. 13, 1966).

HIGHEST WATER LEVEL 60.30 FT (18.379 M) BELOW LSD, FEB. 24, 1967.
 LOWEST WATER LEVEL 62.80 FT (19.141 M) BELOW LSD, SEP. 12, 1969.
 RECORDS AVAILABLE 1966-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 13, 1966	61.16	DEC. 5, 1968	60.63	MAR. 31, 1970	60.97
FEB. 24, 1967	60.30	APR. 22, 1969	61.59	SEP. 15	61.95
MAY 1	61.26	SEP. 12	62.80	MAR. 15, 1971	61.410
MAR. 20, 1968	61.36				

0 MEASUREMENTS DISCONTINUED.

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN, REPORTED DEPTH 58 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,470 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN CASING COVER, NORTH SIDE, 1.30 FT ABOVE LSD (SINCE MAR. 23, 1967).

HIGHEST WATER LEVEL 2.23 FT (0.680 M) BELOW LSD, AUG. 2, 1967.
 LOWEST WATER LEVEL 5.430 FT (1.655 M) BELOW LSD, MAR. 20, 1968.
 RECORDS AVAILABLE 1967-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	4.97	AUG. 24, 1967	2.61	DEC. 26, 1967	4.74
APR. 27	3.72	SEP. 19	4.18	JAN. 23, 1968	4.87
JUNE 26	2.30	OCT. 26	4.06	FEB. 22	4.72
AUG. 2	2.23	DEC. 1	4.60	MAR. 20	5.430

0 MEASUREMENTS DISCONTINUED.






FIGURE II.--Index map of area 5, southwest Idaho.

ADA COUNTY, IDAHO
WELL NO. 04N 01W 13BAB1
LAT-LONG NO. 434407N1162528-1
ALT. OF LSD 2610
AQUIFER AO 10 4R W-T

ADA COUNTY, IDAHO
WELL NO. 04N 01W 13BAB1
LAT-LONG NO. 434407N1162528-1
ALT. OF LSD 2610
AQUIFER AO 10 4R W-T



ADA COUNTY, IDAHO
WELL NO. 04N 01W 050001
LAT-LONG NO. 434227N1162916-1
ALT. OF LSD 2470
AQUIFER W-T
O MEASUREMENTS DISCONTINUED



DRILLED IRRIGATION ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 4 IN, DEPTH AND CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,520 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CONCRETE SOIL PIPE IN CENTER OF FISH POND, 3.11 FT ABOVE LSD (SINCE NOV. 3, 1952).

HIGHEST WATER LEVEL 12.51 FT (3.813 M) ABOVE LSD, SEP. 23, 1964.
LOWEST WATER LEVEL 6.46 FT (1.969 M) ABOVE LSD, APR. 25, 1958.
RECORDS AVAILABLE 1950-67.


WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1950	+ 9.78	OCT. 29, 1953	+ 10.16	SEP. 26, 1960	+ 11.71
APR. 18	+ 10.83	MAY 3, 1954	+ 7.31	MAR. 29, 1961	+ 10.86
JUNE 29	+ 10.16	AUG. 3	+ 10.11	SEP. 26	+ 11.61
AUG. 31	+ 9.80	NOV. 5	+ 11.01	MAR. 29, 1962	+ 10.41
DEC. 7	+ 11.11	APR. 25, 1955	+ 10.61	SEP. 25	+ 11.71
MAR. 17, 1951	+ 9.35	NOV. 1	+ 8.21	MAR. 28, 1963	+ 10.96
JUNE 8	+ 9.00	APR. 16, 1956	+ 10.41	SEP. 25	+ 11.91
SEP. 28	+ 9.90	APR. 29, 1957	+ 6.56	MAR. 31, 1964	+ 8.71
JAN. 28, 1952	+ 8.60	OCT. 30	+ 12.12	SEP. 23	+ 12.51
MAY 28	+ 8.60	APR. 25, 1958	+ 6.46	APR. 1, 1965	+ 12.01
NOV. 3	+ 9.52	OCT. 24	+ 11.95	SEP. 21	+ 11.81
JAN. 28, 1953	+ 8.81	APR. 28, 1959	+ 10.06	MAR. 28, 1966	+ 10.81
APR. 29	+ 11.51	OCT. 26	+ 9.41	SEP. 27	+ 11.51
JULY 29	+ 11.91	MAR. 28, 1960	+ 10.21	MAR. 26, 1967	+ 7.060

O MEASUREMENTS DISCONTINUED.

LAT-LONG NO. 434131N1162423-1
ALT. OF LSD 2520 ART.

ADA COUNTY, IDAHO
WELL NO. 04N 01W 13CAD1 DEPTH OF WELL
0. MEASUREMENTS DISCONTINUED



434055N1162410.1 04N 01W 13CAD1 LEN GIVORT ADA COUNTY

DRILLED DOMESTIC AND STOCK ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 4 IN, DEPTH 87 FT, CASED TO 87. LSD 2,521.76 FT ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OF 1-IN DISCHARGE PIPE AT SOUTH SIDE OF PUMP HOUSE, 0.70 FT ABOVE LSD (SINCE APR. 1, 1965).


HIGHEST WATER LEVEL 6.04 FT (1.841 M) ABOVE LSD, SEP. 26, 1960.
LOWEST WATER LEVEL 3.30 FT (1.006 M) ABOVE LSD, APR. 16, 1956.
RECORDS AVAILABLE 1950-67.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1950	+ 3.55	JULY 29, 1953	+ 5.20	MAR. 28, 1960	+ 4.59
APR. 18	+ 3.86	OCT. 29	+ 4.50	SEP. 26	+ 6.04
APR. 24	+ 1.81R	MAY 3, 1954	+ 4.62	MAR. 29, 1961	+ 4.55
APR. 25	+ 1.72R	AUG. 3	+ 5.02	SEP. 26	+ 5.20
APR. 26	+ 1.58R	NOV. 5	+ 5.20	MAR. 29, 1962	+ 3.90
MAY 2	+ 3.91	APR. 25, 1955	+ 4.18	SEP. 25	+ 5.80
JUNE 30	+ 3.57	NOV. 1	+ 4.10	MAR. 28, 1963	+ 4.60
AUG. 31	+ 4.22	APR. 16, 1956	+ 3.30	MAR. 31, 1964	+ 3.70
JUNE 8, 1951	+ 5.05	APR. 29, 1957	+ 4.86	SEP. 23	+ 6.02
SEP. 28	+ 3.61	OCT. 30	+ 5.41	APR. 1, 1965	+ 4.80
JAN. 28, 1952	+ 4.60	APR. 25, 1958	+ 4.10	SEP. 21	+ 5.70
MAY 28	+ 5.10	OCT. 24	+ 5.14	MAR. 28, 1966	+ 4.30
OCT. 22	+ 4.25	APR. 28, 1959	+ 5.26	SEP. 27	+ 6.00
JAN. 28, 1953	+ 4.00	OCT. 26	+ 5.22	MAR. 29, 1967	+ 4.580
APR. 29	+ 4.39				

O MEASUREMENTS DISCONTINUED.
R NEARBY WELL FLOWING.

ADA COUNTY, IDAHO
 WELL NO. 04N 01W 13002 2521.75 ART.
 LAT-LONG NO. 434055N1162410-1
 ALT. OF LSD 2521.75 AQUIFER
 R. NEARBY WELL FLOWING.



DRILLED INDUSTRIAL ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 8 IN, REPORTED DEPTH 150 FT, CASED TO 150. LSD 2,521.68 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CONCRETE TANK, NORTH SIDE, 6.90 FT ABOVE LSD (SINCE NOV. 17, 1955).


HIGHEST WATER LEVEL 13.10 FT (3.993 M) ABOVE LSD, SEP. 27, 1966.
 LOWEST WATER LEVEL 6.90 FT (2.103 M) ABOVE LSD, NOV. 17, 1955.
 RECORDS AVAILABLE 1950-67.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1950 +	11.15	AUG. 3, 1954 +	11.15	SEP. 26, 1961 +	11.20
APR. 19	+ 11.80	NOV. 5	+ 11.00	MAR. 29, 1962 +	9.90
JUNE 29	+ 11.41	APR. 25, 1955 +	10.30	SEP. 25	+ 12.05
AUG. 31	+ 11.34	NOV. 17	+ 6.90	MAR. 28, 1963 +	10.95
MAR. 17, 1951 +	10.92	APR. 16, 1956 +	9.20	SEP. 25	+ 12.00
JUNE 8	+ 11.00	OCT. 30, 1957 +	12.21	MAR. 31, 1964 +	10.90
MAY 28, 1952 +	10.65	APR. 25, 1958 +	9.85	SEP. 23	+ 12.70
OCT. 22	+ 10.85	OCT. 24	+ 12.14	APR. 1, 1965 +	11.80
JAN. 28, 1953 +	10.28	APR. 28, 1959 +	10.44	SEP. 21	+ 12.95
APR. 29	+ 10.60R	OCT. 26	+ 9.20	MAR. 28, 1966 +	11.10
JULY 29	+ 11.39	MAR. 28, 1960 +	8.80	SEP. 27	+ 13.10
OCT. 29	+ 11.60	SEP. 26	+ 12.40	MAR. 26, 1967 +	10.150
MAY 3, 1954 +	10.30	MAR. 29, 1961 +	10.80		

O MEASUREMENTS DISCONTINUED.
 R NEARBY WELL FLOWING.

ADA COUNTY, IDAHO
 WELL NO. 04N 01W 13DCC5 DEPTH OF WELL 150
 LAT-LONG NO. 434040N1162418.1 ART.
 ALT. OF LSD 2821.88 MODIFER
 O. MEASUREMENTS DISCONTINUED
 R. NEARBY WELL FLOWING.



434040N1162418.2 04N 01W 13DCC5 ID FISH & GAME ADA COUNTY

DRILLED INDUSTRIAL ARTESIAN WELL IN IDAHO GROUP, DIAM 16 TO 6 IN, REPORTED DEPTH 128 FT, 16-IN CASING 0-78, 6-IN CASING 60-128. LSD 2,521.81 FT ABOVE MSL DATUM OF 1929. PREVIOUSLY REPORTED AS 4N 1W 24ABB2. MP NO. 1 BOTTOM OF DISCHARGE PIPE, 6.85 FT ABOVE LSD (SINCE MAR. 2, 1950).


HIGHEST WATER LEVEL 12.20 FT (3.719 M) ABOVE LSD, NOV. 18, 1955.
 LOWEST WATER LEVEL 8.95 FT (2.728 M) ABOVE LSD, APR. 25, 1955.
 RECORDS AVAILABLE 1950-66.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1950 +	10.26	MAY 3, 1954 +	9.80	SEP. 26, 1960 +	11.15
APR. 19 +	11.00	AUG. 3 +	10.25	MAR. 29, 1961 +	9.75
JUNE 29 +	10.61	NOV. 5 +	9.85	SEP. 26 +	10.55
AUG. 31 +	10.56	APR. 25, 1955 +	8.95	MAR. 29, 1962 +	9.15
MAR. 17, 1951 +	9.77	NOV. 18 +	12.20	SEP. 25 +	11.14
JUNE 8 +	10.00	APR. 16, 1956 +	10.10	MAR. 28, 1963 +	9.80
SEP. 28 +	9.85	APR. 29, 1957 +	10.05	SEP. 25 +	10.85
MAY 28, 1952 +	9.85	OCT. 30 +	9.96	MAR. 31, 1964 +	9.90
OCT. 22 +	9.75	APR. 25, 1958 +	9.75	SEP. 23 +	11.45
JAN. 28, 1953 +	10.15	OCT. 24 +	11.09	APR. 1, 1965 +	10.65
APR. 29 +	9.68R	APR. 28, 1959 +	9.64	SEP. 21 +	11.55
JULY 29 +	10.40	OCT. 26 +	9.85	MAR. 28, 1966 +	10.00
OCT. 29 +	10.25	MAR. 28, 1960 +	9.35	SEP. 27 +	11.750

O MEASUREMENTS DISCONTINUED.
 R NEARBY WELL FLOWING.

ADA COUNTY, IDAHO
 WELL NO. 04N 01W 23AA1
 LAT-LONG NO. 434039N1162448.1
 ALT. OF LSD 2521.81
 R. NEARBY WELL FLOWING.
 C. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED IRRIGATION ARTESIAN WELL IN GLENN'S FERRY FORMATION, DIAM 3 IN, DEPTH 166 FT, CASING DEPTH NOT AVAILABLE. LSD 2,513.65 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 4-IN ELBOW, 2.90 FT ABOVE LSD (SINCE MAR. 29, 1967).


HIGHEST WATER LEVEL 26.25 FT (8.001 M) ABOVE LSD, DEC. 7, 1950.
 LOWEST WATER LEVEL 9.52 FT (2.902 M) ABOVE LSD, MAR. 13, 1970.
 RECORDS AVAILABLE 1950-64, 1967-71.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1950	+ 24.93	APR. 16, 1956	+ 15.2	SEP. 19, 1967	+ 13.70
APR. 19	+ 25.05	APR. 29, 1957	+ 15.43	DEC. 1	+ 14.13
JUNE 30	+ 25.94	OCT. 30	+ 16.01	JAN. 23, 1968	+ 13.32
AUG. 31	+ 22.45	APR. 25, 1958	+ 13.70	MAR. 21	+ 12.82
DEC. 7	+ 26.25	OCT. 24	+ 15.94	MAY 29	+ 12.75
MAR. 17, 1951	+ 22.28	APR. 28, 1959	+ 14.39	JULY 24	+ 14.10
JUNE 8	+ 16.36	OCT. 26	+ 12.00	SEP. 13	+ 14.72
SEP. 28	+ 12.10	MAR. 28, 1960	+ 12.50	DEC. 4	+ 13.32
JAN. 28, 1952	+ 11.40	SEP. 26	+ 13.70	APR. 17, 1969	+ 13.71
MAY 28	+ 13.7	MAR. 29, 1961	+ 14.00	JULY 17	+ 11.12
OCT. 22	+ 12.70	SEP. 26	+ 12.40	OCT. 21	+ 11.92
JAN. 28, 1953	+ 13.82	MAR. 29, 1962	+ 13.10	DEC. 3	+ 10.38
APR. 29	+ 12.80	SEP. 25	+ 11.60	JAN. 13, 1970	+ 10.34
JULY 29	+ 15.00	MAR. 28, 1963	+ 13.00	MAR. 13	+ 9.52
OCT. 29	+ 15.50	SEP. 25	+ 11.00	MAY 13	+ 11.76
MAY 3, 1954	+ 16.80	MAR. 31, 1964	+ 11.85	JULY 14	+ 11.02
AUG. 3	+ 11.40	SEP. 23	+ 14.10	SEP. 15	+ 10.94
NOV. 5	+ 15.35	MAR. 29, 1967	+ 12.20	NOV. 9	+ 10.31
APR. 25, 1955	+ 13.85	JUNE 26	+ 14.05	JAN. 21, 1971	+ 10.50
NOV. 17	+ 13.25	AUG. 2	+ 13.92	MAR. 19	+ 12.400

0 MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 04N 01W 23N41 DEPTH OF WELL 165-0
 D. MEASUREMENTS DISCONTINUED



WATER LEVELS IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED IRRIGATION ARTESIAN WELL IN UNKNOWN AQUIFER, DIAM 2 IN, DEPTH 112 FT, CASING DEPTH NOT AVAILABLE. LSD 2,520.50 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF 1 1/4 IN DISCHARGE PIPE, 2.60 FT ABOVE LSD (SINCE APR. 16, 1955).


HIGHEST WATER LEVEL 5.50 FT (1.676 M) ABOVE LSD, SEP. 21, 1965.
 LOWEST WATER LEVEL 1.850 FT (0.564 M) ABOVE LSD, MAR. 29, 1967.
 RECORDS AVAILABLE 1950-67.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1950 +	2.81	AUG. 3, 1954 +	2.8	MAR. 29, 1961 +	2.70
APR. 18	+ 3.07	NOV. 5	+ 3.0	SEP. 26	+ 4.10
JUNE 29	+ 3.31	APR. 25, 1955 +	2.15	MAR. 29, 1962 +	2.70
AUG. 31	+ 3.91	NOV. 18	+ 3.20	SEP. 25	+ 2.20A
MAR. 17, 1951 +	2.39	APR. 16, 1956 +	3.45	MAR. 28, 1963 +	2.40
JUNE 8	+ 4.61	APR. 29, 1957 +	3.15	SEP. 25	+ 3.90
SEP. 28	+ 3.12	OCT. 30	+ 4.21	MAR. 31, 1964 +	2.20
JAN. 28, 1952 +	4.00	APR. 25, 1958 +	1.90	SEP. 23	+ 2.80
MAY 28	+ 2.97	OCT. 24	+ 3.54	APR. 1, 1965 +	4.60
OCT. 22	+ 3.30	APR. 28, 1959 +	2.98	SEP. 21	+ 5.50
JAN. 28, 1953 +	3.60	OCT. 26	+ 2.60	MAR. 28, 1966 +	3.80
APR. 29	+ 3.88	MAR. 28, 1960 +	2.20	SEP. 27	+ 5.30
JULY 29	+ 4.40	SEP. 26	+ 3.90	MAR. 29, 1967 +	1.850
OCT. 29	+ 3.10				

A WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 04N 01W 36DAD1 DEPTH OF WELL 111.6
 LAT-LONG NO. 434026N1162430.1
 ALT. OF LSD 2530.50 AQUIFER ART.
 D. MEASUREMENTS DISCONTINUED
 A. WELL BEING PUMPED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

433816N1162334.1 04N 01W 36DAD1 SPIELMAN ADA COUNTY

DRILLED AND DUG DOMESTIC WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 3 IN, REPORTED DEPTH 184 FT, CASING DEPTH NOT AVAILABLE. LSD 2,584.47 FT ABOVE MSL DATUM OF 1929 (PRELIMINARY). MEASUREMENTS CODED G MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. WATER LEVEL INFLUENCED BY LOCAL IRRIGATION. MP NO. 2 TOP OF 3-IN CASING NORTH SIDE, 1.00 FT ABOVE LSD (SINCE APR. 2, 1947).

HIGHEST WATER LEVEL 0.46 FT (0.140 M) ABOVE LSD, SEP. 26, 1960.
 LOWEST WATER LEVEL 23.7 G FT (7.224 M) BELOW LSD, FEB. 9, 1915.
 RECORDS AVAILABLE 1915-17, 1925, 1927-67, 1969-70.

WATER LEVELS IN FEET ABOVE AND BELOW LSD.




DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 9, 1915	23.7 G	DEC. 20, 1946	3.3 G	FEB. 19, 1953	3.27
SEP. 20	20.3 G	MAR. 1, 1947	5.9 G	MAR. 19	4.19A
APR. 13, 1916	22.9 G	APR. 2	4.8	APR. 19	4.7
NOV. 2	18.5 G	JUNE 3	2.65	MAY 22	3.50
APR. 17, 1917	20.5 G	NOV. 5	3.1 G	JUNE 19	3.33
OCT. 13	17.2 G	MAR. 2, 1948	3.95	JULY 20	2.52
OCT. 10, 1925	5.2 G	MAR. 29	4.49	AUG. 21	1.53
NOV. 17, 1927	6.6 G	JUNE 29	2.08	SEP. 18	1.02
NOV. 2, 1928	4.2 G	SEP. 9	1.45	OCT. 23	1.13
NOV. 15, 1929	3.3 G	MAR. 1, 1949	4.54	NOV. 20	2.11
MAY 13, 1930	5.9 G	MAY 24	3.28	DEC. 23	2.36
OCT. 25	3.6 G	JULY 18	1.14	FEB. 26, 1954	4.43
OCT. 14, 1931	6.0 G	SEP. 23	0.40	MAR. 26	5.04
OCT. 27, 1932	2.5 G	MAR. 29, 1950	3.16	APR. 24	5.19
OCT. 9, 1933	3.0 G	JUNE 3	2.72	MAY 21	3.78
MAR. 16, 1934	5.3 G	AUG. 29	1.93	JUNE 18	3.22
NOV. 15	7.1 G	DEC. 8	1.07	JULY 23	2.05
MAR. 14, 1935	8.3 G	JAN. 18, 1951	2.68	AUG. 20	1.19
NOV. 14	6.0 G	MAR. 8	3.66	SEP. 17	0.58
MAR. 13, 1936	6.3 G	MAY 7	9.65A	APR. 25, 1955	5.20
DEC. 11	5.3 G	JUNE 5	7.89A	APR. 12, 1956	4.48
MAR. 22, 1937	6.3 G	JULY 13	6.91A	OCT. 9	0.13
DEC. 21	5.2 G	AUG. 9	0.99	APR. 24, 1957	4.34
NOV. 4, 1938	3.4 G	SEP. 20	4.95A	OCT. 30	4.95A
MAR. 10, 1939	5.3 G	OCT. 19	1.05	APR. 25, 1958	4.30
NOV. 23	5.5 G	NOV. 23	1.94	OCT. 24	0.82
MAR. 11, 1940	6.5 G	DEC. 20	2.56	APR. 28, 1959	4.90B
DEC. 5	5.1 G	JAN. 25, 1952	3.30	OCT. 27	1.56
MAR. 28, 1941	7.3 G	FEB. 23	9.70A	MAY 27, 1960	3.12
NOV. 24	4.3 G	MAR. 22	10.38A	SEP. 26	+ 0.46
FEB. 27, 1942	5.3 G	MAY 27	3.51	MAR. 29, 1961	4.59
NOV. 2	3.8 G	JULY 1	2.03	SEP. 26	0.93
FEB. 25, 1943	4.9 G	JULY 30	1.01	MAR. 29, 1962	5.15B
NOV. 5	3.0 G	SEP. 5	0.28	SEP. 25	0.71
FEB. 25, 1944	5.3 G	OCT. 12	0.61	MAR. 22, 1963	4.64
MAR. 1, 1945	4.7 G	NOV. 20	1.79	SEP. 23	+ 0.24
DEC. 17	4.0 G	DEC. 19	2.41	MAR. 30, 1964	4.12
MAR. 5, 1946	5.3 G	JAN. 19, 1953	2.84	SEP. 23	+ 0.05

WATER LEVELS IN FEET ABOVE AND BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1965	5.33	SEP. 27, 1966	0.02	JULY 10, 1969	0.76
SEP. 21	0.07	MAR. 29, 1967	4.28	MAR. 11, 1970	2.770
MAR. 28, 1966	4.49				


A WELL BEING PUMPED.
 B WELL PUMPED RECENTLY.
 G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 04N 01W 36DAD1 DEPTH OF WELL 184' ALT. OF LSD 2594.47' ACQUIFER OR OT W-T
 LAT-LONG NO. 433816N1162334.1



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

ADA COUNTY, IDAHO
 WELL NO. 04N 01E 14ABA1 DEPTH OF WELL 184
 LAT-LONG NO. 433816N1162334.1
 ALT. OF LSD 2584.47 AQUIFER OR OT W-T



434123N1161754.1 04N 01E 14ABA1 BEN HARDINGER ADA COUNTY


DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 6 IN, REPORTED DEPTH 100 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,620 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN CASING EAST SIDE, 0.20 FT BELOW LSD (SINCE JAN. 9, 1967).

HIGHEST WATER LEVEL 18.96 FT (5.779 M) BELOW LSD, SEP. 12, 1969.
 LOWEST WATER LEVEL 27.53 FT (8.391 M) BELOW LSD, MAR. 20, 1968.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 9, 1967	26.03	SEP. 12, 1968	20.42	MAR. 9, 1970	26.23
MAY 1	24.58	APR. 22, 1969	26.44	SEP. 14	19.54
SEP. 19	29.02A	SEP. 12	18.96	MAR. 15, 1971	26.420
MAR. 20, 1968	27.53				

A WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.



DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 3 IN, REPORTED DEPTH 150 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,590 FT ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO APR. 27, 1955, MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. MP NO. 2 TOP OF CASING, 2.50 FT BELOW LSD (SINCE MAR. 5, 1949).


HIGHEST WATER LEVEL 5.19 FT (1.582 M) BELOW LSD, SEP. 15, 1969.
 LOWEST WATER LEVEL 17.9 G FT (5.456 M) BELOW LSD, MAR. 19, 1935.
 RECORDS AVAILABLE 1933-50, 1952-53, 1955-71.

WATER LEVELS IN FEET BELOW LSD.



DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1933	9.3 G	NOV. 12, 1948	8.9 G	SEP. 26, 1961	6.22
MAR. 17, 1934	15.3 G	MAR. 5, 1949	13.1 G	MAR. 29, 1962	12.96
NOV. 16	13.3 G	OCT. 28	7.7 G	SEP. 25	5.36
MAR. 19, 1935	17.9 G	MAR. 7, 1950	12.5 G	MAR. 22, 1963	12.45
NOV. 5	11.1 G	NOV. 2	8.1 G	SEP. 23	5.27
MAR. 13, 1936	15.8 G	MAR. 13, 1952	13.4 G	MAR. 30, 1964	12.25
DEC. 12	11.3 G	SEP. 18	5.5 G	SEP. 23	5.30
MAR. 23, 1937	15.4 G	MAR. 11, 1953	11.9 G	APR. 1, 1965	11.12
DEC. 21	12.9 G	SEP. 19	5.8 G	SEP. 21	5.90
NOV. 4, 1938	9.7 G	APR. 27, 1955	13.58	MAR. 28, 1966	13.11
NOV. 24, 1939	11.9 G	NOV. 4	8.34	SEP. 29	5.64
MAR. 12, 1940	15.9 G	APR. 12, 1956	12.43	MAR. 30, 1967	13.14
DEC. 14	13.3 G	OCT. 9	5.88	MAY 1	12.68
NOV. 24, 1941	11.3 G	APR. 24, 1957	12.30	SEP. 19	5.44
NOV. 2, 1942	10.8 G	OCT. 29	6.29	MAR. 21, 1968	13.05
NOV. 4, 1943	10.3 G	APR. 25, 1958	12.03	SEP. 13	5.75
FEB. 25, 1944	14.3 G	OCT. 24	7.07	APR. 17, 1969	11.96
MAR. 1, 1945	13.4 G	APR. 28, 1959	11.44	SEP. 15	5.19
DEC. 18	12.3 G	OCT. 27	7.90	MAR. 11, 1970	11.36
MAR. 4, 1946	14.3 G	MAR. 29, 1960	12.71	SEP. 14	5.40
MAR. 1, 1947	14.4 G	SEP. 27	5.43	OCT. 9	6.39
MAR. 4, 1948	14.1 G	MAR. 29, 1961	12.54	MAR. 17, 1971	12.090

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.


ADA COUNTY, IDAHO
 WELL NO. 029 01W 14W41 DEPTH OF WELL 150 ALT. OF L.S.D. 2590 AQUIFER #1
 G. MEASURED BY OUTSIDE AGENCY OR PERSON D. MEASUREMENTS DISCONTINUED




WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM



ADA COUNTY, IDAHO
 WELL NO. 029 01W 14W41 DEPTH OF WELL 150 ALT. OF L.S.D. 2590 AQUIFER #1
 G. MEASURED BY OUTSIDE AGENCY OR PERSON D. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM



DUG DOMESTIC WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 36 IN, REPORTED DEPTH 60 FT, CASSED TO 60. LSD 2,620.75 FT ABOVE MSL DATUM OF 1929 (PRELIMINARY). WATER LEVEL INFLUENCED BY LOCAL IRRIGATION. MEASUREMENTS CODED G MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. MP NO. 2 TOP OF WOODEN PLATFORM, 0.80 FT ABOVE LSD (SINCE MAR. 19, 1934).

HIGHEST WATER LEVEL 5.0 FT (1.524 M) BELOW LSD, AUG. 30, 1949.
 LOWEST WATER LEVEL 21.3 G FT (6.492 M) BELOW LSD, MAR. 23, 1935.
 RECORDS AVAILABLE 1933-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1933	10.8 G	APR. 5, 1949	17.3	DEC. 21, 1949	11.4
MAR. 19, 1934	18.0 G	APR. 12	17.5	DEC. 27	12.0
NOV. 23	17.0 G	APR. 19	17.4	JAN. 3, 1950	12.1
MAR. 23, 1935	21.3 G	APR. 26	16.3	JAN. 10	12.5
NOV. 13	16.3 G	MAY 3	15.0	JAN. 17	13.1
MAR. 25, 1936	21.0 G	MAY 10	13.8	JAN. 24	12.85
DEC. 16	14.3 G	MAY 17	12.7	FEB. 1	13.45
MAR. 28, 1937	18.8 G	MAY 24	11.2	FEB. 7	13.7
DEC. 30	17.4 G	MAY 31	11.0	FEB. 14	13.9
NOV. 9, 1938	11.0 G	JUNE 7	10.0	FEB. 21	14.2
MAR. 12, 1939	17.1 G	JUNE 14	9.3	FEB. 28	14.5
NOV. 25	14.1 G	JUNE 21	8.8	MAR. 8	14.8
MAR. 15, 1940	19.2 G	JUNE 28	7.5	MAR. 14	15.1
DEC. 7	16.2 G	JULY 6	7.2	MAR. 21	15.4
NOV. 25, 1941	12.4 G	JULY 13	6.2	MAR. 28	15.8
MAR. 2, 1942	16.2 G	JULY 18	6.16	APR. 4	16.0
NOV. 5	11.2 G	JULY 26	5.8	APR. 11	16.3
FEB. 26, 1943	14.9 G	AUG. 2	5.8	APR. 18	16.6
NOV. 1	9.0 G	AUG. 9	5.6	APR. 25	16.8
FEB. 28, 1944	14.9 G	AUG. 9	5.6	MAY 2	16.2
MAR. 1, 1945	16.2 G	AUG. 16	5.5	MAY 10	15.5
DEC. 18	12.1 G	AUG. 23	5.4	MAY 16	14.5
MAR. 5, 1946	15.0 G	AUG. 30	5.0	MAY 23	13.4
DEC. 21	10.2 G	SEP. 6	5.2	MAY 31	12.7
MAR. 3, 1947	15.2 G	SEP. 13	5.7	JUNE 6	12.0
MAR. 28	16.2	SEP. 21	5.5	JUNE 13	10.3
JUNE 3	11.1	SEP. 28	5.5	JUNE 20	10.3
NOV. 6	8.8 G	OCT. 4	5.9	JUNE 27	9.8
MAR. 2, 1948	15.03	OCT. 11	6.7	JULY 1	9.1
MAR. 4	15.6 G	OCT. 19	7.5	JULY 11	8.3
MAR. 29	16.14	OCT. 25	8.0	JULY 18	7.7
MAY 10	17.55	OCT. 30	8.3 G	JULY 25	7.0
JUNE 29	10.98	NOV. 1	8.5	AUG. 1	6.9
SEP. 9	6.97	NOV. 9	9.0	AUG. 8	6.0
MAR. 1, 1949	15.60	NOV. 15	9.5	AUG. 15	5.9
MAR. 8	15.7	NOV. 22	10.0	AUG. 22	5.5
MAR. 15	16.3	NOV. 29	10.3	AUG. 29	5.3
MAR. 22	16.6	DEC. 5	10.6	SEP. 5	5.4
MAR. 29	16.9	DEC. 14	10.9	SEP. 20	5.7


WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1950	5.8	AUG. 14, 1951	7.0	JULY 22, 1952	7.2
OCT. 3	6.5	AUG. 21	6.9	JULY 29	6.9
OCT. 10	6.9	AUG. 28	6.4	AUG. 5	7.2
OCT. 17	7.6	SEP. 4	6.0	AUG. 12	7.1
OCT. 24	8.1	SEP. 11	6.0	AUG. 19	6.9
OCT. 31	8.6	SEP. 18	5.9	AUG. 26	6.8
NOV. 7	8.9	SEP. 25	7.0	SEP. 2	6.4
NOV. 11	8.9 G	OCT. 2	7.6	SEP. 9	6.4
NOV. 14	9.5	OCT. 9	8.2	SEP. 16	7.5
NOV. 21	10.0	OCT. 16	8.8	SEP. 23	7.2
NOV. 28	10.4	OCT. 23	9.2	SEP. 30	7.2
DEC. 5	11.0	OCT. 30	9.7	OCT. 7	7.1
DEC. 12	11.1	NOV. 6	10.1	OCT. 14	7.9
DEC. 19	11.6	NOV. 13	10.6	OCT. 21	8.5
DEC. 26	11.9	NOV. 20	11.0	OCT. 27	9.0
JAN. 2, 1951	12.1	NOV. 27	11.3	NOV. 4	9.6
JAN. 9	12.6	DEC. 4	11.6	NOV. 11	9.9
JAN. 16	12.9	DEC. 11	11.9	NOV. 18	10.3
JAN. 23	13.3	DEC. 18	12.1	NOV. 25	10.7
JAN. 30	13.7	DEC. 26	12.6	DEC. 2	10.6
FEB. 6	13.5	JAN. 2, 1952	12.6	DEC. 9	11.0
FEB. 13	13.6	JAN. 8	13.0	DEC. 16	11.8
FEB. 20	13.8	JAN. 15	13.2	DEC. 23	12.2
FEB. 27	14.2	JAN. 22	13.7	JAN. 5, 1953	12.9
MAR. 6	14.2	JAN. 29	13.6	JAN. 14	13.2
MAR. 8	14.33	FEB. 5	13.7	JAN. 21	13.4
MAR. 14	14.6	FEB. 12	13.6	JAN. 27	13.6
MAR. 21	14.8	FEB. 19	14.0	FEB. 3	13.7
MAR. 27	15.0	FEB. 26	14.3	FEB. 10	13.9
APR. 3	15.4	MAR. 4	14.5	FEB. 17	13.9
APR. 10	15.6	MAR. 11	14.7	FEB. 24	14.2
APR. 18	15.9	MAR. 18	15.0	MAR. 3	14.5
APR. 24	15.6	MAR. 26	15.3	MAR. 11	14.7
MAY 1	14.9	APR. 1	15.5	MAR. 24	15.2
MAY 8	14.5	APR. 8	15.8	MAR. 31	15.5
MAY 15	14.0	APR. 15	16.0	APR. 7	15.5
MAY 22	13.5	APR. 22	16.2	APR. 14	16.0
MAY 30	12.3	APR. 29	16.2	APR. 21	15.5
JUNE 5	11.0	MAY 6	15.7	APR. 28	15.5
JUNE 12	11.5	MAY 13	15.2	MAY 5	15.3
JUNE 19	10.8	MAY 20	14.4	MAY 12	14.0
JUNE 26	10.0	MAY 27	13.7	MAY 19	13.6
JULY 3	9.5	JUNE 3	12.8	MAY 26	13.2
JULY 10	8.7	JUNE 10	12.1	JUNE 2	13.2
JULY 17	8.4	JUNE 24	10.8	JUNE 9	13.6
JULY 24	8.0	JULY 1	10.9	JUNE 16	13.6
JULY 31	7.0	JULY 8	9.7	JUNE 23	13.6
AUG. 7	7.6	JULY 15	7.9	JUNE 30	13.4

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 7, 1953	11.1	MAR. 23, 1954	16.5	JAN. 11, 1955	14.0
JULY 15	11.7	MAR. 30	16.7	JAN. 18	14.1
JULY 21	10.9	APR. 14	17.2	JAN. 25	14.4
JULY 28	11.3	APR. 20	17.2	FEB. 8	15.0
AUG. 4	10.4	APR. 26	16.2	FEB. 15	14.9
AUG. 11	10.2	MAY 6	14.2	FEB. 22	15.45
AUG. 19	10.3	MAY 11	14.2	MAR. 1	16.0
AUG. 25	8.2	MAY 18	14.2	MAR. 8	16.0
SEP. 1	8.9	MAY 27	11.9	MAR. 15	16.4
SEP. 8	9.0	JUNE 1	12.7	MAR. 22	16.7
SEP. 15	6.6	JUNE 8	11.2	MAR. 29	16.9
SEP. 22	7.6	JUNE 15	12.0	APR. 5	17.1
SEP. 29	7.6	JUNE 23	12.0	APR. 26	18.0
OCT. 6	7.6	JUNE 29	11.4	APR. 28	18.01
OCT. 13	7.9	JULY 6	9.6	MAY 10	18.5
OCT. 20	8.6	JULY 13	8.1	MAY 17	18.0
OCT. 28	9.4	JULY 27	9.0	MAY 26	17.35
NOV. 3	9.8	AUG. 3	10.2	MAY 31	16.5
NOV. 10	10.2	AUG. 10	8.7	JUNE 21	13.50
NOV. 17	10.7	AUG. 15	6.2	JULY 6	11.76
NOV. 24	12.2	AUG. 24	8.2	JULY 29	9.42
DEC. 1	13.2	SEP. 1	7.2	AUG. 31	7.60
DEC. 8	12.9	SEP. 15	6.7	SEP. 30	7.20
DEC. 15	13.0	SEP. 22	7.9	NOV. 4	9.50
DEC. 22	13.0	OCT. 12	8.3	MAR. 13, 1956	15.0
JAN. 5, 1954	13.2	OCT. 19	9.0	APR. 12	16.2
JAN. 12	13.8	OCT. 26	9.75	OCT. 9	6.8
JAN. 19	14.2	NOV. 3	10.20	APR. 24, 1957	17.7
JAN. 26	14.4	NOV. 10	10.80	OCT. 29	8.71
FEB. 3	14.8	NOV. 16	11.00	APR. 25, 1958	15.71
FEB. 9	15.0	DEC. 7	12.20	OCT. 24	8.68
FEB. 16	15.2	DEC. 14	12.60	MAY 28, 1959	13.48
FEB. 23	15.4	DEC. 21	12.9	OCT. 27	10.24
MAR. 3	15.9	DEC. 28	13.2	MAR. 28, 1960	16.86
MAR. 9	16.0	JAN. 4, 1955	13.5	SEP. 26	5.430
MAR. 16	15.9				

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.




DRILLED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 TO 4 IN, DEPTH 84.4 FT, 6-IN CASING 0-81.7, 4-IN CASING 73-84.4, PERFORATED 81.7-84.4. LSD 2,616.64 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED SEPT. 29, 1953. RECORDER REMOVED APR. 13, 1954. MP NO. 1 TOP OF CASING, 0.80 FT ABOVE LSD (SINCE SEPT. 29, 1953).

HIGHEST WATER LEVEL 5.20 FT (1.585 M) BELOW LSD, SEP. 29, 1953.
 LOWEST WATER LEVEL 14.160 FT (4.316 M) BELOW LSD, APR. 13, 1954.
 RECORDS AVAILABLE 1953-54.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1953	5.20	DEC. 11, 1953	9.63H	FEB. 15, 1954	12.15
OCT. 5	5.40	DEC. 15	9.72	FEB. 20	12.32
OCT. 10	5.27	DEC. 20	9.92	FEB. 25	12.50
OCT. 15	5.65	DEC. 25	10.10	FEB. 28	12.59
OCT. 20	6.07	DEC. 31	10.28	MAR. 5	12.83
OCT. 23	6.25H	JAN. 5, 1954	10.51	MAR. 10	12.99
OCT. 30	6.82H	JAN. 10	10.71	MAR. 15	13.15
NOV. 2	7.02H	JAN. 15	10.89	MAR. 20	13.38
NOV. 5	7.18H	JAN. 20	11.10	MAR. 25	13.58
NOV. 13	7.68H	JAN. 25	11.31	MAR. 31	13.75
NOV. 20	8.20H	JAN. 31	11.57	APR. 5	13.94
NOV. 27	9.12C	FEB. 5	11.76	APR. 10	14.11
DEC. 4	9.68C	FEB. 10	11.93	APR. 13	14.160

C NEARBY WELL BEING PUMPED.
 H TAPE MEASUREMENT (RECORDER).
 O MEASUREMENTS DISCONTINUED.



DRILLED STOCK WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 18 IN, DEPTH 43 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,616 FT ABOVE MSL DATUM OF 1929 (PRELIMINARY). RECORDER INSTALLED JUNE 19, 1953. RECORDER REMOVED SEPT. 10, 1954. MP NO. 1 TOP OF CASING EAST SIDE, 0.50 FT ABOVE LSD (SINCE JUNE 19, 1953).


HIGHEST WATER LEVEL 8.56 FT (2.609 M) BELOW LSD, AUG. 31, 1954.
 LOWEST WATER LEVEL 12.32 FT (3.755 M) BELOW LSD, APR. 15, 1954.
 RECORDS AVAILABLE 1953-67.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 19, 1953	11.21	DEC. 30, 1953	11.27	JULY 10, 1954	9.64
JUNE 20	11.24	DEC. 31	11.27	JULY 15	9.11
JUNE 25	11.09	JAN. 5, 1954	11.36	JULY 20	9.17
JUNE 30	10.60	JAN. 10	11.44	JULY 25	9.35
JULY 5	10.37	JAN. 15	11.47	JULY 31	9.50
JULY 10	9.99	JAN. 20	11.55	AUG. 5	9.04
JULY 15	9.89	JAN. 25	11.60	AUG. 10	8.88
JULY 20	9.75	JAN. 31	11.69	AUG. 15	8.86
JULY 25	9.76	FEB. 5	11.73	AUG. 20	9.08
JULY 31	9.87	FEB. 10	11.79	AUG. 25	8.82
AUG. 5	9.85	FEB. 15	11.83	AUG. 29	8.77
AUG. 10	9.52	FEB. 20	11.87	AUG. 31	8.56
AUG. 15	9.67	FEB. 25	11.91	SEP. 5	8.95
AUG. 20	9.26	FEB. 28	11.91	SEP. 10	8.92
AUG. 25	9.36	MAR. 5	11.99	APR. 27, 1955	12.27
AUG. 31	9.00	MAR. 10	12.00	APR. 12, 1956	11.31
SEP. 2	8.81	MAR. 15	12.04	OCT. 9	9.07
SEP. 5	8.97	MAR. 20	12.10	APR. 24, 1957	11.80
SEP. 10	9.27	MAR. 25	12.15	OCT. 29	9.82
SEP. 15	9.35	MAR. 31	12.21	APR. 25, 1958	11.65
SEP. 20	9.35	APR. 5	12.25	OCT. 24	9.74
SEP. 25	9.43	APR. 10	12.30	APR. 28, 1959	10.84
SEP. 30	9.51	APR. 15	12.32	OCT. 28	10.03
OCT. 5	9.45	APR. 20	12.17	MAR. 29, 1960	11.69
OCT. 10	9.58	APR. 25	11.56	SEP. 27	8.77
OCT. 15	9.73	APR. 30	11.16	MAR. 30, 1961	11.55
OCT. 20	9.97	MAY 5	10.88	SEP. 26	9.29
OCT. 25	10.18	MAY 10	10.57	MAR. 29, 1962	11.80
OCT. 31	10.34	MAY 15	10.21	SEP. 25	8.65
NOV. 5	10.38	MAY 20	10.23	MAR. 22, 1963	11.96
NOV. 10	10.51	MAY 25	10.34	SEP. 23	8.93
NOV. 15	10.60	MAY 31	10.50	MAR. 31, 1964	11.93
NOV. 20	10.68	JUNE 5	10.52	SEP. 23	8.95
NOV. 25	10.76	JUNE 10	10.64	APR. 1, 1965	11.32
NOV. 30	10.78	JUNE 15	10.78	SEP. 22	9.19
DEC. 4	10.85	JUNE 20	10.88	MAR. 30, 1966	11.80
DEC. 18	11.08	JUNE 25	10.42	SEP. 29	9.04
DEC. 20	11.10	JUNE 30	10.36	MAR. 29, 1967	11.730
DEC. 25	11.20	JULY 5	9.71		

O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 03N 01E 1188A1
 LAT-LONG NO. 433638N1162149-1
 ALT. OF LSD 2635
 AQUIFER OR OT W-T
 43-0
 DEPTH OF WELL
 D. MEASUREMENTS DISCONTINUED



DUG STOCK AND DOMESTIC WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, REPORTED DEPTH 80 FT, CASING INFORMATION NOT AVAILABLE. LSD 2,664.36 FT ABOVE MSL DATUM OF 1929 (PRELIMINARY). WATER LEVEL INFLUENCED BY LOCAL IRRIGATION. MEASUREMENTS CODED G MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. MP NO. 4 TOP OF CONCRETE PLATFORM, 0.50 FT ABOVE LSD (SINCE MAR. 28, 1936).

HIGHEST WATER LEVEL 3.59 FT (1.094 M) BELOW LSD, SEP. 23, 1963.
 LOWEST WATER LEVEL 19.9 G FT (6.066 M) BELOW LSD, MAR. 31, 1924.
 RECORDS AVAILABLE 1924-65.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 31, 1924	19.9 G	NOV. 17, 1947	7.8 G	OCT. 12, 1952	4.75
OCT. 1, 1925	10.6 G	MAR. 5, 1948	9.7 G	NOV. 20	8.18
MAR. 29, 1926	18.0 G	MAR. 29	11.47	DEC. 19	9.30
NOV. 26	14.1 G	MAY 10	11.31	JAN. 19, 1953	8.70
OCT. 31, 1927	10.7 G	JUNE 29	6.49	FEB. 19	9.69
NOV. 3, 1928	8.5 G	SEP. 9	5.37	MAR. 19	10.56
NOV. 13, 1929	9.1 G	MAR. 7, 1949	11.7 G	APR. 19	10.59
MAY 17, 1930	12.0 G	MAY 24	10.04	MAY 22	6.58
OCT. 25	8.1 G	JULY 18	4.31	JUNE 19	7.48
OCT. 30, 1931	13.3 G	SEP. 9	6.0 E	JULY 20	4.41
OCT. 27, 1932	6.8 G	OCT. 29	7.6 G	AUG. 21	4.42
SEP. 14, 1933	6.2 G	JAN. 24, 1950	9.95	SEP. 18	4.11
MAR. 20, 1934	13.0 G	MAR. 29	11.24	OCT. 23	5.96
NOV. 22	12.1 G	JUNE 30	6.58	NOV. 20	8.07
MAR. 24, 1935	15.2 G	SEP. 1	6.29	DEC. 23	6.28
NOV. 8	11.1 G	DEC. 8	9.21	JAN. 22, 1954	7.57
MAR. 28, 1936	14.5 G	JAN. 18, 1951	10.39	FEB. 26	10.94
DEC. 22	11.5 G	MAR. 8	10.48	MAR. 26	11.56
MAR. 29, 1937	14.5 G	MAR. 14	10.5 G	APR. 23	10.45
DEC. 24	12.5 G	MAY 7	9.00	MAY 21	6.54
NOV. 7, 1938	8.4 G	JUNE 5	5.60	JUNE 18	5.85
MAR. 15, 1939	12.4 G	JULY 13	5.26	JULY 23	4.51
NOV. 27	10.5 G	AUG. 9	4.25	AUG. 20	3.93
MAR. 13, 1940	13.2 G	SEP. 20	4.66	SEP. 17	3.63
DEC. 12	11.5 G	SEP. 21	4.8 G	APR. 25, 1955	12.02
DEC. 10, 1941	9.6 G	OCT. 19	6.50	NOV. 4	6.80
MAR. 6, 1942	11.0 G	NOV. 23	7.11	APR. 12, 1956	11.10
NOV. 5	8.1 G	DEC. 20	9.04	OCT. 9	3.74
MAR. 4, 1943	10.2 G	JAN. 25, 1952	9.91	APR. 24, 1957	10.94
NOV. 2	6.7 G	FEB. 23	9.94	OCT. 29	6.75
MAR. 1, 1944	11.2 G	MAR. 15	10.6 G	APR. 25, 1958	10.75
MAR. 1, 1945	10.5 G	MAR. 22	10.72	OCT. 24	6.50
DEC. 20	9.0 G	APR. 19	11.27	APR. 28, 1959	8.66
MAR. 7, 1946	9.8 G	MAY 27	5.80	OCT. 28	7.76
DEC. 25	8.1 G	JULY 1	4.30	MAR. 25, 1960	11.25
MAR. 4, 1947	9.7 G	JULY 30	3.82	SEP. 27	4.06
APR. 1	11.55C	SEP. 5	3.72	MAR. 30, 1961	11.10
JUNE 3	5.75	SEP. 20	4.2 G	SEP. 26	5.00

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1962	11.62	SEP. 23, 1963	3.59	APR. 1, 1965	9.98
SEP. 25	5.04	MAR. 31, 1964	10.63	SEP. 22	4.790
MAR. 22, 1963	11.23	SEP. 23	4.06		

C NEARBY WELL BEING PUMPED.
 E ESTIMATED.
 G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 03N 01E 11B8A1 DEPTH OF WELL 8
 LAT-LONG NO. 433708N1161834.1
 ALT. OF LSD 2854.36 AQUIFER OR OT G W-T



ADA COUNTY, IDAHO
 WELL NO. 03N 01E 14BAAL DEPTH OF WELL 8
 LAT-LONG NO. 433708N1161834-1
 ALT. OF LSD 2654.36 AQUIFER 08 OT G W-T



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

433613N1161813.1 03N 01E 14BAAL C H WOODWARD ADA COUNTY

DUG AND DRILLED IRRIGATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 10 IN, REPORTED DEPTH 700 FT, CASING DEPTH NOT AVAILABLE. LSD 2,721.78 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED FEB. 22, 1952. RECORDER REMOVED MAY 3, 1952. MP NO. 2 TOP OF BASEBOARD OF BOX, 0.10 FT ABOVE LSD (SINCE FEB. 22, 1952).


HIGHEST WATER LEVEL 43.25 FT (13.183 M) BELOW LSD, JAN. 25, 1952.
 LOWEST WATER LEVEL 44.35 FT (13.513 M) BELOW LSD, APR. 15, 1952.
 RECORDS AVAILABLE 1952.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1952	43.25	MAR. 15, 1952	43.97	APR. 10, 1952	44.23
FEB. 22	43.50H	MAR. 20	43.97	APR. 15	44.35
FEB. 27	43.58H	MAR. 25	44.14	APR. 18	44.20
MAR. 6	43.72H	MAR. 31	44.25	APR. 25	44.29H
MAR. 10	43.63	APR. 5	44.32	APR. 29	44.21O

H TAPE MEASUREMENT (RECORDER).
 O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 03N 01E 14BAAL DEPTH OF WELL 700
 H. TAPE MEASUREMENT (RECORDER)
 LAT-LONG NO. 433613N1161813-1
 ALT. OF LSD 2721.78 AQUIFER 0 R W-T
 O. MEASUREMENTS DISCONTINUED



433749N1161518.1

03N 02E 06AAD1

G E TONKIN

ADA COUNTY

DUG DOMESTIC WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 36 IN, REPORTED DEPTH 79 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,710 FT ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO 1955 MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. MP NO. 2 TOP OF WOODEN PLATFORM SOUTH SIDE, 0.60 FT ABOVE LSD (SINCE APR. 25, 1958).


HIGHEST WATER LEVEL 22.90 FT (6.980 M) BELOW LSD, OCT. 11, 1956.
 LOWEST WATER LEVEL 32.40 FT (9.876 M) BELOW LSD, MAR. 22, 1968.
 RECORDS AVAILABLE 1945-49, 1955-71.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1945	32.0 G	APR. 25, 1958	32.03	APR. 1, 1965	31.18
DEC. 20	30.3 G	OCT. 24	25.64	SEP. 23	23.94
MAR. 6, 1940	31.4 G	APR. 29, 1959	31.31	MAR. 30, 1966	32.20
DEC. 21	27.3 G	OCT. 26	26.69	SEP. 27	24.90
MAR. 3, 1947	31.5 G	MAR. 28, 1960	32.22	MAR. 29, 1967	32.39
NOV. 6	26.0 G	SEP. 26	24.28	MAY 1	32.55B
MAR. 4, 1948	31.4 G	MAR. 29, 1961	32.00	SEP. 19	24.97
MAR. 8, 1949	31.9 G	SEP. 26	26.26	MAR. 22, 1968	32.40
OCT. 30	26.33G	MAR. 29, 1962	30.90	SEP. 13	24.32
APR. 26, 1955	32.03	SEP. 25	24.50	APR. 21, 1969	32.18
NOV. 4	25.20	MAR. 22, 1963	31.76	SEP. 12	27.62
APR. 12, 1956	31.53	SEP. 23	24.00	MAR. 10, 1970	31.69
OCT. 11	22.90	MAR. 30, 1964	29.80	SEP. 14	28.27
APR. 24, 1957	31.90	SEP. 23	24.43	MAR. 18, 1971	32.07D
OCT. 29	25.51				

B WELL PUMPED RECENTLY.
 G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 03N 02E 06AAD1 DEPTH OF WELL 79
 LAT-LONG NO. 433749N1161518.1
 ALT. OF LSD 2710 AQUIFER OR OT R W-T
 G. MEASURED BY OUTSIDE AGENCY OR PERSON
 B. WELL PUMPED RECENTLY
 O. MEASUREMENTS DISCONTINUED



ADA COUNTY, IDAHO
 WELL NO. 03N 02E 0788B1
 LAT-LONG NO. 433207N1161622.1
 ALT. OF LSD 2710
 G. MEASURED BY OUTSIDE AGENCY OR PERSON
 B. WELL PUMPED RECENTLY
 D. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DUG IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 48 IN, DEPTH 10 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,270 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED AUG. 31, 1953. RECORDER REMOVED OCT. 30, 1953. MP NO. 1 TOP OF HOLE IN PLATFORM NORTH SIDE OF RECORDER SHELTER, 0.40 FT ABOVE LSD (SINCE AUG. 31, 1953).

HIGHEST WATER LEVEL 6.70G FT (2.042 M) BELOW LSD, SEP. 10, 1945, SEP. 14, 1945.
 LOWEST WATER LEVEL 16.70G FT (5.090 M) BELOW LSD, APR. 5, 1949.
 RECORDS AVAILABLE 1944-49, 1953.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1944	15.60G	OCT. 30, 1945	9.50G	MAY 20, 1947	12.90G
APR. 7	15.90G	NOV. 17	10.80G	JUNE 3	11.30G
APR. 27	16.30G	DEC. 3	11.60G	JUNE 17	10.20G
MAY 11	15.70G	DEC. 17	12.20G	JULY 2	9.20G
MAY 25	13.70G	DEC. 31	12.40G	JULY 19	8.30G
JUNE 8	12.30G	JAN. 16, 1946	12.80G	AUG. 5	7.70G
JUNE 22	10.60G	JAN. 30	13.30G	AUG. 19	7.70G
JULY 6	9.30G	FEB. 11	13.70G	SEP. 3	7.30G
JULY 20	8.50G	FEB. 25	14.30G	SEP. 16	7.90G
AUG. 10	7.60G	MAR. 11	14.70G	OCT. 1	7.80G
SEP. 2	7.55G	MAR. 25	15.20G	OCT. 14	8.20G
SEP. 12	8.60G	APR. 8	15.60G	OCT. 28	9.30G
SEP. 27	8.60G	APR. 26	15.60G	NOV. 11	10.30G
OCT. 16	8.70G	MAY 11	13.80G	NOV. 25	10.80G
OCT. 30	9.80G	MAY 28	11.60G	DEC. 9	11.70G
DEC. 5	11.50G	JUNE 10	10.50G	DEC. 23	12.50G
DEC. 26	12.40G	JUNE 25	9.30G	JAN. 6, 1948	13.40G
JAN. 10, 1945	13.10G	JULY 9	8.70G	JAN. 20	14.30G
JAN. 24	13.60G	JULY 26	8.10G	FEB. 9	15.10G
FEB. 9	14.30G	AUG. 5	7.70G	FEB. 23	14.80G
FEB. 26	14.40G	AUG. 20	7.70G	MAR. 8	15.30G
MAR. 12	14.70G	SEP. 3	7.30G	MAR. 22	15.70G
MAR. 26	15.30G	SEP. 17	7.30G	APR. 5	16.20G
APR. 11	15.90G	OCT. 1	8.10G	APR. 20	16.60G
APR. 25	16.40G	OCT. 15	8.80G	MAY 4	16.50G
MAY 8	15.00G	NOV. 1	9.90G	MAY 19	15.30G
MAY 21	13.50G	NOV. 17	11.00G	JUNE 2	13.70G
JUNE 4	12.40G	DEC. 1	12.00G	JUNE 16	12.20G
JUNE 18	11.00G	DEC. 15	12.40G	JULY 6	10.50G
JULY 3	9.50G	DEC. 30	12.80G	JULY 24	9.50G
JULY 18	8.00G	JAN. 15, 1947	12.40G	AUG. 9	8.70G
AUG. 13	7.50G	FEB. 3	13.90G	AUG. 24	8.10G
AUG. 27	6.80G	FEB. 18	14.70G	SEP. 7	7.70G
SEP. 10	6.70G	MAR. 4	15.30G	SEP. 21	7.50G
SEP. 14	6.70G	MAR. 18	15.70G	OCT. 7	8.70G
OCT. 1	8.00G	APR. 1	16.20G	OCT. 20	9.10G
OCT. 16	8.20G	APR. 18	16.50G	NOV. 4	10.40G
		MAY 5	15.00G	NOV. 19	11.30G

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 4, 1948	12.00G	JUNE 4, 1949	10.00G	SEP. 20, 1953	7.53
DEC. 17	12.80G	JUNE 18	8.80G	SEP. 25	7.54
JAN. 4, 1949	13.30G	JULY 5	8.00G	SEP. 30	7.74
JAN. 18	14.20G	JULY 25	7.40G	OCT. 5	7.82
FEB. 3	14.80G	AUG. 8	7.30G	OCT. 10	7.91
FEB. 17	15.40G	AUG. 23	6.80G	OCT. 15	7.96
MAR. 8	16.10G	SEP. 7	7.30G	OCT. 20	8.47
MAR. 22	16.10G	AUG. 31, 1953	7.63H	OCT. 25	8.96
APR. 5	16.70G	SEP. 5	7.57	OCT. 28	9.10F
APR. 20	15.80G	SEP. 10	7.57	OCT. 29	9.10F
MAY 4	13.80G	SEP. 15	7.24	OCT. 29	0
MAY 18	11.90G				


F DRY.

G MEASURED BY OUTSIDE AGENCY OR PERSON.

H TAPE MEASUREMENT (RECORDER).

O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 03N 02E 07BBB1 DEPTH OF WELL 10.0
 LAT-LONG NO. 433207N1161622.1
 ALT. OF LSD 2770
 F. DRY
 H. TAPE MEASUREMENT (RECORDER)
 G. MEASURED BY OUTSIDE AGENCY OR PERSON
 O. MEASUREMENTS DISCONTINUED



433508N1160929.1

03N 02E 24ACA2

H R BEVINGTON

ADA COUNTY


DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN, REPORTED DEPTH 110 FT, CASED TO 55. LSD ABOUT 2,760 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN PUMP BASE, 1.80 FT BELOW LSD (SINCE JAN. 20, 1967).

HIGHEST WATER LEVEL 35.500 FT (10.820 M) BELOW LSD, MAR. 18, 1971.
LOWEST WATER LEVEL 40.47 FT (12.335 M) BELOW LSD, JAN. 20, 1967.
RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1967	40.47	SEP. 13, 1968	39.63	MAR. 9, 1970	38.36
MAY 1	39.74	APR. 21, 1969	36.27	SEP. 14	39.18
MAR. 23, 1968	40.35	SEP. 12	39.47	MAR. 18, 1971	35.500

0 MEASUREMENTS DISCONTINUED.



DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 TO 4 IN, DEPTH 52 FT, 6-IN CASING 0-47, 4-IN CASING 46-52, PERFORATED 46-52. LSD 2,745.16 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED NOV. 4, 1953. RECORDER REMOVED AUG. 9, 1954. RECORDER INSTALLED SEPT. 10, 1954. RECORDER REMOVED MAY 3, 1962. MP NO. 1 TOP OF CASING, 0.60 FT ABOVE LSD (SINCE JULY 2, 1954).

HIGHEST WATER LEVEL 4.55 FT (1.387 M) BELOW LSD, MAY 22, 1955.
 LOWEST WATER LEVEL 15.83 FT (4.825 M) BELOW LSD, APR. 6, 1960.
 RECORDS AVAILABLE 1953-62.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1953	9.42	MAY 5, 1954	10.62	JAN. 13, 1955	13.47
NOV. 5	9.45	MAY 10	10.79	JAN. 18	13.64
NOV. 8	9.69	MAY 15	11.26	FEB. 16	14.63
NOV. 15	10.70	MAY 20	10.71	MAR. 16	15.31
NOV. 20	10.94	MAY 25	10.65	MAR. 20	15.41
NOV. 25	11.20	MAY 31	11.22	MAR. 25	15.52
NOV. 30	11.46	JUNE 5	10.91	MAR. 31	15.64
DEC. 5	11.74	JUNE 10	11.55	APR. 5	12.46
DEC. 10	12.02	JUNE 15	12.48	APR. 10	10.77
DEC. 15	12.31	JUNE 20	12.72	APR. 15	9.73
DEC. 20	12.55	JUNE 25	11.25	APR. 18	9.39
DEC. 25	12.78	JUNE 30	11.74	APR. 20	9.28
DEC. 31	13.04	JULY 5	10.78	APR. 25	9.08
JAN. 5, 1954	13.24	JULY 10	9.68	APR. 30	9.11
JAN. 10	13.44	JULY 15	9.88	MAY 2	9.07
JAN. 15	13.63	JULY 20	9.50	MAY 18	6.02
JAN. 20	13.79	JULY 25	9.86	MAY 20	5.43
JAN. 25	13.96	JULY 31	9.74	MAY 22	4.55
JAN. 31	14.14	AUG. 5	9.20	JUNE 16	8.08
FEB. 5	14.29	AUG. 8	9.83	JULY 6	8.97
FEB. 10	14.47	SEP. 10	10.05	JULY 10	8.63
FEB. 15	14.60	SEP. 17	10.35	JULY 15	7.75
FEB. 20	14.74	SEP. 20	11.10	JULY 20	7.80
FEB. 25	14.87	SEP. 25	10.79	JULY 24	7.76
FEB. 28	14.93	SEP. 30	11.36	AUG. 18	8.59
MAR. 5	15.04	OCT. 5	12.57	AUG. 20	8.00
MAR. 10	15.16	OCT. 10	12.76	AUG. 25	8.66
MAR. 15	15.29	OCT. 15	12.91	AUG. 31	9.18
MAR. 19	15.37	OCT. 20	8.53	SEP. 5	9.10
MAR. 21	15.42	OCT. 23	8.84	SEP. 10	8.69
MAR. 25	12.86	OCT. 29	8.84	SEP. 15	8.93
MAR. 31	10.64	NOV. 11	10.24	SEP. 20	10.40
APR. 5	9.80	DEC. 11	12.20	SEP. 25	11.04
APR. 10	9.22	DEC. 23	12.56	SEP. 30	11.49
APR. 15	7.60	DEC. 25	12.67	OCT. 5	11.46
APR. 20	7.07	DEC. 31	12.94	OCT. 7	11.92
APR. 25	5.55	JAN. 5, 1955	13.12	OCT. 27	8.67
APR. 30	10.79	JAN. 10	13.33	OCT. 31	8.91

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 5, 1955	9.28	DEC. 31, 1956	12.93	DEC. 31, 1957	12.90
NOV. 6	9.35	JAN. 4, 1957	13.11	JAN. 5, 1958	13.10
NOV. 18	10.59	JAN. 11	13.38	JAN. 10	13.29
DEC. 13	12.03	JAN. 15	13.55	JAN. 15	13.47
JAN. 12, 1956	13.08	JAN. 20	13.74	JAN. 20	13.63
FEB. 15	13.60	JAN. 24	13.69	JAN. 25	13.79
MAR. 13	14.50	FEB. 6	14.37	JAN. 31	13.94
APR. 15	6.86	FEB. 10	14.43	FEB. 3	14.01
APR. 16	5.92	FEB. 15	14.51	FEB. 5	14.05
JUNE 11	10.95	FEB. 20	14.63	FEB. 10	14.15
JUNE 21	11.48	FEB. 25	14.71	FEB. 15	13.63
JUNE 25	10.76	FEB. 28	14.69	FEB. 20	13.57
JUNE 30	10.41	MAR. 5	14.40	FEB. 25	13.51
JULY 5	9.68	MAR. 10	12.66	FEB. 28	13.57
JULY 10	9.11	MAR. 15	13.22	MAR. 5	13.70
JULY 15	9.54	MAR. 20	13.44	MAR. 10	13.85
JULY 20	8.50	MAR. 25	13.58	MAR. 15	13.98
JULY 25	7.93	MAR. 31	13.70	MAR. 20	14.12
JULY 31	8.77	APR. 5	13.18	MAR. 25	14.26
AUG. 5	9.26	APR. 10	10.85	MAR. 31	13.10
AUG. 10	8.61	APR. 15	9.83	APR. 5	13.43
AUG. 15	8.80	APR. 20	8.77	APR. 30	6.87
AUG. 20	9.17	APR. 25	8.15	MAY 1	6.73
AUG. 25	9.06	APR. 30	7.41	MAY 5	10.63
AUG. 31	9.67	MAY 5	9.31	MAY 10	10.72
SEP. 5	10.11	MAY 10	10.71	MAY 15	10.96
SEP. 7	10.17	MAY 15	10.06	MAY 20	9.21
SEP. 11	11.00	MAY 20	10.00	MAY 25	10.06
SEP. 15	11.50	AUG. 6	8.73	MAY 29	9.70
SEP. 18	11.86	AUG. 10	7.77	JUNE 30	10.25
SEP. 21	12.03	AUG. 15	8.89	JULY 5	10.02
SEP. 25	12.33	AUG. 18	8.14	JULY 10	9.93
SEP. 30	12.52	AUG. 25	8.32	JULY 15	9.36
OCT. 5	12.70	AUG. 29	8.25	JULY 20	9.25
OCT. 12	13.08	SEP. 23	9.78	JULY 23	9.33
OCT. 15	10.90	OCT. 28	8.68	JULY 31	9.05
OCT. 27	9.24	OCT. 31	8.92	AUG. 5	9.65
OCT. 31	9.40	NOV. 5	9.36	AUG. 7	9.69
NOV. 5	9.63	NOV. 10	9.77	SEP. 30	12.48
NOV. 10	9.95	NOV. 15	10.19	OCT. 5	12.77
NOV. 15	10.30	NOV. 20	10.60	OCT. 10	12.86
NOV. 20	10.79	NOV. 25	10.96	OCT. 14	8.92
NOV. 23	10.39	NOV. 30	11.30	OCT. 27	8.82
NOV. 26	11.05	DEC. 5	11.62	OCT. 31	9.16
NOV. 30	11.30	DEC. 10	11.93	NOV. 5	9.59
DEC. 2	11.44	DEC. 15	12.20	NOV. 10	10.01
DEC. 15	12.16	DEC. 20	12.45	NOV. 15	10.40
DEC. 20	12.43	DEC. 25	12.65	NOV. 20	10.79

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 25, 1958	11.14	OCT. 31, 1959	10.82	AUG. 29, 1960	8.22
NOV. 30	11.46	NOV. 5	11.14	AUG. 31	8.06
DEC. 5	11.77	NOV. 10	11.42	SEP. 5	8.67
DEC. 10	12.04	NOV. 15	11.70	SEP. 10	9.19
DEC. 15	12.32	NOV. 20	11.97	SEP. 14	9.81
DEC. 20	12.58	NOV. 25	12.23	SEP. 26	9.88
DEC. 25	12.83	NOV. 30	12.50	SEP. 30	10.04
DEC. 31	13.12	DEC. 5	12.76	OCT. 5	9.33
JAN. 5, 1959	13.33	DEC. 10	12.99	OCT. 10	9.60
JAN. 10	13.54	DEC. 15	13.23	OCT. 27	7.49
JAN. 15	13.72	DEC. 20	13.45	OCT. 31	7.93
JAN. 20	13.92	DEC. 25	13.66	NOV. 5	8.50
JAN. 25	14.08	DEC. 31	13.89	NOV. 10	8.98
JAN. 31	14.30	JAN. 5, 1960	14.09	NOV. 15	9.46
FEB. 5	14.45	JAN. 10	14.27	NOV. 20	9.87
FEB. 10	14.55	JAN. 28	14.88	NOV. 25	10.24
FEB. 15	14.67	JAN. 31	14.84	NOV. 30	10.65
FEB. 20	14.80	FEB. 5	14.96	DEC. 5	10.99
FEB. 26	14.95	FEB. 10	15.06	DEC. 10	11.31
FEB. 28	14.99	FEB. 15	15.12	DEC. 15	11.62
MAR. 5	15.10	FEB. 20	15.19	DEC. 20	11.91
MAR. 10	15.20	FEB. 25	15.25	DEC. 25	12.15
MAR. 11	15.23	FEB. 29	15.30	DEC. 31	12.46
MAR. 30	14.93	MAR. 5	15.39	JAN. 5, 1961	12.71
APR. 30	11.39	MAR. 10	15.48	JAN. 10	12.94
MAY 5	11.98	MAR. 15	15.55	JAN. 15	13.14
MAY 10	11.50	MAR. 20	15.62	JAN. 20	13.37
MAY 28	10.19	MAR. 25	15.69	JAN. 25	13.58
MAY 31	10.36	MAR. 31	15.75	JAN. 31	13.83
JUNE 5	10.30	APR. 5	15.81	FEB. 5	14.00
JUNE 10	10.19	APR. 6	15.83	FEB. 10	14.22
JUNE 12	10.24	APR. 10	13.81	FEB. 15	14.33
JUNE 30	9.26	APR. 12	13.28	FEB. 20	14.49
JULY 5	8.77	APR. 27	10.15	FEB. 25	14.63
JULY 10	8.57	APR. 30	10.83	FEB. 28	14.71
JULY 15	8.40	MAY 5	10.94	MAR. 5	14.84
JULY 20	7.71	MAY 10	10.13	MAR. 10	14.98
JULY 22	8.41	MAY 15	9.78	MAR. 15	15.10
JULY 25	7.88	MAY 20	9.01	MAR. 20	15.24
JULY 31	9.45	MAY 25	9.11	MAR. 25	15.35
AUG. 5	9.30	MAY 31	8.95	MAR. 31	15.50
AUG. 17	9.21	JUNE 3	9.35	APR. 5	15.62
AUG. 20	9.44	JUNE 27	8.55	APR. 10	15.73
AUG. 25	10.80	JUNE 30	9.14	APR. 13	15.80
AUG. 28	11.38	JULY 28	8.43	APR. 15	15.11
SEP. 28	14.13	JULY 31	7.43	APR. 27	7.73
SEP. 30	14.51	AUG. 5	8.79	APR. 28	9.60
OCT. 27	10.58	AUG. 8	7.89	JUNE 27	9.66

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 30, 1961	10.70	NOV. 30, 1961	11.75	FEB. 25, 1962	14.87
JULY 5	5.13	DEC. 5	12.04	FEB. 28	14.94
JULY 10	10.20	DEC. 10	12.30	MAR. 5	15.04
JULY 27	6.91	DEC. 15	12.57	MAR. 7	15.08
SEP. 26	6.06	DEC. 20	12.80	MAR. 29	15.44
SEP. 28	5.94	DEC. 25	13.03	MAR. 31	15.48
OCT. 5	7.16	DEC. 31	13.26	APR. 5	15.57
OCT. 10	7.58	JAN. 5, 1962	13.47	APR. 10	15.66
OCT. 15	8.07	JAN. 10	13.65	APR. 13	15.72
OCT. 20	8.56	JAN. 15	13.85	APR. 14	15.29
OCT. 25	9.05	JAN. 20	14.02	APR. 27	11.83
OCT. 31	9.56	JAN. 25	14.21	APR. 28	9.40
NOV. 5	10.00	JAN. 31	14.45	MAY 3	9.13H
NOV. 10	10.37	FEB. 5	14.61	MAY 29	12.48
NOV. 15	10.76	FEB. 10	14.66	JUNE 28	9.74
NOV. 20	11.10	FEB. 15	14.75	JULY 27	5.72
NOV. 25	11.43	FEB. 20	14.81	AUG. 27	9.740

H TAPE MEASUREMENT (RECORDER).
D MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 03N 02E 28882 DEPTH OF WELL 52.0
 H. TAPE MEASUREMENT (RECORDER)
 LAT-LONG NO. 43342EN1161019-1
 ALT. OF LSD 2745.16 AQUIFER OR OR R W-T
 O. MEASUREMENTS DISCONTINUED



DRILLED STOCK WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 4 IN, DEPTH 208 FT, CASED TO 208. LSD ABOUT 2,750 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED MAY 19, 1967. RECORDER REMOVED SEPT. 2, 1970. MP NO. 2 TOP OF 4-IN CASING NORTH SIDE, 0.80 FT ABOVE LSD (SINCE SEPT. 17, 1970).

HIGHEST WATER LEVEL 50.19 FT (15.298 M) BELOW LSD, AUG. 29, 1960.
 LOWEST WATER LEVEL 66.20 FT (20.178 M) BELOW LSD, APR. 27, 1962.
 RECORDS AVAILABLE 1953, 1955-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 6, 1953	52.70	DEC. 28, 1959	58.77	MAR. 21, 1963	62.19
APR. 26, 1955	65.34	JAN. 28, 1960	60.41	APR. 26	64.10
NOV. 4	54.30	FEB. 26	61.58	MAY 27	62.81
APR. 12, 1956	64.35	MAR. 30	63.50	JUNE 27	56.05
OCT. 9	52.08	APR. 27	65.16	JULY 29	52.27
FEB. 27, 1957	61.13	MAY 27	59.40	AUG. 22	51.03
MAR. 27	62.77	JUNE 27	53.18	SEP. 24	51.33
APR. 26	64.63	JULY 28	51.15	OCT. 28	53.47
MAY 24	63.20	AUG. 29	50.19	NOV. 26	56.08
JUNE 21	56.70	SEP. 28	51.35	DEC. 30	58.27
AUG. 7	51.40	OCT. 27	53.24	JAN. 30, 1964	59.47
AUG. 29	50.94	NOV. 28	56.03	FEB. 27	60.74
SEP. 24	51.39	DEC. 29	57.89	MAR. 30	62.13
OCT. 30	53.85	JAN. 27, 1961	59.21	APR. 29	63.22
NOV. 27	56.32	FEB. 27	60.55	MAY 28	60.38
DEC. 26	57.77	MAR. 29	61.98	JUNE 29	57.02
JAN. 27, 1958	59.16	APR. 27	63.86	JULY 30	52.92
FEB. 27	61.16	MAY 25	60.56	AUG. 27	51.22
MAR. 31	62.62	JUNE 26	55.69	SEP. 24	51.79
APR. 28	64.68	JULY 27	53.06	OCT. 26	53.21
MAY 29	62.29	AUG. 28	52.24	NOV. 27	55.74
JUNE 30	57.21	SEP. 27	53.48	DEC. 29	57.43
JULY 30	52.90	OCT. 30	56.06	JAN. 28, 1965	59.22
AUG. 28	50.99	NOV. 29	57.51	MAR. 1	60.47
SEP. 29	52.05	DEC. 28	59.59	APR. 2	61.17
OCT. 27	53.24	JAN. 29, 1962	61.93	APR. 28	60.16
NOV. 28	56.08	FEB. 27	63.08	MAY 27	57.82
DEC. 29	57.91	MAR. 29	64.94	JUNE 29	54.84
JAN. 29, 1959	59.13	APR. 27	66.20	JULY 29	51.46
FEB. 26	60.58	MAY 28	62.57	AUG. 30	51.65
MAR. 30	62.19	JUNE 28	57.02	SEP. 22	52.07
APR. 27	64.11	JULY 27	53.17	OCT. 28	53.65
MAY 28	59.03	AUG. 27	51.51	NOV. 29	56.04
JUNE 29	54.23	SEP. 26	51.55	DEC. 29	57.26
JULY 31	51.21	OCT. 26	53.95	JAN. 27, 1966	59.06
AUG. 27	50.84	NOV. 27	56.48	FEB. 24	60.32
SEP. 28	52.40	DEC. 26	58.24	MAR. 29	62.30
OCT. 28	54.93	JAN. 25, 1963	59.52	MAY 2	62.45
NOV. 27	57.27	FEB. 25	61.30	MAY 26	57.30

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 27, 1966	53.56	MAY 31, 1968	56.42	JUNE 5, 1969	56.10
JULY 28	52.19	JUNE 5	55.44	JUNE 10	55.00
SEP. 29	52.58	JUNE 10	55.27	JUNE 15	54.81
OCT. 27	54.32	JUNE 15	55.00	JUNE 20	54.53
NOV. 22	55.99	JUNE 20	54.47	JUNE 25	54.51
DEC. 21	57.90	JUNE 25	54.12	JUNE 30	53.67
JAN. 4, 1967	58.26	JUNE 30	53.72	JULY 5	53.02
JAN. 30	59.40	JULY 5	53.36	JULY 11	52.99
FEB. 27	61.23	JULY 10	52.86	JULY 15	52.84
MAR. 30	62.27	JULY 15	52.27	JULY 20	52.26
MAY 1	64.35	JULY 20	52.15	JULY 25	51.75
MAY 10	63.88	JULY 25	51.78	JULY 31	51.59
MAY 20	62.71	JULY 31	51.60	AUG. 5	51.56
JUNE 30	55.43	AUG. 5	51.42	AUG. 10	51.08
JULY 5	54.70	AUG. 10	51.50	AUG. 15	50.82
JULY 10	54.28	AUG. 15	51.32	AUG. 20	50.64
JULY 15	53.62	AUG. 19	50.96	AUG. 27	50.70
JULY 20	53.21	AUG. 20	51.07	AUG. 31	50.75
JULY 25	52.85	AUG. 31	52.32	SEP. 5	50.53
JULY 31	52.61	SEP. 5	52.57	SEP. 10	50.49
AUG. 5	52.42	SEP. 10	52.52	SEP. 13	50.29
AUG. 10	52.05	SEP. 15	52.43	SEP. 15	50.65
AUG. 15	51.63	SEP. 20	52.28	SEP. 20	50.85
AUG. 20	51.38	OCT. 2	52.88	OCT. 23	53.08H
AUG. 25	51.29	OCT. 5	52.84	DEC. 1	56.44H
AUG. 31	50.62	OCT. 10	52.84	DEC. 5	56.60
SEP. 5	50.40	OCT. 14	52.98	DEC. 10	56.51
SEP. 10	50.24	DEC. 5	56.44	DEC. 15	56.98
SEP. 15	50.87	DEC. 10	56.47	DEC. 20	57.15
SEP. 20	51.07	DEC. 15	56.69	DEC. 25	57.22
NOV. 30	55.92	DEC. 19	56.98	DEC. 31	57.87
DEC. 5	56.20	DEC. 25	56.93	JAN. 5, 1970	58.25
DEC. 10	56.87	JAN. 31, 1969	59.05	JAN. 10	58.07
DEC. 15	57.10	FEB. 5	58.96	JAN. 15	58.31
DEC. 20	57.04	FEB. 10	59.48	JAN. 20	58.67
JAN. 25, 1968	58.87	FEB. 15	59.45	JAN. 31	59.07
JAN. 30	59.02	FEB. 20	59.72	FEB. 5	59.36
MAR. 22	62.03H	FEB. 25	59.77	FEB. 10	59.58
MAR. 25	61.80	FEB. 28	59.87	FEB. 15	59.68
MAR. 31	62.25	MAR. 5	60.17	FEB. 20	60.16
APR. 4	62.53	APR. 17	62.27H	FEB. 25	60.33
APR. 5	62.49	APR. 19	62.41	FEB. 28	59.82
MAY 1	62.53	APR. 24	62.58	MAR. 5	60.25
MAY 5	61.48	MAY 10	62.07	MAR. 10	60.24
MAY 10	60.56	MAY 15	60.73	MAR. 15	60.77
MAY 17	59.55	MAY 20	59.78	MAR. 20	60.96
MAY 20	58.72	MAY 25	58.34	MAR. 25	61.38
MAY 25	57.38	MAY 31	57.22	MAR. 31	61.43

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1970	61.70	MAY 31, 1970	58.99	JULY 31, 1970	51.36
APR. 10	61.80	JUNE 5	57.97	AUG. 5	51.05
APR. 15	61.93	JUNE 10	57.07	AUG. 10	51.22
APR. 20	62.18	JUNE 15	56.43	AUG. 15	51.14
APR. 25	62.27	JUNE 20	55.91	AUG. 20	50.98
APR. 30	62.72	JUNE 25	55.33	AUG. 25	50.69
MAY 1	62.93	JUNE 30	54.66	AUG. 31	50.42
MAY 5	62.58	JULY 5	54.03	SEP. 2	50.27
MAY 10	62.07	JULY 10	53.31	SEP. 17	50.46
MAY 15	61.94	JULY 15	52.78	NOV. 11	54.89
MAY 20	60.42	JULY 20	52.13	JAN. 19, 1971	58.35
MAY 25	59.66	JULY 25	51.83	MAR. 17	60.860

H TAPE MEASUREMENT (RECORDER).
O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 433226N1160537.1
 LAT-LONG NO. 433226N1162113-1
 ALT. OF LSD 2750
 AQUIFER 0
 H-TAPE MEASUREMENT (RECORDED)
 O MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

433226N1160537.1 02N 03E 04ADD1 US BUREAU RECL ADA COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN, DEPTH 42.4 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,840 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 4-IN CASING, AT LSD (SINCE FEB. 24, 1967).

HIGHEST WATER LEVEL 30.50 FT (9.296 M) BELOW LSD, SEP. 14, 1970.
 LOWEST WATER LEVEL 35.29 FT (10.756 M) BELOW LSD, MAR. 23, 1968.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1967	34.35	SEP. 13, 1968	31.80	SEP. 14, 1970	30.50
MAY 1	33.43	APR. 21, 1969	32.08	OCT. 7	31.59
SEP. 20	32.16	SEP. 12	30.98	MAR. 18, 1971	31.77
MAR. 23, 1968	35.29	MAR. 9, 1970	33.32	NOV. 18	33.110

0 MEASUREMENTS DISCONTINUED.

433046N1160828.1 02N 03E 18ACB1 THOMAS BARNES ADA COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN, REPORTED DEPTH 470 FT, CASING TO 470. LSD ABOUT 3,095 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN CASING, 2.00 FT ABOVE LSD (SINCE FEB. 24, 1967).


HIGHEST WATER LEVEL 388.790 FT (118.503 M) BELOW LSD, NOV. 24, 1970.
 LOWEST WATER LEVEL 397.51 FT (121.161 M) BELOW LSD, SEP. 17, 1970.
 RECORDS AVAILABLE 1967-70.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1967	391.84	SEP. 13, 1968	391.20	JULY 16, 1970	393.09
MAY 1	392.44	APR. 21, 1969	391.27	SEP. 17	397.51
SEP. 21	392.76	MAR. 9, 1970	391.34	NOV. 24	388.790
MAR. 22, 1968	390.94				

0 MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 02N 03E 04W01 DEPTH OF WELL 42-4
 LAT-LONG NO. 433226N1160537.1
 ALT. OF LSD 2840
 AQUIFER W-T
 O. MEASUREMENTS DISCONTINUED



ADA COUNTY, IDAHO
 WELL NO. 02N 03E 18W01 DEPTH OF WELL 470
 LAT-LONG NO. 433046N1160828.1
 ALT. OF LSD 3055
 AQUIFER W-T
 O. MEASUREMENTS DISCONTINUED



DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DEPTH AND CASING INFORMATION NOT AVAILABLE. LSD ABOUT 2,680 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF TIN PLATE AROUND CASING NORTH SIDE, 0.40 FT ABOVE LSD (SINCE APR. 12, 1956).


HIGHEST WATER LEVEL 98.46 FT (30.011 M) BELOW LSD, SEP. 28, 1960.
 LOWEST WATER LEVEL 116.92 FT (35.637 M) BELOW LSD, APR. 26, 1955.
 RECORDS AVAILABLE 1955-65.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 26, 1955	116.92	APR. 27, 1959	111.80	SEP. 26, 1962	99.40
APR. 12, 1956	116.39	OCT. 28	99.30	MAR. 21, 1963	110.09
OCT. 9	101.18	MAR. 30, 1960	112.75	MAR. 31, 1964	109.44
APR. 26, 1957	114.26	SEP. 28	98.46	SEP. 24	100.05
OCT. 30	100.67	MAR. 29, 1961	109.97	APR. 2, 1965	109.88
APR. 28, 1958	112.95A	SEP. 27	101.13	SEP. 22	100.510
OCT. 27	100.70	MAR. 29, 1962	112.60		

A WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.

ADA COUNTY, IDAHO
 WELL NO. 04N 05W 06CB1 DEPTH OF WELL
 LAT-LONG NO. 432732N1163222-1
 ALT. OF LSD 2680 AQUIFER W-T
 A. WELL BEING PUMPED
 O. MEASUREMENTS DISCONTINUED



423009N1165909.1 04N 05W 06CBD1 C L CORDER CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN, DEPTH 25 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,270 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF PIT WALL WEST SIDE, AT LSD (SINCE OCT. 19, 1953).


HIGHEST WATER LEVEL 3.48 FT (1.061 M) BELOW LSD, APR. 26, 1955.
 LOWEST WATER LEVEL 6.83 FT (2.082 M) BELOW LSD, APR. 25, 1957.
 RECORDS AVAILABLE 1953, 1955-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 19, 1953	4.00	OCT. 10, 1956	4.10	OCT. 28, 1958	4.80
APR. 26, 1955	3.48	APR. 25, 1957	6.83	OCT. 28, 1959	4.61
OCT. 19	4.57	OCT. 28	4.77	SEP. 27, 1960	4.38G
APR. 12, 1956	4.60	APR. 29, 1958	6.48C		

C NEARBY WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 04N 05W 07DCC1 DEPTH OF WELL 25-0
 LAT-LONG NO. 423009N1165845.1 ALT. OF LSD 2270
 AQUIFER W-T
 C. NEARBY WELL BEING PUMPED
 D. MEASUREMENTS DISCONTINUED



DUG AND DRILLED IRRIGATION WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 X 15 FT TO 6 IN, DEPTH DUG TO 27 FT, DRILLED 27-130, CRIBBED WITH CONCRETE 0-27, 6-IN CASING 27-130. LSD ABOUT 2,292 FT ABOVE MSL DATUM OF 1929. MP NO. 3 TOP EDGE OF 2 X 6-IN PLANK OVER WELL PIT, 1.80 FT ABOVE LSD (SINCE SEPT. 24, 1964).


HIGHEST WATER LEVEL 5.90 FT (1.798 M) BELOW LSD, SEP. 27, 1960.
 LOWEST WATER LEVEL 13.40 FT (4.084 M) BELOW LSD, APR. 22, 1969.
 RECORDS AVAILABLE 1953, 1958-70.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 19, 1953	6.82	SEP. 26, 1962	7.25	MAR. 24, 1967	12.97
APR. 29, 1958	11.29	MAR. 22, 1963	12.50	APR. 26	12.24
OCT. 28	9.54	SEP. 24	8.06	SEP. 17	7.33
APR. 27, 1959	25.40A	MAR. 30, 1964	13.06	MAR. 20, 1968	12.83
OCT. 28	7.75	SEP. 24	7.28	SEP. 11	24.17A
MAR. 29, 1960	11.60	APR. 1, 1965	11.81	APR. 22, 1969	13.40
SEP. 27	5.90	SEP. 21	16.50A	SEP. 17	8.22
MAR. 29, 1961	11.75	MAR. 28, 1966	12.81	MAR. 12, 1970	12.20
SEP. 28	8.10	SEP. 27	9.05	SEP. 16	9.910
MAR. 30, 1962	12.66				

A WELL BEING PUMPED.
 0 MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 04N 05W 22CC02 DEPTH OF WELL 130
 LAT-LONG NO. 434132N1165845.1
 ALT. OF LSD 2258
 A. WELL BEING PUMPED
 B. MEASUREMENTS DISCONTINUED



433943N1165545.2 04N 05W 22CC02 ELMER LOOK CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 37 FT, CASIED TO 33. LSD ABOUT 2,290 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 6-IN CASING, 5.80 FT BELOW LSD (SINCE JAN. 5, 1967).


HIGHEST WATER LEVEL 8.70 FT (2.652 M) BELOW LSD, SEP. 17, 1969.
 LOWEST WATER LEVEL 10.570 FT (3.222 M) BELOW LSD, MAR. 16, 1971.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1967	8.97	SEP. 11, 1968	9.11	MAR. 12, 1970	10.38
APR. 26	9.17	APR. 22, 1969	18.60A	SEP. 16	8.90
SEP. 17	14.28A	SEP. 17	8.70	MAR. 16, 1971	10.570
MAR. 20, 1968	10.02				

A WELL BEING PUMPED.
 B MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 04N 05W 33DBA1 C-22022 DEPTH OF WELL 37
 LAT-LONG NO. 433819N1165616.1
 ALT. OF LSD 2280 AQUIFER 0 5 #-T
 A. WELL BEING PUMPED C. MEASUREMENTS DISCONTINUED



433819N1165616.1 04N 05W 33DBA1 C LEMRICK CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DEPTH 56 FT, CASING INFORMATION NOT AVAILABLE. LSD ABOUT 2,286 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING, 0.40 FT ABOVE LSD (SINCE JAN. 6, 1954).


HIGHEST WATER LEVEL 16.39 FT (4.996 M) BELOW LSD, OCT. 10, 1956.
 LOWEST WATER LEVEL 27.86 FT (8.492 M) BELOW LSD, APR. 26, 1955.
 RECORDS AVAILABLE 1954-57.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1954	22.5	APR. 12, 1956	27.42	MAR. 27, 1957	26.99
APR. 26, 1955	27.86	OCT. 10	16.39	APR. 25	27.58
OCT. 19	17.32	FEB. 27, 1957	26.10	MAY 24	P

P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. 04N 04W 11DAA1
 LAT-LONG NO. 438619N1165616.1
 ALT. OF LSD 2886
 AQUIFER W-T
 P. WELL DESTROYED



434154N1164622.1 04N 04W 11DAA1 L RAY CAIN CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN COARSE SAND OF QUATERNARY AGE, DIAM 4 IN, REPORTED DEPTH 42 FT, CASED TO 37. LSD ABOUT 2,310 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP INNER EDGE OF CINDER BLOCK WALL NORTH OF WELL HOUSE, 4.00 FT ABOVE LSD (SINCE SEPT. 17, 1969).


HIGHEST WATER LEVEL 2.96 FT (0.902 M) BELOW LSD, SEP. 15, 1970.
 LOWEST WATER LEVEL 8.43 FT (2.569 M) BELOW LSD, JAN. 13, 1967.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1967	8.43	APR. 11, 1969	7.93	SEP. 15, 1970	2.96
APR. 26	7.35	SEP. 17	4.72	MAR. 15, 1971	4.97
SEP. 18	6.11	MAR. 12, 1970	8.24	NOV. 18	7.730
SEP. 11, 1968	5.52				

0 MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 04N 04W 25BD1
 LAT-LONG NO. 434154N1164622-1
 ALT. OF LSD 2210
 W-T
 42
 D: MEASUREMENTS DISCONTINUED



433919N1164549.1

04N 04W 25BD1

US BUREAU RECL

CANYON COUNTY

DRILLED OBSERVATION WATER-TABLE WELL IN YOUNGER TERRACE GRAVEL, DIAM 5 TO 4 IN, DEPTH 45.9 FT, 6-IN CASING 0-44.5, 4-IN CASING 43-45.9, PERFORATED 43-45.9. LSD 2,368.39 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED SEPT. 30, 1953. RECORDER REMOVED JUNE 18, 1954. MP NO. 1 TOP OF 6-IN CASING, 0.50 FT ABOVE LSD (SINCE SEPT. 30, 1953).

HIGHEST WATER LEVEL 6.13 FT (1.868 M) BELOW LSD, DEC. 16, 1954.
 LOWEST WATER LEVEL 19.49 FT (5.941 M) BELOW LSD, JUNE 16, 1955.
 RECORDS AVAILABLE 1953-65.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1953	8.66	APR. 5, 1954	12.47	JUNE 21, 1957	17.21C
OCT. 1	8.40	APR. 10	12.64	AUG. 7	10.66
OCT. 5	7.69	APR. 15	12.71	AUG. 23	15.13C
OCT. 10	7.40	APR. 17	12.72	SEP. 24	13.54
OCT. 15	7.34	APR. 18	12.72	OCT. 28	7.37
OCT. 16	7.24	APR. 23	12.20	NOV. 27	8.82
OCT. 20	7.50	APR. 30	17.91	DEC. 26	9.47
OCT. 25	7.91	MAY 7	17.89	JAN. 27, 1958	10.70
OCT. 31	8.23	MAY 14	18.46C	FEB. 27	9.94
NOV. 5	8.38	MAY 21	16.49	MAR. 31	11.42
NOV. 10	8.64	MAY 28	18.02	APR. 29	11.69
NOV. 15	8.94	JUNE 4	12.15	MAY 29	16.91C
NOV. 21	9.17	JUNE 18	15.16	JUNE 30	17.18
NOV. 25	9.28	DEC. 16	6.13	JULY 30	19.79C
NOV. 30	9.37	JUNE 16, 1955	19.49	AUG. 28	14.44C
DEC. 5	9.60	JULY 6	19.18	SEP. 29	13.45C
DEC. 10	9.75	AUG. 18	18.07	OCT. 28	7.65
DEC. 15	9.90	SEP. 15	17.11	NOV. 28	9.29
DEC. 23	10.12	OCT. 24	7.82	DEC. 29	10.44
JAN. 4, 1954	10.45	NOV. 18	8.77	JAN. 29, 1959	11.35
JAN. 5	10.46	DEC. 13	9.31	FEB. 26	11.97
JAN. 6	10.45	JAN. 12, 1956	8.45	MAR. 30	12.63
JAN. 10	10.62	FEB. 14	10.92	APR. 27	18.49C
JAN. 15	10.75	MAR. 13	12.11	MAY 28	16.97C
JAN. 20	10.88	APR. 12	17.19	JUNE 29	17.63C
JAN. 25	11.00	MAY 11	12.87	JULY 31	14.10
JAN. 31	11.16	JUNE 11	12.28	AUG. 27	16.26C
FEB. 4	11.25	JULY 12	16.91C	SEP. 28	7.07
FEB. 12	11.35	AUG. 10	15.17	OCT. 28	8.97
FEB. 14	11.44	SEP. 11	6.90	NOV. 27	10.21
FEB. 19	11.58	OCT. 10	7.72	DEC. 28	11.25
FEB. 26	11.71	NOV. 7	6.37	JAN. 28, 1960	12.07
FEB. 28	11.69	NOV. 30	7.92	FEB. 26	11.90
MAR. 5	11.85	DEC. 28	9.38	MAR. 29	12.48
MAR. 10	11.92	JAN. 24, 1957	10.52	APR. 27	17.89C
MAR. 15	12.01	FEB. 27	8.52	MAY 27	11.03
MAR. 20	12.13	MAR. 27	10.76	JUNE 27	17.71C
MAR. 25	12.28	APR. 25	11.78	JULY 28	18.02C
MAR. 31	12.39	MAY 24	9.94	AUG. 29	15.54C

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 27, 1960	13.48C	MAR. 30, 1962	13.39	SEP. 24, 1963	10.50
OCT. 27	7.72	APR. 27	18.69C	OCT. 28	9.93
NOV. 28	8.98	MAY 28	9.28	NOV. 26	10.49
DEC. 29	10.17	JUNE 28	18.41C	DEC. 30	11.47
JAN. 27, 1961	11.09	JULY 27	18.45C	JAN. 30, 1964	11.73
FEB. 27	11.55	AUG. 27	17.20C	FEB. 27	12.29
MAR. 29	12.21	SEP. 26	14.54	MAR. 30	12.99
APR. 27	17.96C	OCT. 26	8.47	APR. 29	13.68
MAY 25	17.74	NOV. 27	9.97	MAY 28	13.35
JUNE 26	18.78C	DEC. 26	10.88	JUNE 29	17.92C
JULY 27	16.49C	JAN. 25, 1963	11.81	JULY 30	15.03
AUG. 28	17.32C	FEB. 25	12.07	AUG. 27	17.97C
SEP. 28	9.56	MAR. 22	12.69	SEP. 24	11.94
OCT. 30	10.20	APR. 26	13.43	OCT. 26	10.34
NOV. 29	10.88	MAY 27	18.05C	NOV. 27	11.16
DEC. 28	11.75	JUNE 27	18.43C	DEC. 29	11.45
JAN. 29, 1962	12.63	JULY 29	18.29C	JAN. 28, 1965	11.91
FEB. 27	12.34	AUG. 22	16.77	MAR. 1	

C NEARBY WELL BEING PUMPED.
P WELL DESTROYED.

CANYON COUNTY, IDAHO
WELL NO. 04N 04W 25BDD1 DEPTH OF WELL 45.9
C. NEARBY WELL BEING PUMPED
LAT-LONG NO. 433919N1164549.1
ALT. OF LSD 2668.39 AQUIFER OR OT R W-T
P. WELL DESTROYED



DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 1 1/4 IN, DEPTH 81.9 FT, CASSED TO 81.9, SAND POINT 78.9-81.9. LSD 2,368.39 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 1 1/4-IN PIPE CASING, 1.00 FT ABOVE LSD (SINCE SEPT. 30, 1953).


HIGHEST WATER LEVEL 4.05 FT (1.234 M) BELOW LSD, SEP. 28, 1959.
 LOWEST WATER LEVEL 21.19 FT (6.459 M) BELOW LSD, MAY 25, 1961.
 RECORDS AVAILABLE 1953-65.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1953	6.28	FEB. 26, 1959	7.08	MAR. 30, 1962	8.37
OCT. 2	5.38	MAR. 30	7.69	APR. 27	23.02C
OCT. 9	4.46	APR. 27	22.32C	MAY 28	11.67
OCT. 16	4.18	MAY 28	20.79C	JUNE 28	21.69C
OCT. 23	4.33	JUNE 29	20.83C	JULY 27	21.03C
OCT. 30	4.65	JULY 31	11.39	AUG. 27	19.58C
NOV. 6	4.80	AUG. 27	19.26C	SEP. 26	18.60
NOV. 13	4.97	SEP. 28	4.05	OCT. 26	4.78
NOV. 20	5.16	OCT. 28	5.15	NOV. 27	5.44
NOV. 27	5.30	NOV. 27	5.80	DEC. 26	6.11
DEC. 4	5.30	DEC. 28	5.70	JAN. 25, 1963	6.52
DEC. 18	5.62	JAN. 28, 1960	6.90	FEB. 25	6.83
JAN. 15, 1954	5.94	FEB. 26	6.98	MAR. 22	7.41
JAN. 18, 1955	6.04	MAR. 29	7.95	APR. 26	8.03
MAR. 27, 1957	6.35	APR. 27	22.38C	MAY 27	22.03C
APR. 25	7.25	MAY 27	8.08	JUNE 27	21.40C
MAY 24	7.69	JUNE 27	21.15C	JULY 29	20.89C
JUNE 21	20.27C	JULY 28	20.73C	AUG. 22	19.86
AUG. 7	7.36	AUG. 29	18.98C	SEP. 24	6.61
AUG. 23	18.61C	SEP. 27	17.91C	OCT. 28	5.79
SEP. 24	17.19	OCT. 27	4.57	NOV. 26	6.07
OCT. 28	4.26	NOV. 28	5.07	DEC. 30	6.45
NOV. 27	4.96	DEC. 29	5.65	JAN. 30, 1964	6.69
DEC. 26	5.20	JAN. 27, 1961	6.15	FEB. 27	7.18
JAN. 27, 1958	6.04	FEB. 27	6.59	MAR. 30	7.73
FEB. 27	5.75	MAR. 29	7.82	APR. 29	8.54
MAR. 31	7.03	APR. 27	21.98C	MAY 28	9.90
APR. 29	9.31	MAY 25	21.19	JUNE 29	21.02C
MAY 29	20.74C	JUNE 26	21.58C	JULY 30	12.35
JUNE 30	20.67C	JULY 27	21.02C	AUG. 27	20.36C
JULY 30	19.79C	AUG. 28	20.60C	SEP. 24	7.50
AUG. 28	18.16C	SEP. 28	6.40	OCT. 26	5.93
SEP. 29	17.26C	OCT. 30	6.46	NOV. 27	6.35
OCT. 28	4.47	NOV. 29	6.66	DEC. 29	6.36
NOV. 28	4.89	DEC. 28	7.03	JAN. 28, 1965	6.82
DEC. 29	5.99	JAN. 29, 1962	7.64	MAR. 1	P
JAN. 29, 1959	6.24	FEB. 27	7.76		

C NEARBY WELL BEING PUMPED.
 P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. 04N 04W 25BDD2 DEPTH OF WELL 81.9 ALT. OF LSD 2368.39 AQUIFER 0 R W T
 C- NEARBY WELL BEING PUMPED
 P- WELL DESTROYED



DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE, DIAM 6 TO 4 IN, DEPTH 66.9 FT, 6-IN CASING 0-62.5, 4-IN CASING 61.5-67.5, PERFORATED 62.5-67.5. LSD 2,423.63 FT ABOVE MSL DATUM OF 1929. RECORDER INSTALLED SEPT. 24, 1953. RECORDER REMOVED OCT. 20, 1954. MP NO. 1 TOP OF CASING WEST SIDE, 0.50 FT ABOVE LSD (SINCE SEPT. 24, 1953).

HIGHEST WATER LEVEL 6.97 FT (2.124 M) BELOW LSD, JUNE 27, 1960.
 LOWEST WATER LEVEL 13.31 FT (4.057 M) BELOW LSD, MAR. 30, 1959.
 RECORDS AVAILABLE 1953-62.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 24, 1953	9.82	APR. 5, 1954	13.02	OCT. 5, 1954	10.82
SEP. 25	9.62	APR. 10	13.07	OCT. 10	10.01
SEP. 30	9.37	APR. 13	13.10	OCT. 15	10.03
OCT. 5	9.46	APR. 15	12.98	OCT. 20	10.26
OCT. 10	9.53	APR. 20	12.14	NOV. 16	11.13
OCT. 15	10.38	APR. 25	12.08	DEC. 16	11.74
OCT. 20	10.23	APR. 30	11.77	JAN. 18, 1955	12.26
OCT. 25	10.38	MAY 5	11.33	FEB. 16	12.70
OCT. 31	10.57	MAY 10	10.55	MAR. 16	13.02
NOV. 5	10.69	MAY 15	9.93	APR. 18	12.72
NOV. 10	10.83	MAY 20	9.39	MAY 17	12.23
NOV. 15	10.99	MAY 25	8.38	JUNE 16	10.85
NOV. 20	11.11	MAY 31	9.06	JULY 6	9.65
NOV. 25	11.23	JUNE 5	9.20	AUG. 18	10.36
NOV. 30	11.32	JUNE 10	8.76	SEP. 15	8.85
DEC. 5	11.45	JUNE 15	9.33	OCT. 24	8.48
DEC. 10	11.55	JUNE 20	9.49	NOV. 18	11.00
DEC. 15	11.63	JUNE 25	8.43	DEC. 13	11.69
DEC. 20	11.70	JUNE 26	8.13	JAN. 12, 1956	12.10
DEC. 25	11.79	JUNE 27	8.13	MAR. 13	12.92
DEC. 31	11.88	JUNE 30	8.34	APR. 12	13.13
JAN. 5, 1954	11.96	JULY 5	8.90	MAY 11	10.50
JAN. 10	12.04	JULY 10	8.88	JUNE 11	9.62
JAN. 15	12.11	JULY 15	8.72	JULY 12	9.86C
JAN. 20	12.22	JULY 20	8.92	AUG. 10	10.88
JAN. 25	12.28	JULY 25	9.56	SEP. 11	11.44C
JAN. 31	12.38	JULY 31	9.12	OCT. 10	9.92
FEB. 5	12.43	AUG. 5	9.96	NOV. 7	10.89
FEB. 10	12.48	AUG. 10	9.81	NOV. 30	11.57
FEB. 15	12.53	AUG. 15	10.00	DEC. 28	12.18
FEB. 20	12.58	AUG. 20	10.42	JAN. 24, 1957	12.69
FEB. 25	12.63	AUG. 25	9.73	FEB. 27	12.55
FEB. 28	12.66	AUG. 31	9.95	MAR. 27	12.53
MAR. 5	12.71	SEP. 5	10.33	APR. 24	12.97
MAR. 10	12.75	SEP. 10	10.46	MAY 24	11.85
MAR. 15	12.80	SEP. 15	9.99	JUNE 21	12.27C
MAR. 20	12.86	SEP. 20	10.27	AUG. 7	12.14
MAR. 25	12.91	SEP. 25	10.48	AUG. 23	11.73
MAR. 31	12.96	SEP. 30	10.87	SEP. 24	8.59

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 28, 1957	10.88	JUNE 29, 1959	8.87	FEB. 27, 1961	12.73
NOV. 27	11.71	JULY 31	8.44	MAR. 29	13.02
DEC. 26	12.19	AUG. 27	8.11	APR. 27	12.72
JAN. 27, 1958	12.64	SEP. 28	9.00	JUNE 26	9.30
FEB. 27	12.41	OCT. 26	10.70	JULY 27	8.14
MAR. 31	12.86	NOV. 27	11.72	AUG. 28	10.32C
APR. 29	12.83	DEC. 28	12.35	SEP. 28	8.48
MAY 29	11.00	JAN. 28, 1960	12.86	OCT. 30	10.75
JUNE 30	10.07C	FEB. 26	12.88	NOV. 29	11.48
JULY 30	11.04C	MAR. 29	13.08	DEC. 28	12.04
AUG. 28	10.65C	APR. 27	12.54	JAN. 29, 1962	12.54
SEP. 29	8.54	MAY 27	9.92	FEB. 27	12.58
OCT. 28	10.41	JUNE 27	6.97	MAR. 30	12.95
NOV. 28	11.51	JULY 28	7.20	APR. 27	12.68
DEC. 29	12.18	AUG. 29	7.13	MAY 28	10.52
JAN. 29, 1959	12.69	SEP. 27	8.07	JUNE 28	9.35
FEB. 26	13.02	OCT. 27	10.03	JULY 27	8.40
MAR. 30	13.31	NOV. 28	11.20	AUG. 27	7.97
APR. 27	11.58	DEC. 29	11.91	SEP. 26	P
MAY 28	9.70	JAN. 27, 1961	12.43		

C NEARBY WELL BEING PUMPED.
 P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. DAN 03W 250A3 ALT. OF LSD 2423.63 R W-T
 LAT-LONG NO. 433919N1163757.1
 P. WELL DESTROYED
 C. NEARBY WELL BEING PUMPED



433407N1164059.1 03N 03W 27BDD1 ID FISH & GAME CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN, DEPTH AND CASING INFORMATION NOT AVAILABLE. LSD ABOUT 2,550 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING NORTH SIDE, 0.40 FT ABOVE LSD (SINCE NOV. 6, 1953).


HIGHEST WATER LEVEL 30.20 FT (9.205 M) BELOW LSD, MAY 28, 1959.
 LOWEST WATER LEVEL 48.33 FT (14.731 M) BELOW LSD, JAN. 28, 1960.
 RECORDS AVAILABLE 1953-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 6, 1953	40.01	APR. 26, 1957	33.15	DEC. 29, 1958	38.01
DEC. 16, 1954	39.40	MAY 24	31.60	JAN. 29, 1959	37.63
FEB. 16, 1955	38.67	JUNE 21	32.73	FEB. 26	35.76
MAR. 16	37.68	AUG. 7	38.07	MAR. 30	32.89
MAY 17	32.79	AUG. 29	38.33	APR. 27	31.51
JULY 6	35.40	SEP. 24	44.22	MAY 28	30.20
FEB. 14, 1956	42.01	OCT. 28	42.24	JUNE 29	31.41
MAR. 13	40.58	NOV. 27	41.58	JULY 31	35.16
APR. 12	36.93	DEC. 26	41.09	AUG. 27	38.60
MAY 11	34.90	JAN. 27, 1958	40.37	SEP. 28	42.13
JUNE 11	33.90	FEB. 27	36.52	OCT. 28	44.13
JULY 12	35.45C	MAR. 31	33.87	DEC. 28	47.10
AUG. 10	38.24	APR. 29	31.89	JAN. 28, 1960	48.33
SEP. 11	41.16	MAY 29	31.13	FEB. 26	48.02
OCT. 10	42.00	JUNE 30	31.18	MAR. 29	44.58
NOV. 7	41.52	JULY 30	34.06	APR. 27	38.85
NOV. 30	41.12	AUG. 28	36.35	MAY 27	36.35
DEC. 28	40.71	SEP. 29	38.42	JUNE 27	35.76
JAN. 24, 1957	40.29	OCT. 27	38.53	AUG. 29	41.35
FEB. 27	39.98	NOV. 28	38.31	SEP. 27	43.05O
MAR. 27	36.03				

C NEARBY WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 03N 02W 270001 DEPTH OF WELL
 C. NEARBY WELL BEING PUMPED



LAT-LONG NO. 433407N1164059.1
 ALT. OF LSD 2550
 W-T
 O. MEASUREMENTS DISCONTINUED

433619N1163646.1 03N 02W 070001 JOHN HAGEN CANYON COUNTY

DRILLED DOMESTIC WATER-TABLE WELL IN CLAYEY SAND OF QUATERNARY AGE,
 DIAM 4 IN, REPORTED DEPTH 92 FT, CASED TO 77. LSD ABOUT 2,450 FT ABOVE MSL
 DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 4-IN CASING, 1.50 FT ABOVE LSD
 (SINCE JAN. 5, 1967).

HIGHEST WATER LEVEL 7.26 FT (2.213 M) BELOW LSD, SEP. 14, 1970.
 LOWEST WATER LEVEL 10.180 FT (3.103 M) BELOW LSD, MAR. 16, 1971.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1967	9.548	SEP. 12, 1968	7.13A	MAR. 11, 1970	10.11
APR. 27	10.73A	APR. 11, 1969	10.11B	SEP. 14	7.26
SEP. 18	8.19A	SEP. 16	6.65B	MAR. 16, 1971	10.180
MAR. 21, 1968	11.70A				

A WELL BEING PUMPED.
 B WELL PUMPED RECENTLY.
 O MEASUREMENTS DISCONTINUED.


DRILLED OBSERVATION WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 TO 4 IN, DEPTH 106.6 FT, 6-IN CASING 0-102.5, 4-IN CASING 101-107, PERFORATED 101-107. LSD 2,454.60 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING, 0.50 FT ABOVE LSD (SINCE OCT. 7, 1953).

HIGHEST WATER LEVEL 7.26 FT (2.213 M) BELOW LSD, SEP. 17, 1954.
 LOWEST WATER LEVEL 17.88 FT (5.450 M) BELOW LSD, APR. 18, 1954.
 RECORDS AVAILABLE 1953-59.


WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1953	7.90	JAN. 31, 1954	12.28	MAY 15, 1954	15.87
OCT. 17	8.48	FEB. 5	12.36	MAY 20	15.66
OCT. 20	8.78	FEB. 10	12.40	MAY 25	15.47
OCT. 25	9.25	FEB. 15	12.33	MAY 30	15.12
OCT. 31	9.60	FEB. 20	12.16	JUNE 5	8.94
NOV. 5	9.79	FEB. 25	12.13	JUNE 11	8.53
NOV. 10	10.01	FEB. 28	12.10	JUNE 12	8.47
NOV. 15	10.28	MAR. 5	12.14	JUNE 15	8.47
NOV. 20	10.47	MAR. 10	12.10	JUNE 20	14.68
NOV. 25	10.68	MAR. 15	12.12	JUNE 26	14.69
NOV. 30	10.79	MAR. 19	12.16	JUNE 30	14.57
DEC. 5	10.99	MAR. 26	12.21	JULY 2	8.65
DEC. 10	11.13	MAR. 31	12.21	AUG. 20	13.35
DEC. 15	11.26	APR. 5	12.22	SEP. 17	7.26
DEC. 20	11.39	APR. 10	12.28	APR. 27, 1955	11.83
DEC. 25	11.55	APR. 15	12.18	APR. 13, 1956	17.05
DEC. 31	11.66	APR. 18	17.88	OCT. 10	8.66
JAN. 5, 1954	11.77	APR. 20	17.85	APR. 24, 1957	11.72
JAN. 10	11.88	APR. 25	17.42	OCT. 28	9.95
JAN. 15	11.95	APR. 30	17.03	OCT. 27, 1958	9.54
JAN. 20	12.07	MAY 5	16.65	APR. 28, 1959	10.980
JAN. 25	12.16	MAY 10	16.16		

O MEASUREMENTS DISCONTINUED.



CANYON COUNTY, IDAHO
 WELL NO. 03N 02W 25AAA1
 LAT-LONG NO. 433432N1163046.1
 ALT. OF LSD 2454.60 ADJUFER 0 5 FT



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAM 6 IN, REPORTED DEPTH 34 FT, CASED TO 34. LSD 2,525.60 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MEASUREMENTS CODED G MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT, MP NO. 2 TOP OF CASING, 3.30 FT BELOW LSD (SINCE JUNE 29, 1948).

HIGHEST WATER LEVEL 6.3 G FT (1.920 M) BELOW LSD, SEP. 16, 1953.
 LOWEST WATER LEVEL 21.0 G FT (6.401 M) BELOW LSD, APR. 21, 1924.
 RECORDS AVAILABLE 1921, 1924-25, 1928, 1933-67.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1921	19.2 G	SEP. 23, 1949	9.17	AUG. 21, 1953	8.18
APR. 21, 1924	21.0 G	OCT. 26	10.3 G	SEP. 16	6.3 G
OCT. 16, 1925	14.3 G	JAN. 24, 1950	12.75	SEP. 18	7.33
NOV. 10, 1928	16.2 G	MAR. 6	13.7 G	OCT. 23	7.81
SEP. 21, 1933	15.9 G	MAR. 28	13.91	NOV. 20	9.65
MAR. 13, 1934	16.8 G	AUG. 30	8.13	DEC. 23	11.10
NOV. 10	16.1 G	NOV. 1	9.4 G	JAN. 22, 1954	12.03
MAR. 8, 1935	18.3 G	DEC. 8	12.18	FEB. 26	12.71
OCT. 22	15.3 G	JAN. 18, 1951	12.01	MAR. 26	13.48
MAR. 7, 1936	17.4 G	MAR. 8	12.83	APR. 23	13.52
NOV. 5	13.8 G	MAY 7	12.66	MAY 21	11.91
MAR. 17, 1937	16.8 G	JUNE 5	10.79	JUNE 18	10.56
DEC. 4	15.8 G	JULY 13	9.56	JULY 23	9.04
OCT. 27, 1938	12.3 G	AUG. 9	8.45	AUG. 20	7.98
MAR. 7, 1939	15.6 G	SEP. 20	7.36	SEP. 17	6.97
NOV. 21	14.4 G	OCT. 19	8.13	MAR. 16, 1955	13.20
MAR. 8, 1940	16.4 G	NOV. 23	8.47	APR. 27	13.97
NOV. 30	14.3 G	DEC. 20	11.00	OCT. 19	7.66
MAR. 17, 1941	16.5 G	JAN. 25, 1952	14.73	MAR. 13, 1956	12.46
OCT. 30	12.1 G	FEB. 23	12.68	APR. 13	13.42
FEB. 25, 1942	15.1 G	MAR. 10	12.8 G	OCT. 10	6.42
OCT. 29	12.1 G	MAR. 22	13.34	APR. 26, 1957	13.55
FEB. 22, 1943	14.9 G	APR. 19	13.74	OCT. 28	8.57
NOV. 6	10.9 G	MAY 27	11.70	APR. 29, 1958	13.38
FEB. 23, 1944	13.9 G	JULY 1	9.74	OCT. 27	9.35
FEB. 26, 1945	14.7 G	JULY 30	8.49	APR. 28, 1959	13.22
DEC. 13	13.1 G	SEP. 5	7.59	OCT. 27	9.73
MAR. 1, 1946	14.6 G	SEP. 17	7.4 G	MAR. 29, 1960	13.99
DEC. 16	11.8 G	OCT. 12	7.40	SEP. 27	6.66
FEB. 28, 1947	14.1 G	NOV. 20	9.78	MAR. 30, 1961	13.25
OCT. 20	9.3 G	DEC. 19	11.92	SEP. 28	9.11
MAR. 3, 1948	14.4 G	JAN. 19, 1953	11.76	MAR. 29, 1962	14.20
JUNE 29	12.12	FEB. 19	11.48	SEP. 26	7.75
SEP. 10	9.42	MAR. 3	14.1 G	MAR. 22, 1963	13.43
SEP. 23	10.2 G	MAR. 19	12.96	SEP. 24	7.22
NOV. 8	11.0 G	APR. 19	12.92	MAR. 31, 1964	13.35
MAR. 2, 1949	14.0 G	MAY 22	11.20	SEP. 23	7.28
MAY 24	11.21	JUNE 19	10.85	APR. 1, 1965	13.03
JULY 18	11.50	JULY 20	9.63	SEP. 22	6.84

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1966	13.65	SEP. 29, 1966	7.23	MAR. 25, 1967	14.760

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.


CANYON COUNTY, IDAHO. LAT-LONG NO. 433432N1163046.1

WELL NO. 03N 02W 25AAA1 DEPTH OF WELL 34


ALT. OF LSD 2525-60 ADJUFER 0.0A

W-T

G. MEASURED BY OUTSIDE AGENCY OR PERSON O. MEASUREMENTS DISCONTINUED



CANYON COUNTY, IDAHO
 WELL NO. 02N 03W 02DCC1 ALT. OF LSD 2525.00 AQUIFER 0.0A W-T
 G. MEASURED BY OUTSIDE AGENCY OR PERSON O. MEASUREMENTS DISCONTINUED



433157N1163937.1 02N 03W 02DCC1 MIKE FITHIAN CANYON COUNTY

DUG DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 36 IN, DEPTH 45.9 FT, CASING INFORMATION NOT AVAILABLE. LSD 2,549.02 FT ABOVE MSL DATUM OF 1929. OCT. 31, 1917, THROUGH OCT. 14, 1924, MEASUREMENTS MADE BY BOISE PROJECT BOARD OF CONTROL. MP NO. 1 TOP OF CONCRETE PLATFORM, AT LSD (SINCE OCT. 31, 1917).


HIGHEST WATER LEVEL 17.39 FT (5.300 M) BELOW LSD, APR. 2, 1965.
 LOWEST WATER LEVEL 40.3 FT (12.283 M) BELOW LSD, OCT. 31, 1917.
 RECORDS AVAILABLE 1917-22, 1924, 1953, 1956-68.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 31, 1917	40.3	SEP. 6, 1956	27.28	SEP. 24, 1963	22.50
NOV. 19, 1918	37.8	APR. 28, 1957	18.82	MAR. 30, 1964	19.92
JAN. 29, 1919	35.6	OCT. 28	24.85	SEP. 24	21.34
MAR. 10	31.4	APR. 29, 1958	18.38	APR. 2, 1965	17.39
APR. 9	27.0	OCT. 28	23.53	SEP. 21	18.65
MAY 22	23.5	APR. 28, 1959	18.10	MAR. 29, 1966	20.42
JUNE 30	27.3	OCT. 27	31.04	SEP. 28	29.61
AUG. 11	34.3	MAR. 29, 1960	23.54	MAR. 25, 1967	21.77
OCT. 11	38.2	SEP. 27	24.96	APR. 27	19.07
JAN. 8, 1920	36.9	MAR. 29, 1961	22.40	SEP. 18	23.04
SEP. 17, 1921	33.0	SEP. 28	27.85	MAR. 21, 1968	20.58
NOV. 2, 1922	38.5	MAR. 30, 1962	18.43	SEP. 11	22.20
OCT. 14, 1924	40.2	SEP. 26	22.55	APR. 14, 1969	P
OCT. 18, 1953	27.11	MAR. 22, 1963	19.41		

P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. GEN. OR. Q. 02001 DEPTH OF WELL 45.9 ALT. OF LSD 2549.02 ADJUTER
 LAT-LONG NO. 433157N1163937.1
 W.T.
 P. WELL DESTROYED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

433023N1164130.1 02N 03W 15CBC1 H DOLLARHIDE CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 IN, REPORTED DEPTH 347 FT, CASIED TO 347, CLOSED END, ASSUMED PERFORATED, INTERVAL NOT AVAILABLE, GRAVEL PACKED. LSD ABOUT 2,718 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING EAST SIDE, 1.10 FT ABOVE LSD (SINCE JULY 28, 1960).


HIGHEST WATER LEVEL 198.65 FT (60.549 M) BELOW LSD, DEC. 30, 1963.
 LOWEST WATER LEVEL 220.14 FT (67.099 M) BELOW LSD, SEP. 26, 1962.
 RECORDS AVAILABLE 1960-64.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 28, 1960	231.32C	SEP. 28, 1961	207.78	NOV. 27, 1962	207.15
AUG. 29	220.44C	OCT. 30	206.39	DEC. 26	206.10
SEP. 27	210.95	NOV. 29	205.17	JAN. 25, 1963	205.00
OCT. 27	207.86	DEC. 28	205.23	FEB. 25	204.87
NOV. 28	206.38	JAN. 29, 1962	205.15	SEP. 24	199.77
DEC. 29	205.30	FEB. 27	204.60	OCT. 28	199.16
JAN. 27, 1961	204.50	MAR. 30	204.28	NOV. 26	198.70
FEB. 27	203.97	APR. 27	202.85	DEC. 30	198.65
MAR. 29	203.77	MAY 28	203.26	JAN. 29, 1964	N
APR. 27	222.62C	JUNE 28	210.10	FEB. 27	N
MAY 25	227.10C	JULY 27	229.17C	MAR. 30	N
JUNE 26	224.34C	AUG. 27	230.85C	APR. 29	N
JULY 27	225.06C	SEP. 26	220.14	MAY 28	U
AUG. 28	212.63	OCT. 26	210.02		

C NEARBY WELL BEING PUMPED.
 N NO MEASUREMENT.
 U MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 02N 03W 15CCB1 DEPTH OF WELL 347
 LAT-LONG NO. 433020N1164130.1 ALT. OF LSD 2718
 AQUIFER NO. 10 R W-T
 C. NEARBY WELL BEING PUMPED
 D. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED IRRIGATION WATER-TABLE WELL IN IDAHO GROUP, DIAM 12 TO 11 IN, REPORTED DEPTH 307 FT, CASED TO 284, PERFORATED 227-262. LSD ABOUT 2,732 FT ABOVE MSL DATUM OF 1929. MP NO. 5 HOLE IN STEEL PLATE OVER TOP OF CASING, 0.60 FT ABOVE LSD (SINCE MAR. 22, 1963).


HIGHEST WATER LEVEL 214.58 FT (65.404 M) BELOW LSD, SEP. 6, 1956.
 LOWEST WATER LEVEL 228.49 FT (69.644 M) BELOW LSD, MAY 28, 1959.
 RECORDS AVAILABLE 1956-67.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 8, 1956	214.65	JUNE 26, 1961	250.20A	NOV. 27, 1964	218.34
SEP. 6	214.58	JULY 27	250.84A	DEC. 29	218.15
APR. 25, 1957	218.88	SEP. 28	221.28	JAN. 28, 1965	218.25
MAY 24	220.54	OCT. 30	219.61A	MAR. 1	218.38
DEC. 26	217.72	NOV. 29	218.64	APR. 2	217.49
JAN. 27, 1958	217.62	DEC. 28	218.29	APR. 28	217.60
FEB. 27	217.60	JAN. 29, 1962	218.24	MAY 27	217.52
MAR. 31	217.31	FEB. 27	217.50	JUNE 29	217.47
APR. 29	217.62	MAR. 30	217.24	JULY 29	217.52
SEP. 29	226.20	APR. 27	216.05	AUG. 30	217.58
OCT. 28	221.81	MAY 28	216.40	SEP. 21	217.12
NOV. 28	219.98	MAR. 22, 1963	218.77C	OCT. 28	217.15
DEC. 29	218.40	APR. 26	219.43	NOV. 29	217.34
JAN. 29, 1959	217.11	MAY 27	221.18C	DEC. 29	216.30
FEB. 26	216.53	JUNE 27	221.05C	JAN. 27, 1966	216.63
MAR. 30	215.62	JULY 29	221.44C	FEB. 24	216.46
APR. 27	224.57	AUG. 22	221.42	MAR. 29	216.63
MAY 28	228.49	SEP. 24	220.32	MAY 2	216.69
AUG. 27	226.15	NOV. 26	219.90	MAY 26	216.42
SEP. 28	220.67	DEC. 30	219.86	JUNE 27	216.75
OCT. 27	218.65	JAN. 30, 1964	219.66	JULY 28	216.98
NOV. 27	218.39	FEB. 27	219.31	SEP. 27	217.37
JAN. 28, 1960	217.68	MAR. 30	219.07	OCT. 27	217.31
FEB. 26	216.73	APR. 29	218.70	NOV. 22	217.19
MAR. 29	216.66	MAY 28	218.89	DEC. 21	217.48
APR. 27	247.05A	JUNE 29	218.91	JAN. 4, 1967	217.19
FEB. 27, 1961	217.10	JULY 30	218.62	JAN. 30	217.30
MAR. 29	216.97	AUG. 27	218.75	FEB. 27	217.59
APR. 27	252.18A	SEP. 24	218.90	MAR. 24	P
MAY 25	256.01A	OCT. 26	218.54		

A WELL BEING PUMPED.
 C NEARBY WELL BEING PUMPED.
 P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. 02N 03W 35C8A1 DEPTH OF WELL 307
 LAT-LONG NO. 433020N1164130-1
 ALT. OF LSD 2728 AQUIFER NO. 10 S W-T
 A - WELL BEING PUMPED
 B - WELL DESTROYED
 C - NEARBY WELL BEING PUMPED



432759N1164005.1 02N 03W 35C8A1 GEORGE PINTLER CANYON COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 12 TO 11 IN, DEPTH 488 FT, 12-IN CASING 0-300, 11-IN CASING 300-440. LSD 2,742.56 FT ABOVE MSL DATUM OF 1929. MP NO. 3 CENTER OF AIRLINE GAUGE, 1.20 FT ABOVE LSD (SINCE JAN. 12, 1967).

HIGHEST WATER LEVEL 335.57 FT (102.282 M) BELOW LSD, OCT. 14, 1953.
 LOWEST WATER LEVEL 383.3 0 FT (116.830 M) BELOW LSD, JAN. 12, 1967.
 RECORDS AVAILABLE 1953, 1956-57, 1967.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 14, 1953	335.57	OCT. 29, 1957	N
SEP. 6, 1956	347.26	JAN. 12, 1967	383.3 0

N NO MEASUREMENT.
 0 MEASUREMENTS DISCONTINUED.

DRILLED DOMESTIC WATER-TABLE WELL IN OLDER TERRACE GRAVEL, DIAM 4 IN, DEPTH 132 FT. LSD ABOUT 2,575 FT ABOVE MSL DATUM OF 1929. MEASUREMENTS PRIOR TO 1953 MADE BY NAMPA-MERIDIAN IRRIGATION DISTRICT. MP NO. 2 TOP OF CASING, 5.50 FT BELOW LSD (SINCE DEC. 12, 1953).


HIGHEST WATER LEVEL 66.28 FT (20.202 M) BELOW LSD, APR. 15, 1969.
 LOWEST WATER LEVEL 95.98 FT (29.255 M) BELOW LSD, NOV. 16, 1954.
 RECORDS AVAILABLE 1925, 1928, 1933-36, 1953-65, 1967-71.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1925	70.0 G	OCT. 29, 1957	71.52	MAR. 31, 1964	66.95
NOV. 8, 1928	68.0 G	APR. 29, 1958	75.96	SEP. 24	70.280
SEP. 19, 1933	66.4 G	OCT. 27	67.43	APR. 1, 1965	67.28
MAR. 12, 1934	70.4 G	APR. 27, 1959	71.52	SEP. 21	73.20
NOV. 6	73.5 G	OCT. 27	70.11	MAR. 24, 1967	69.60
MAR. 1, 1935	72.2 G	MAR. 28, 1960	70.57	APR. 27	71.680
OCT. 22	70.0 G	SEP. 27	70.10	SEP. 18	71.69
MAR. 9, 1936	71.1 G	MAR. 30, 1961	68.49	MAR. 21, 1968	66.76
DEC. 2, 1953	77.0	SEP. 28	70.19	SEP. 12	70.82
NOV. 16, 1954	95.98	MAR. 29, 1962	68.50	APR. 15, 1969	66.28
OCT. 19, 1955	73.49	SEP. 26	72.61	SEP. 16	70.33
APR. 13, 1956	78.18	MAR. 22, 1963	67.29	OCT. 2, 1970	68.99
OCT. 10	72.10	SEP. 24	68.76	MAR. 17, 1971	67.710
APR. 26, 1957	76.69				

D NEARBY WELL PUMPED RECENTLY.
 G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 02N 02W 06AAB1 DEPTH OF WELL 132.0 ALT. OF LSD 2575 ADJUFER 06 01 W-T
 O. NEARBY WELL PUMPED RECENTLY G. MEASURED BY OUTSIDE AGENCY OR PERSON
 O. MEASUREMENTS DISCONTINUED



CANYON COUNTY, IDAHO
 WELL NO. 02N 02W 13BAB1 DEPTH OF WELL 132-0 ALT. OF LSD 2575
 LAT-LONG NO. 433245N1163657:1
 W-T
 AQUIFER OR OTHER MEASUREMENTS DISCONTINUED
 G. MEASURED BY OUTSIDE AGENCY OR PERSON
 D. NEARBY WELL PUMPED RECENTLY



DRILLED DOMESTIC WATER-TABLE WELL IN SAND OF QUATERNARY AGE, DIAM 6 IN, DEPTH 93 FT, CASSED TO 21. LSD 2,583.70 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 2 TOP OF CASING WEST SIDE, 0.40 FT ABOVE LSD (SINCE SEPT. 27, 1960).


HIGHEST WATER LEVEL 47.55 FT (14.493 M) BELOW LSD, SEP. 27, 1960.
 LOWEST WATER LEVEL 57.04 FT (17.386 M) BELOW LSD, MAR. 1, 1949.
 RECORDS AVAILABLE 1948-62.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 20, 1948	50.48	MAY 27, 1952	50.51	MAY 21, 1954	50.19
SEP. 10	48.37	JULY 1	49.13	JUNE 18	49.72
MAR. 1, 1949	57.04	JULY 30	48.57	JULY 23	48.74
MAY 24	52.32	OCT. 12	49.82	AUG. 20	48.95
JULY 18	49.26	NOV. 20	51.85	SEP. 17	49.00
SEP. 22	51.45	DEC. 19	52.39	APR. 27, 1955	52.72
JAN. 24, 1950	55.74	JAN. 19, 1953	50.33	OCT. 19	50.33
DEC. 8	53.59	FEB. 19	54.76	APR. 13, 1956	52.37
JAN. 18, 1951	54.16	MAR. 19	54.35	OCT. 10	47.80
MAR. 8	54.57	APR. 19	55.90	APR. 26, 1957	51.51
MAY 7	51.64	MAY 22	49.48	OCT. 29	47.61
JUNE 5	51.96	JUNE 19	49.22	APR. 29, 1958	50.81
JULY 13	48.55	AUG. 21	48.78	OCT. 27	48.83
AUG. 9	48.77	SEP. 18	49.35	APR. 28, 1959	50.37
SEP. 20	50.92	OCT. 23	50.54	OCT. 27	51.92
OCT. 19	51.15	NOV. 20	52.21	MAR. 30, 1960	53.25
NOV. 23	52.59	DEC. 23	51.33	SEP. 27	47.55
DEC. 20	52.98	JAN. 22, 1954	52.88	MAR. 29, 1961	52.29
JAN. 25, 1952	53.86	FEB. 26	54.02	SEP. 28	49.67
FEB. 23	54.60	MAR. 26	53.35	MAR. 29, 1962	52.30
MAR. 22	54.10	APR. 23	51.64	SEP. 26	P
APR. 19	56.56				

P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. CAN 02N 02W 22C8B1
 LAT-LONG NO. 432942N1163216.1
 ALT. OF LSD 2593.70
 AQUIFER 0 5 W-T
 P. WELL DESTROYED



DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 4 IN, DEPTH 152 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,590 FT ABOVE MSL DATUM QF 1929. NOV. 30, 1918, THROUGH OCT. 13, 1924, MEASUREMENTS MADE BY BUISE PROJECT BOARD OF CONTROL. MP NO. 1 TOP OF PLATFORM WEST SIDE, AT LSD (SINCE NOV. 30, 1918).


HIGHEST WATER LEVEL 62.03 FT (18.907 M) BELOW LSD, SEP. 5, 1956.
 LOWEST WATER LEVEL 80.0 G FT (24.384 M) BELOW LSD, JAN. 30, 1919.
 RECORDS AVAILABLE 1918-22, 1924, 1953, 1955-59.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 30, 1918	78.6 G	OCT. 13, 1924	79.5 G	SEP. 5, 1956	62.03
JAN. 30, 1919	80.0 G	NOV. 30, 1953	65.5	APR. 26, 1957	63.54
OCT. 9	74.0 G	APR. 27, 1955	64.58	OCT. 29, 1958	64.21
OCT. 9, 1920	74.0 G	OCT. 19	64.81	APR. 29, 1958	61.00M
SEP. 17, 1921	68.0 G	APR. 13, 1956	62.17	MAR. 30, 1959	P
OCT. 31, 1922	73.0 G				

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 M OBSTRUCTION IN WELL ABOVE WATER SURFACE.
 P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. 02N 03W 02CCB1 DEPTH OF WELL 152.0 ALT. OF LSD 2590
 W-T
 G. MEASURED BY OUTSIDE AGENCY OR PERSON M. OBSTRUCTION IN WELL ABOVE WATER SURFACE
 P. WELL DESTROYED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP, DIAM 4 IN, REPORTED DEPTH 1,000 FT, CASSED TO 500. LSD ABOUT 2,730 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF HOLE IN WELL SEAL, 4.50 FT BELOW LSD (SINCE MAR. 30, 1959).


HIGHEST WATER LEVEL 360.70 FT (109.941 M) BELOW LSD, OCT. 14, 1953.
 LOWEST WATER LEVEL 380.30 FT (115.915 M) BELOW LSD, OCT. 30, 1961.
 RECORDS AVAILABLE 1953, 1956-64.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 14, 1953	360.70	JUNE 27, 1960	375.29	MAY 28, 1962	377.28
APR. 13, 1956	366.34	JULY 28	376.55	JUNE 28	377.89
OCT. 10	372.05	AUG. 29	377.37	JULY 27	378.63
APR. 26, 1957	368.54	SEP. 28	378.04	AUG. 27	379.26
OCT. 29	370.12	OCT. 27	378.15	SEP. 26	379.84
APR. 29, 1958	372.67	NOV. 28	378.35	OCT. 26	380.07
OCT. 28	377.90	DEC. 29	375.84	DEC. 26	379.44
MAR. 30, 1959	373.55	JAN. 27, 1961	375.55	JAN. 25, 1963	378.37
APR. 27	374.13	FEB. 27	375.82	FEB. 25	377.68
MAY 28	374.59	MAR. 29	375.30	MAR. 22	377.02
JUNE 29	375.60	APR. 27	374.99	APR. 26	377.12
JULY 31	376.84	MAY 25	375.60	MAY 27	377.09
AUG. 27	376.52	JUNE 26	376.68	NOV. 26	378.84
SEP. 28	377.00	JULY 27	375.81	JAN. 29, 1964	378.48
OCT. 27	376.61	AUG. 28	378.74	FEB. 27	377.98
NOV. 27	376.41	SEP. 28	379.42	MAR. 30	376.90
JAN. 28, 1960	374.85	OCT. 30	380.30	APR. 29	376.34
FEB. 26	373.95	NOV. 29	379.88	MAY 28	377.58
MAR. 30	373.24	DEC. 28	379.56	JUNE 29	377.58
APR. 27	373.27	FEB. 27, 1962	377.89	SEP. 24	379.10
MAY 27	374.30	APR. 27	376.31	NOV. 27	377.330

0 MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 01N 02W 04BCC1 DEPTH OF WELL 1000
 LAT-LONG NO. 432652N1164017W-1
 ALT. OF LSD 2730 AQUIFER NO. 10 S W-1
 0. MEASUREMENTS DISCONTINUED



DRILLED DOMESTIC WATER-TABLE WELL IN IDAHO GROUP AND SNAKE RIVER GROUP, DIAM 8 TO 4 IN, DEPTH 251.7 FT, CASING DEPTH NOT AVAILABLE. LSD 2,640.50 FT ABOVE MSL DATUM OF 1929, PACIFIC NORTHWEST SUPPLEMENTARY ADJUSTMENT OF 1947. MP NO. 1 TOP OF CASING WEST SIDE, 2.30 FT BELOW LSD (SINCE JULY 20, 1948).

HIGHEST WATER LEVEL 63.06 FT (19.221 M) BELOW LSD, NOV. 27, 1957.
 LOWEST WATER LEVEL 76.09 FT (23.192 M) BELOW LSD, JUNE 28, 1962.
 RECORDS AVAILABLE 1948-64.

WATER LEVELS IN FEET BELOW LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JULY 20, 1948	74.20	MAR. 26, 1954	67.32	SEP. 28, 1959	64.42
SEP. 10	72.34	APR. 23	67.95	OCT. 27	64.07
MAR. 1, 1949	75.77	MAY 21	68.41	NOV. 27	64.76
MAY 24	75.35	JUNE 18	67.93	DEC. 28	65.37
JULY 18	74.54	JULY 23	66.56	JAN. 28, 1960	66.08
SEP. 23	70.06	AUG. 20	65.31	FEB. 26	66.42
JAN. 24, 1950	71.07	SEP. 17	64.57	MAR. 30	66.99
MAR. 8, 1951	70.82	APR. 26, 1955	67.59	APR. 27	71.15
MAY 7	72.45	OCT. 19	64.25	MAY 27	72.02
JULY 13	71.03	APR. 13, 1956	67.68	JUNE 27	71.90
AUG. 9	69.66	SEP. 5	64.74	JULY 28	70.70
SEP. 20	69.71A	OCT. 10	63.93	AUG. 29	68.91
OCT. 19	66.80	MAR. 27, 1957	66.35	SEP. 28	66.10
NOV. 23	67.32	APR. 26	67.18	OCT. 27	64.46
DEC. 20	68.30	MAY 24	68.18	NOV. 28	64.45
JAN. 25, 1952	68.10	JUNE 21	69.32	DEC. 29	64.90
FEB. 23	68.86	AUG. 7	68.21	JAN. 27, 1961	65.45
MAR. 22	69.69	AUG. 29	66.42	FEB. 27	66.10
APR. 19	70.00	SEP. 24	64.10	MAR. 24	66.90
MAY 27	70.54	OCT. 29	66.20	APR. 27	71.43
JULY 1	70.20	NOV. 27	63.06	MAY 25	72.18
JULY 30	68.65	DEC. 26	63.49	JUNE 26	72.38
SEP. 5	66.69	JAN. 27, 1958	64.43	JULY 27	73.17
OCT. 12	65.55	MAY 29	69.09	AUG. 28	71.58
NOV. 20	65.65	JUNE 30	69.65	SEP. 28	67.56
DEC. 19	66.08	JULY 30	69.29	OCT. 30	66.45
JAN. 19, 1953	66.81	AUG. 28	68.38	NOV. 29	66.42
FEB. 19	67.70	SEP. 29	66.00	DEC. 28	67.24
MAR. 19	69.13	OCT. 27	64.34	JAN. 29, 1962	68.10
APR. 19	68.82	NOV. 28	64.53	FEB. 27	68.60
MAY 22	68.95	DEC. 29	65.15	MAR. 29	69.17
JUNE 19	68.46B	JAN. 29, 1959	65.57	APR. 27	74.17
JULY 20	67.87B	FEB. 26	66.07	MAY 28	71.69
AUG. 21	66.29	MAR. 30	66.89	JUNE 28	76.09
SEP. 18	65.08	APR. 27	71.07	JULY 27	75.77
OCT. 23	63.90	MAY 28	70.75	AUG. 27	74.43
NOV. 20	64.15	JUNE 29	71.03	SEP. 26	71.20
DEC. 23	66.49	JULY 31	69.95	OCT. 26	67.04
FEB. 26, 1954	66.68	AUG. 27	68.07	NOV. 27	66.85

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 26, 1962	67.42	AUG. 22, 1963	74.33	APR. 29, 1964	72.36
JAN. 25, 1963	67.81	SEP. 24	68.75	MAY 28	75.29
FEB. 25	68.65	OCT. 28	66.07	JUNE 29	72.84
MAR. 22	67.92	NOV. 26	66.85	JULY 30	74.89
APR. 26	70.14	DEC. 30	66.99	AUG. 27	73.62
MAY 27	75.04	JAN. 29, 1964	67.61	SEP. 24	70.60
JUNE 27	73.86	FEB. 27	68.13	OCT. 26	67.30
JULY 29	75.51	MAR. 30	68.84	NOV. 27	67.070

A WELL BEING PUMPED.
 B WELL PUMPED RECENTLY.
 O MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 01N 02W 04BCC1 DEPTH OF WELL 251.7
 LAT-LONG NO. 432710N1163526.1
 ALT. OF LSD 2640.50 AQUIFER NO 10 G W-T
 A- WELL BEING PUMPED
 B- WELL PUMPED RECENTLY
 O- MEASUREMENTS DISCONTINUED



DRILLED DOMESTIC WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 6 IN, REPORTED DEPTH 220 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,510 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF CASING NORTH SIDE, 0.60 FT ABOVE LSD (SINCE OCT. 8, 1953).


HIGHEST WATER LEVEL 121.57 FT (37.055 M) BELOW LSD, OCT. 9, 1956.
 LOWEST WATER LEVEL 127.34 FT (38.813 M) BELOW LSD, APR. 12, 1956.
 RECORDS AVAILABLE 1953, 1955-60.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1953	122.84	OCT. 9, 1956	121.57	OCT. 27, 1958	122.90
OCT. 19, 1955	123.59	OCT. 29, 1957	122.58	APR. 27, 1959	126.57
APR. 12, 1956	127.34	APR. 28, 1958	126.31	MAR. 30, 1960	126.930

0 MEASUREMENTS DISCONTINUED.

CANYON COUNTY, IDAHO
 WELL NO. 01S 02W 12BBB1 DEPTH OF WELL 220
 LAT-LONG NO. 432129N1163145.1
 ALT. OF LSD 2510 AQUIFER OB SR JT. WT



431946N1163302.1

OIS 02W 14CC01

REX JENSEN

CANYON COUNTY

DUG DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 24 IN, DEPTH 39 FT, CASED TO 39. LSD ABOUT 2,390 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF MANHOLE, AT LSD (SINCE AUG. 10, 1956).


HIGHEST WATER LEVEL 26.96 FT (8.217 M) BELOW LSD, OCT. 27, 1958.
 LOWEST WATER LEVEL 35.92 FT (10.948 M) BELOW LSD, SEP. 27, 1961.
 RECORDS AVAILABLE 1956-62.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 10, 1956	30.70	OCT. 27, 1958	26.96	SEP. 28, 1960	28.84
SEP. 7	29.49	APR. 27, 1959	31.83	MAR. 29, 1961	32.05
APR. 26, 1957	33.64	OCT. 27	28.16	SEP. 27	35.92
OCT. 29	30.77	MAR. 31, 1960	32.48	MAR. 30, 1962	P
APR. 28, 1958	32.78				

P WELL DESTROYED.

CANYON COUNTY, IDAHO
 WELL NO. OIS 02W 14CC01 DEPTH OF WELL 39-0
 D. MEASUREMENTS DISCONTINUED
 LAT-LONG NO. 431946N1163302.1
 ALT. OF LSD 2390 AQUIFER W-T
 P. WELL DESTROYED



430732N1154223.1

C3S 06E 35ABB1

KEN SHORE

ELMORE COUNTY

DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 12 IN, DEPTH 14.5 FT, CASIED TO 14. LSD ABOUT 3,135 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF CORRUGATED CASING EAST SIDE, 1.70 FT ABOVE LSD (SINCE DEC. 10, 1968).

HIGHEST WATER LEVEL 2.68 FT (0.817 M) BELOW LSD, JAN. 20, 1971.
 LOWEST WATER LEVEL 7.69 FT (2.344 M) BELOW LSD, AUG. 3, 1967.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1967	5.90	JULY 25, 1968	9.94A	MAR. 11, 1970	5.27
APR. 24	6.58	SEP. 11	8.93A	MAY 15	5.00
JULY 5	8.30A	DEC. 10	8.65A	JULY 16	5.08A
AUG. 3	7.69	APR. 14, 1969	9.31A	SEP. 15	5.70A
SEP. 21	8.08A	JULY 17	6.82A	NOV. 24	4.19
NOV. 27	8.12A	SEP. 22	6.69A	JAN. 20, 1971	2.68
JAN. 25, 1968	7.49A	OCT. 30	6.55	MAR. 17	3.36
MAR. 23	7.98A	DEC. 2	6.14	MAY 13	3.45
MAY 29	9.69A	JAN. 19, 1970	5.67	JULY 14	4.120

A WELL BEING PUMPED.
 O MEASUREMENTS DISCONTINUED.

430411N1154759.1

O4S 05E 24AAB1

WAYNE REDDEKOPP

ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN SNAKE RIVER GROUP, DIAM 8 IN, DEPTH 553.3 FT, CASIED TO 6. LSD ABOUT 3,092 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF 8-IN CASING NORTH SIDE, 0.40 FT ABOVE LSD (SINCE SEPT. 21, 1967).

HIGHEST WATER LEVEL 385.596 FT (117.528 M) BELOW LSD, SEP. 21, 1967.
 LOWEST WATER LEVEL 397.080 FT (121.030 M) BELOW LSD, JULY 14, 1971.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 21, 1967	385.596	NOV. 24, 1969	392.93	NOV. 24, 1970	396.45
AUG. 27, 1968	387.16	JAN. 19, 1970	392.88	JAN. 20, 1971	396.58
SEP. 11	387.06	MAR. 11	392.74	MAR. 16	396.34
DEC. 6	388.24	MAY 15	393.05	MAY 13	395.99
APR. 14, 1969	388.22	JULY 16	393.17	JULY 14	397.080
SEP. 22	391.63	SEP. 16	395.70		

G MEASURED BY OUTSIDE AGENCY OR PERSON.
 O MEASUREMENTS DISCONTINUED.

ELMORE COUNTY, IDAHO

LAT-LONG NO. 430732N1154223.1


W-T

WELL NO. 035 06E 35ABB1

DEPTH OF WELL 14.5

A. WELL BEING PUMPED

G. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

ELMORE COUNTY, IDAHO

LAT-LONG NO. 430411N1154759.1


W-T

WELL NO. 045 05E 24AAB1

DEPTH OF WELL 553.3

A. WELL BEING PUMPED

G. MEASUREMENTS DISCONTINUED



WATER LEVEL, IN FEET ABOVE (+) OR BELOW (-) LAND SURFACE DATUM

430116N1153605.1 05S 07E 03ADB1 AMALGAMATED SGR ELMORE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 8 IN, REPORTED DEPTH 890 FT, CASING TO 653, PERFORATED 580-600. LSD ABOUT 3,090 FT ABOVE MSL DATUM OF 1929. WELL WAS DEEPENED TO A DEPTH OF 1,260 FT. WELL WAS BACKFILLED AND GRAVEL PACKED TO A DEPTH OF 890 FT, 10-IN CASING 0-53, 8-IN CASING 53-535.6. MP NO. 1 TOP OF HOLE IN CASING COVER, 1.00 FT ABOVE LSD (SINCE FEB. 1, 1967).

HIGHEST WATER LEVEL 401.40 FT (122.347 M) BELOW LSD, FEB. 1, 1967.
 LOWEST WATER LEVEL 411.19 FT (125.331 M) BELOW LSD, DEC. 2, 1969.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1967	401.40	JAN. 25, 1968	410.42	APR. 14, 1969	410.62
APR. 24	421.97B	MAR. 23	410.82	SEP. 18	411.10
JULY 5	410.31	MAY 30	410.70	DEC. 2	411.19
AUG. 3	410.50	JULY 25	410.79	MAR. 9, 1970	410.69
SEP. 22	410.95	SEP. 9	410.85	SEP. 14	410.85
NOV. 27	411.03	DEC. 9	410.88	MAR. 15, 1971	410.700

B WELL PUMPED RECENTLY.
 D MEASUREMENTS DISCONTINUED.

425844N1152329.1 05S 09E 21ABC1 RAY BLAIR ELMORE COUNTY



DRILLED DOMESTIC WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 6 IN, REPORTED DEPTH 905 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 3,065 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN SOUTHWEST SIDE OF 6-IN CASING, 0.20 FT ABOVE LSD (SINCE FEB. 15, 1967).

HIGHEST WATER LEVEL 499.63 FT (152.287 M) BELOW LSD, OCT. 24, 1969.
 LOWEST WATER LEVEL 524.38 FT (159.831 M) BELOW LSD, FEB. 15, 1967.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1967	524.38	SEP. 9, 1968	500.56	SEP. 17, 1970	500.57B
APR. 24	513.39	APR. 11, 1969	501.18B	MAR. 16, 1971	514.780
APR. 1, 1968	505.07B	OCT. 24	499.63		

B WELL PUMPED RECENTLY.
 D MEASUREMENTS DISCONTINUED.



430547N1163216.1

04S 02W 11AB1

H NETTLETON

OWYHEE COUNTY

DRILLED IRRIGATION WATER-TABLE WELL IN UNKNOWN AQUIFER, DIAM 12 IN, REPORTED DEPTH 450 FT, CASING TO 71, PERFORATED 20-60. LSD ABOUT 3,260 FT ABOVE MSL DATUM OF 1929. MP NO. 1 BOTTOM EDGE OF TAP HOLE IN CASING EAST SIDE, AT LSD (SINCE FEB. 1, 1967).


HIGHEST WATER LEVEL 2.44 FT (0.744 M) BELOW LSD, MAR. 12, 1970.
 LOWEST WATER LEVEL 14.68 FT (4.474 M) BELOW LSD, SEP. 23, 1969.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 1, 1967	5.04	DEC. 10, 1968	8.77	MAR. 12, 1970	2.44
APR. 26	3.65	APR. 16, 1969	3.14	SEP. 17	14.48
SEP. 24	12.97	SEP. 23	14.68	MAR. 17, 1971	7.210
MAR. 25, 1968	3.31				

0 MEASUREMENTS DISCONTINUED.

OWYHEE COUNTY, IDAHO
 WELL NO. 04S 02W 11AB1 DEPTH OF WELL 450
 D. MEASUREMENTS DISCONTINUED



DRILLED STOCK ARTESIAN WELL IN IDAHO GROUP, DIAM 6 IN, REPORTED DEPTH 1,748 FT, CASED TO 126. LSD ABOUT 2,465 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP EDGE OF STOCK TANK, 2.50 FT ABOVE LSD (SINCE JAN. 8, 1954).


HIGHEST WATER LEVEL 9.34 FT (2.847 M) ABOVE LSD, OCT. 28, 1957.
 LOWEST WATER LEVEL 3.22 FT (0.981 M) ABOVE LSD, JAN. 24, 1958.
 RECORDS AVAILABLE 1954-60.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1954	+ 6.8	JULY 13, 1956	+ 4.5	SEP. 30, 1958	+ 5.20
FEB. 24	+ 7.3	AUG. 9	+ 6.6	OCT. 25	+ 5.40
MAR. 24	+ 6.9	SEP. 12	+ 6.9	DEC. 2	+ 5.50
APR. 23	+ 6.8	OCT. 25	+ 5.15	JAN. 2, 1959	+ 4.60
JULY 6	+ 6.4	NOV. 23	+ 5.26	JAN. 30	+ 4.40
AUG. 5	+ 6.8	JAN. 23, 1957	+ 5.00	FEB. 27	+ 4.30
SEP. 8	+ 6.6	FEB. 26	+ 5.55	MAR. 31	+ 4.50
OCT. 7	+ 6.4	MAR. 28	+ 5.15	APR. 27	+ 4.50
NOV. 10	+ 6.6	APR. 23	+ 4.63	MAY 29	+ 4.00
DEC. 6	+ 5.6	MAY 21	+ 7.35	JUNE 30	+ 4.40
JAN. 14, 1955	+ 4.8	JUNE 20	+ 4.85	JULY 29	+ 4.90
FEB. 18	+ 3.55	AUG. 2	+ 5.31	AUG. 28	+ 4.30
MAR. 24	+ 4.90	AUG. 20	+ 6.96	SEP. 29	+ 4.30
MAY 13	+ 5.6	SEP. 25	+ 8.66	OCT. 29	+ 4.75
JUNE 14	+ 5.4	OCT. 28	+ 9.34	NOV. 30	+ 4.10
JULY 11	+ 5.35	DEC. 3	+ 3.90	DEC. 29	+ 4.25
AUG. 9	+ 5.35	JAN. 3, 1958	+ 5.16	JAN. 29, 1960	+ 4.46
SEP. 8	+ 5.5	JAN. 24	+ 3.22	FEB. 25	+ 4.06
NOV. 16	+ 5.35	FEB. 28	+ 4.40	MAR. 31	+ 3.84
DEC. 14	+ 5.50	MAR. 28	+ 4.60	APR. 26	+ 4.30
JAN. 16, 1956	+ 5.55	APR. 28	+ 5.25	MAY 26	+ 4.31
FEB. 13	+ 6.6	MAY 26	+ 5.20	JUNE 28	+ 5.00
MAR. 21	+ 6.95	JUNE 27	+ 4.60	AUG. 30	+ 5.10
APR. 17	+ 5.22	AUG. 1	+ 4.55	SEP. 29	+ 4.60
MAY 14	+ 5.94	AUG. 29	+ 5.10	OCT. 31	+ 4.550
JUNE 12	+ 6.2				

0 MEASUREMENTS DISCONTINUED.

OWYHEE COUNTY, IDAHO
 WELL NO. C5S 02E 13ADA1 DEPTH OF WELL 1748
 LAT-LONG NO. 425933N1160928.1
 ALT. OF LSD 2465
 ART. MEASUREMENTS DISCONTINUED



DRILLED IRRIGATION ARTESIAN WELL IN BANBURY BASALT, DIAM 6 TO 4 IN, REPORTED DEPTH 913 FT, 6-IN CASING 0-23, 4-IN CASING 23-277. LSD ABOUT 2,579 FT ABOVE MSL DATUM OF 1929. MP NO. 2 TOP OF PIPE TEE ABOVE CASING, 1.80 FT ABOVE LSD (SINCE SEPT. 29, 1959).


HIGHEST WATER LEVEL 28.20 FT (8.595 M) ABOVE LSD, APR. 17, 1956.
 LOWEST WATER LEVEL 10.00 FT (3.048 M) ABOVE LSD, JUNE 28, 1960.
 RECORDS AVAILABLE 1954-60.

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1954	+ 19.0	MAY 14, 1956	+ 25.24	SEP. 30, 1958	+ 16.54
FEB. 24	+ 18.7	JUNE 12	+ 24.84	OCT. 25	+ 18.34
MAR. 24	+ 26.3	JULY 13	+ 26.10	DEC. 2	+ 14.74
APR. 23	+ 18.1	AUG. 9	+ 25.24	JAN. 2, 1959	+ 16.54
JULY 6	+ 24.7	SEP. 12	+ 26.14	JAN. 30	+ 15.10
AUG. 5	+ 21.9	OCT. 25	+ 24.34	FEB. 27	+ 15.30
SEP. 8	+ 20.7	NOV. 23	+ 23.74	MAR. 31	+ 15.64
OCT. 7	+ 22.6	JAN. 23, 1957	+ 23.04	APR. 27	+ 17.24
NOV. 10	+ 22.5	FEB. 26	+ 25.05	MAY 29	+ 12.30
DEC. 6	+ 21.7	APR. 23	+ 26.53	JUNE 30	+ 15.40
JAN. 14, 1955	+ 20.8	MAY 21	+ 22.01	JULY 29	+ 17.40
FEB. 18	+ 20.8	JUNE 20	+ 15.15	AUG. 28	+ 22.10
MAR. 24	+ 27.9	AUG. 2	+ 15.21	SEP. 29	+ 21.20
MAY 13	+ 17.9	AUG. 20	+ 17.11	OCT. 29	+ 21.70
JUNE 14	+ 18.65	SEP. 25	+ 12.41	NOV. 30	+ 19.80
JULY 11	+ 19.2	OCT. 28	+ 12.96	DEC. 29	+ 21.30
AUG. 9	+ 19.1	DEC. 3	+ 19.83	JAN. 29, 1960	+ 20.70
SEP. 8	+ 16.3	JAN. 3, 1958	+ 19.58	FEB. 25	+ 20.30
OCT. 21	+ 20.1	JAN. 24	+ 19.58	MAR. 31	+ 15.10
NOV. 16	+ 24.6	FEB. 28	+ 19.00	APR. 26	+ 13.60
DEC. 14	+ 19.00	MAR. 28	+ 19.40	MAY 26	+ 19.10
JAN. 16, 1956	+ 17.30	APR. 28	+ 19.45	JUNE 28	+ 10.00
FEB. 13	+ 16.40	JUNE 27	+ 19.70	AUG. 30	+ 15.30
MAR. 21	+ 25.75	AUG. 1	+ 17.92	SEP. 29	+ 14.20
APR. 17	+ 28.20	AUG. 29	+ 20.34	OCT. 31	+ 18.800

0 MEASUREMENTS DISCONTINUED.

OWYHEE COUNTY, IDAHO
 WELL NO. 06S 06E 19CCD1 DEPTH OF WELL 913
 LAT-LONG NO. 425255N1154735.1
 ALT. OF LSD 2579 AQUIFER TP BA JT ART.
 0. MEASUREMENTS DISCONTINUED



425528N1153607.1 06S 07E 03DDC1 PAUL W MILLER OWYHEE COUNTY

DUG STOCK WATER-TABLE WELL IN ALLOVIUM OF QUATERNARY AGE, DEPTH 40.5 FT, CASING DEPTH NOT AVAILABLE. LSD ABOUT 2,490 FT ABOVE MSL DATUM OF 1929. MP NO. 1 HOLE IN TOP OF 6-IN CASING 0.30 FT ABOVE LSD (SINCE FEB. 9, 1967).


HIGHEST WATER LEVEL 30.48 FT (9.290 M) BELOW LSD, SEP. 19, 1969.
 LOWEST WATER LEVEL 38.60 FT (11.765 M) BELOW LSD, APR. 25, 1967.
 RECORDS AVAILABLE 1967-71.

WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 25, 1967	38.60	APR. 11, 1969	37.10	SEP. 15, 1970	30.17A
SEP. 23	31.03	SEP. 19	30.48	OCT. 28	33.20
MAR. 24, 1968	37.97	MAR. 10, 1970	37.88	MAR. 16, 1971	36.830
SEP. 11	32.60				

A WELL BEING PUMPED.
 U MEASUREMENTS DISCONTINUED.

OWYHEE COUNTY, IDAHO LAT-LONG NO. 425528N1153607.1
 WELL NO. 06S 07E 03DDC1 DEPTH OF WELL 40.5 ALT. OF LSD 2490 AQUIFER OR ON A W-T
 A. WELL BEING PUMPED D. MEASUREMENTS DISCONTINUED



DRILLED IRRIGATION ARTESIAN WELL IN BASALT OF PLIOCENE AGE, DIAM 14 TO 8 IN, REPORTED DEPTH 517 FT, CASING TO 254, CASING REDUCTION INTERVAL NOT AVAILABLE. LSD ABOUT 2,643 FT ABOVE MSL DATUM OF 1929. MP NO. 3 TOP OF CONCRETE STILLING TANK NORTH SIDE, 2.36 FT ABOVE LSD (SINCE APR. 28, 1958).

HIGHEST WATER LEVEL 61.90 FT (18.867 M) ABOVE LSD, NOV. 16, 1955.
 LOWEST WATER LEVEL 28.16 FT (8.583 M) ABOVE LSD, JUNE 28, 1966.
 RECORDS AVAILABLE 1954-67.

WATER LEVELS IN FEET ABOVE LSD.


DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 8, 1954	+ 61.3	JAN. 24, 1958	+ 53.82	SEP. 27, 1961	+ 47.86
FEB. 24	+ 61.3	FEB. 28	+ 53.80	NOV. 1	+ 47.21
MAR. 27	+ 59.5	MAR. 28	+ 53.60	NOV. 30	+ 49.40
APR. 23	+ 56.7	APR. 28	+ 52.36	DEC. 29	+ 49.16
JULY 6	+ 57.9	MAY 26	+ 51.86	JAN. 30, 1962	+ 49.56
AUG. 5	+ 55.5	JUNE 27	+ 51.30	FEB. 28	+ 50.36
SEP. 8	+ 55.9	AUG. 29	+ 51.80	APR. 30	+ 48.96
OCT. 7	+ 54.4	SEP. 30	+ 52.10	MAY 29	+ 49.86
NOV. 10	+ 54.7	OCT. 25	+ 52.20	JUNE 29	+ 36.06
DEC. 6	+ 56.5	DEC. 2	+ 52.20	JULY 26	+ 46.06
JAN. 14, 1955	+ 59.0	JAN. 2, 1959	+ 52.40	AUG. 28	+ 45.06
FEB. 18	+ 60.2	JAN. 30	+ 52.56	SEP. 24	+ 46.96
MAR. 24	+ 56.5	FEB. 27	+ 52.16	OCT. 25	+ 47.56
JUNE 14	+ 55.1	MAR. 31	+ 37.90	NOV. 26	+ 45.76
JULY 11	+ 53.55	APR. 27	+ 35.10	DEC. 27	+ 49.46
AUG. 9	+ 42.84	MAY 29	+ 49.26	JAN. 24, 1963	+ 49.86
SEP. 8	+ 49.30	JUNE 30	+ 50.06	FEB. 21	+ 50.51
OCT. 21	+ 58.95	JULY 29	+ 36.96	MAR. 21	+ 49.86
NOV. 16	+ 61.90	AUG. 28	+ 32.76	APR. 25	+ 46.86
DEC. 14	+ 61.26	OCT. 29	+ 50.36	MAY 28	+ 36.56
MAR. 21, 1956	+ 54.90	NOV. 30	+ 50.76	JUNE 28	+ 42.91
MAY 14	+ 54.24	DEC. 29	+ 50.96	JULY 30	+ 31.86
JUNE 12	+ 55.04	JAN. 29, 1960	+ 51.56	AUG. 26	+ 39.36
JULY 13	+ 52.60	FEB. 25	+ 51.76	SEP. 25	+ 40.56
AUG. 14	+ 38.19	APR. 26	+ 49.86	OCT. 29	+ 46.16
SEP. 12	+ 53.09	MAY 26	+ 36.86	DEC. 2	+ 46.36
OCT. 29	+ 48.44	JUNE 28	+ 49.36	DEC. 31	+ 47.56
NOV. 23	+ 54.79	JULY 29	+ 37.86	JAN. 31, 1964	+ 47.76
JAN. 23, 1957	+ 52.34	AUG. 30	+ 47.66	FEB. 28	+ 49.06
FEB. 26	+ 53.27	SEP. 29	+ 48.86	APR. 30	+ 43.56
APR. 23	+ 36.73	OCT. 31	+ 50.06	MAY 27	+ 41.86
MAY 21	+ 48.91	NOV. 29	+ 50.16	JUNE 30	+ 42.56
JUNE 20	+ 36.28	DEC. 30	+ 50.26	JULY 31	+ 29.36
AUG. 2	+ 40.41	JAN. 26, 1961	+ 50.66	AUG. 28	+ 40.46
AUG. 20	+ 49.71	FEB. 28	+ 50.71	SEP. 25	+ 31.76
SEP. 25	+ 52.70	MAR. 30	+ 50.98	OCT. 27	+ 45.71
OCT. 28	+ 49.73	APR. 28	+ 49.46	NOV. 30	+ 46.46
DEC. 3	+ 53.13	JULY 28	+ 47.26	DEC. 30	+ 47.16
JAN. 3, 1958	+ 52.98	AUG. 29	+ 32.96	JAN. 29, 1965	+ 47.66

WATER LEVELS IN FEET ABOVE LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1965	+ 48.16	NOV. 30, 1965	+ 46.36	SEP. 28, 1966	+ 29.76
APR. 2	+ 48.56	DEC. 30	+ 47.07	OCT. 26	+ 41.81
APR. 29	+ 43.46	JAN. 28, 1966	+ 46.87	NOV. 21	+ 43.36
MAY 28	+ 30.86	FEB. 25	+ 47.56	DEC. 22	+ 44.31
JUNE 30	+ 29.66	MAR. 29	+ 47.61	JAN. 5, 1967	+ 45.06
JULY 30	+ 42.66	MAY 27	+ 40.36	JAN. 31	+ 45.26
AUG. 31	+ 39.96	JUNE 28	+ 28.16	FEB. 28	+ 45.61
SEP. 22	+ 29.86	JULY 29	+ 28.66	MAR. 20	+ 45.910
OCT. 29	+ 44.76				

0 MEASUREMENTS DISCONTINUED.

OWYHEE COUNTY, IDAHO
 WELL NO. 07S 06E 26AD1 DEPTH OF WELL 517
 D. MEASUREMENTS DISCONTINUED



424716N1154156.1 07S 06E 26ADA1 M ZUVIRIZETTA OWYHEE COUNTY

DRILLED IRRIGATION ARTESIAN WELL IN IDAVADA VOLCANICS, DIAM 12 IN, REPORTED DEPTH 1,000 FT, CASIED TO 171. LSD ABOUT 2,700 FT ABOVE MSL DATUM OF 1929. MP NO. 1 TOP OF FLANGE ON 12-IN CASING, 2.90 FT ABOVE LSD (SINCE FEB. 8, 1967).

HIGHEST WATER LEVEL 0.00 FT (0.000 M) BELOW LSD, FEB. 8, 1967.
 LOWEST WATER LEVEL 2.870 FT (0.875 M) BELOW LSD, AUG. 3, 1967.
 RECORDS AVAILABLE 1967.


WATER LEVELS IN FEET BELOW LSD.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 8, 1967	0.00	JULY 5, 1967	2.30	AUG. 3, 1967	2.870
APR. 25	0.75				

0 MEASUREMENTS DISCONTINUED.

OWYHEE COUNTY, IDAHO
 WELL NO. 07S 06E 26ADA1 DEPTH OF WELL 1000
 D. MEASUREMENTS DISCONTINUED

LAT-LONG NO. 424716N1154156.1
 ALT. OF LSD 2700 AQUIFER TP IV JT ART.






FIGURE 6.--Map showing well locations in area 2, north-central Idaho.

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

PREPARED IN COOPERATION WITH THE
IDAHO DEPARTMENT OF WATER RESOURCES




FIGURE 8-- Map showing well locations in area 3, west-central Idaho



FIGURE 10.--Map showing well locations in area 4, east-central Idaho.

