

Irrigated Land
Sprinkler Fractions for the
Eastern Snake Plain Aquifer Model Version 2
AS BUILT

Prepared by Idaho Water Resources Research Institute

In fulfillment of the Water-Budget Component – Sprinkler Fraction

of Contract # CON00803

for

The Idaho Department of Water Resources



University of Idaho

Idaho Water Resources Research Institute

Stacey L. Taylor

October 2010

Idaho Water Resources Research Institute Technical Report 201008

ESPAM 2 Design Document DDW-V2-12

Irrigated Land Sprinkler Fractions for the Eastern Snake Plain Aquifer Model Version 2 – AS BUILT

DESIGN DOCUMENT OVERVIEW

During calibration of the Eastern Snake Plain Aquifer Model Version 1.1 (ESPAM 1.1), a series of Design Documents were produced to document data sources, conceptual model decisions and calculation methods. These documents served two important purposes; they provided a vehicle to communicate decisions and solicit input from members of the Eastern Snake Hydrologic Modeling Committee (ESHMC) and other interested parties, and they provided far greater detail of particular aspects of the modeling process than would have been possible in a single final report. Many of the Design Documents were presented first in a draft form, then in revised form following input and discussion, and finally in an “as-built” form describing the actual implementation.

This report is a Design Document for the calibration of the Eastern Snake Plain Aquifer Model Version 2 (ESPAM 2). Its goals are similar to the goals of Design Documents for ESPAM 1.1: To provide full transparency of modeling data, decisions and calibration; and to seek input from representatives of various stakeholders so that the resulting product can be the best possible technical representation of the physical system (given constraints of time, funding and personnel). It is anticipated that for some topics, a single Design Document will serve these purposes prior to issuance of a final report. For other topics, a draft document will be followed by one or more revisions and a final “as-built” Design Document. Superseded Design Documents will be maintained in a “superseded” file folder on the project Website, and successive versions will be maintained in a “current” folder. This will provide additional documentation of project history and the development of ideas.

INTRODUCTION

The amount of land irrigated in the ESPAM2 model area is required to estimate the following factors in the water budget: (1) evapotranspiration (ET) and (2) recharge that is expected to occur. The application method (whether the irrigation method is by sprinkler or gravity irrigated) also affects these two factors. The purpose of this design document is to provide a brief summary of how the sprinkler fractions were calculated in ESPAM1.1 and to discuss what was completed for ESPAM2.

REVIEW OF ESPAM1.1

In ESPAM 1.1, sprinkler fractions were estimated for the years 1980, 1987, 1997, and 2000. ESPAM1.1 spanned May 1980 – Nov 2001 with 6 month stress periods. Sprinkler fractions between 1980 and 1987, 1987 and 1997, and 1997 and 2000 were estimated by linear interpolation in order to apply a value to each six-month stress period of the model. Each irrigation entity of the model was assigned with a unique sprinkler fraction for each stress period. An appendix is provided in this document detailing the sprinkler fractions for each of the ground water and surface water irrigation entities. For more detailed information on how these values were estimated and the aerial imagery available to

perform these estimates, refer to the ESPAM1.1 water budget design document DDW-022 (Contor, 2004).

DESIGN DECISION

The sprinkler fractions used in ESPAM1.1 were also used in ESPAM2 with a few minor adjustments made. ESPAM2 consists of one-month stress periods and the same interpolation method used in ESPAM1.1 was applied. For ESPAM2, stress periods one through six (SP001-SP006) corresponded to ESPAM1.1's first six-month stress period (SP001) and stress periods SP007 through SP012 of ESPAM2 corresponded to the second stress period (SP002) of ESPAM1.1 and so on. Despite the change in stress periods, the sprinkler fractions calculated for ESPAM1.1 were used in ESPAM2 since it is assumed that the amount of land irrigated by sprinklers does not drastically change month to month.

When determining the remainder of the sprinkler fractions for the months of 2001 through 2008 for ESPAM2, values were found by linear interpolation. Figure 1 shows examples of how sprinkler fractions were calculated for the years between 2000 and 2008. Each color in Figure 1 represents a different entity. It was assumed the sprinkler fractions increased over time at about the same rate as they increased between 1997 and 2000, as shown by the blue dots in Figure 1. The linear interpolation made between 1997 and 2000 in ESPAM 1.1 was extrapolated at the same slope to October 2008 as shown by the dashed line. For some entities, the extrapolation needed to begin earlier in time (earlier than 1997) to prevent the extrapolation from flat-lining with a constant sprinkler fraction over time until the present. An example of this flat-lining is shown in Figure 1 by the red dots. It was assumed that the sprinkler fractions continued to increase in these areas given the previous sprinkler fractions. In some cases (example shown by the green dots in Figure 1) when the sprinkler fraction reached 0.1 (100% irrigated by sprinklers) prior to October 2008, this fraction was continued until October 2008 assuming the fraction remained the same.

Figure 2 shows the sprinkler fractions over time from stress period 1 to 342 in ESPAM2. Stress period 201 is representative of January 1997, which is where the extrapolation began for most entities and was extended to October 2008 (stress period 342).

An appendix has been provided at the end of this document to display the actual sprinkler fractions for each entity for all stress periods.




Figure 1. Example of different situations encountered while estimating sprinkler fractions for each entity. Each color represents a different irrigation entity.




Figure 2. Sprinkler fractions for each entity in ESPAM2

REFERENCES

Contor, Bryce. 2004. "Delineation of Sprinkler and Gravity Application Systems". Idaho Water Resources Research Institute Technical Report 04-005. Eastern Snake River Plain Model Enhancement Scenario Document DDW-022.

APPENDIX

This appendix consists of the sprinkler fraction values for each stress period. The "ENTITY_ID" column contains the 48 surface water and ground water entities. The first stress period (SP001) represents May 1980, the second stress period (SP002) represents June 1980, and so on with the last stress period (SP342) representing October 2008.

ENTITY_ID	SP001	SP002	SP003	SP004	SP005	SP006	SP007	SP008	SP009	SP010	SP011	SP012
IEGW501	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
IEGW502	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
IEGW503	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
IEGW504	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981
IEGW505	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983
IEGW506	0.77	0.77	0.77	0.77	0.77	0.77	0.77	0.77	0.77	0.77	0.77	0.77
IEGW507	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
IEGW508	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
IEGW509	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
IESW001	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
IESW002	0.825	0.825	0.825	0.825	0.825	0.825	0.825	0.825	0.825	0.825	0.825	0.825
IESW005	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
IESW008	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
IESW009	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015
IESW010	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
IESW011	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44
IESW012	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867
IESW014	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
IESW015	0	0	0	0	0	0	0	0	0	0	0	0
IESW016	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
IESW022	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
IESW025	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
IESW027	0	0	0	0	0	0	0	0	0	0	0	0
IESW028	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
IESW029	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035
IESW030	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
IESW032	0	0	0	0	0	0	0	0	0	0	0	0
IESW034	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
IESW035	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
IESW036	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
IESW037	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
IESW044	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
IESW055	0	0	0	0	0	0	0	0	0	0	0	0
IESW056	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451	0.451
IESW057	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648
IESW058	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147
IESW059	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187

ENTITY_ID	SP013	SP014	SP015	SP016	SP017	SP018	SP019	SP020	SP021	SP022	SP023	SP024
IEGW501	0.202	0.202	0.202	0.202	0.202	0.202	0.202	0.202	0.202	0.202	0.202	0.202
IEGW502	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215
IEGW503	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IEGW504	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981	0.981
IEGW505	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984
IEGW506	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786
IEGW507	0.619	0.619	0.619	0.619	0.619	0.619	0.619	0.619	0.619	0.619	0.619	0.619
IEGW508	0.573	0.573	0.573	0.573	0.573	0.573	0.573	0.573	0.573	0.573	0.573	0.573
IEGW509	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353
IESW001	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
IESW002	0.836	0.836	0.836	0.836	0.836	0.836	0.836	0.836	0.836	0.836	0.836	0.836
IESW005	0.716	0.716	0.716	0.716	0.716	0.716	0.716	0.716	0.716	0.716	0.716	0.716
IESW008	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555
IESW009	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033
IESW010	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
IESW011	0.454	0.454	0.454	0.454	0.454	0.454	0.454	0.454	0.454	0.454	0.454	0.454
IESW012	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868
IESW014	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248
IESW015	0	0	0	0	0	0	0	0	0	0	0	0
IESW016	0.093	0.093	0.093	0.093	0.093	0.093	0.093	0.093	0.093	0.093	0.093	0.093
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
IESW022	0.317	0.317	0.317	0.317	0.317	0.317	0.317	0.317	0.317	0.317	0.317	0.317
IESW025	0.264	0.264	0.264	0.264	0.264	0.264	0.264	0.264	0.264	0.264	0.264	0.264
IESW027	0	0	0	0	0	0	0	0	0	0	0	0
IESW028	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174
IESW029	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052
IESW030	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339
IESW032	0	0	0	0	0	0	0	0	0	0	0	0
IESW034	0.561	0.561	0.561	0.561	0.561	0.561	0.561	0.561	0.561	0.561	0.561	0.561
IESW035	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038
IESW036	0.034	0.034	0.034	0.034	0.034	0.034	0.034	0.034	0.034	0.034	0.034	0.034
IESW037	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187
IESW038	0.269	0.269	0.269	0.269	0.269	0.269	0.269	0.269	0.269	0.269	0.269	0.269
IESW039	0.283	0.283	0.283	0.283	0.283	0.283	0.283	0.283	0.283	0.283	0.283	0.283
IESW040	0.464	0.464	0.464	0.464	0.464	0.464	0.464	0.464	0.464	0.464	0.464	0.464
IESW044	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545
IESW055	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004
IESW056	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46
IESW057	0.662	0.662	0.662	0.662	0.662	0.662	0.662	0.662	0.662	0.662	0.662	0.662
IESW058	0.156	0.156	0.156	0.156	0.156	0.156	0.156	0.156	0.156	0.156	0.156	0.156
IESW059	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199

ENTITY_ID	SP025	SP026	SP027	SP028	SP029	SP030	SP031	SP032	SP033	SP034	SP035	SP036
IEGW501	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254
IEGW502	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
IEGW503	0.885	0.885	0.885	0.885	0.885	0.885	0.885	0.885	0.885	0.885	0.885	0.885
IEGW504	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982
IEGW505	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986
IEGW506	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803
IEGW507	0.657	0.657	0.657	0.657	0.657	0.657	0.657	0.657	0.657	0.657	0.657	0.657
IEGW508	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617
IEGW509	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373
IESW001	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
IESW002	0.847	0.847	0.847	0.847	0.847	0.847	0.847	0.847	0.847	0.847	0.847	0.847
IESW005	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731
IESW008	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57
IESW009	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
IESW010	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
IESW011	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467
IESW012	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
IESW014	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286
IESW015	0	0	0	0	0	0	0	0	0	0	0	0
IESW016	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082
IESW022	0.384	0.384	0.384	0.384	0.384	0.384	0.384	0.384	0.384	0.384	0.384	0.384
IESW025	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.318	0.318
IESW027	0	0	0	0	0	0	0	0	0	0	0	0
IESW028	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219
IESW029	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068
IESW030	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387
IESW032	0	0	0	0	0	0	0	0	0	0	0	0
IESW034	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582
IESW035	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
IESW036	0.049	0.049	0.049	0.049	0.049	0.049	0.049	0.049	0.049	0.049	0.049	0.049
IESW037	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229
IESW038	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286
IESW039	0.296	0.296	0.296	0.296	0.296	0.296	0.296	0.296	0.296	0.296	0.296	0.296
IESW040	0.528	0.528	0.528	0.528	0.528	0.528	0.528	0.528	0.528	0.528	0.528	0.528
IESW044	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
IESW055	0.007	0.007	0.007	0.007	0.007	0.007	0.007	0.007	0.007	0.007	0.007	0.007
IESW056	0.468	0.468	0.468	0.468	0.468	0.468	0.468	0.468	0.468	0.468	0.468	0.468
IESW057	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676
IESW058	0.165	0.165	0.165	0.165	0.165	0.165	0.165	0.165	0.165	0.165	0.165	0.165
IESW059	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211

ENTITY_ID	SP037	SP038	SP039	SP040	SP041	SP042	SP043	SP044	SP045	SP046	SP047	SP048
IEGW501	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307
IEGW502	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246
IEGW503	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
IEGW504	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983
IEGW505	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987
IEGW506	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818
IEGW507	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692	0.692
IEGW508	0.661	0.661	0.661	0.661	0.661	0.661	0.661	0.661	0.661	0.661	0.661	0.661
IEGW509	0.715	0.715	0.715	0.715	0.715	0.715	0.715	0.715	0.715	0.715	0.715	0.715
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.399	0.399	0.399	0.399	0.399	0.399	0.399	0.399	0.399	0.399	0.399	0.399
IESW001	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353
IESW002	0.858	0.858	0.858	0.858	0.858	0.858	0.858	0.858	0.858	0.858	0.858	0.858
IESW005	0.747	0.747	0.747	0.747	0.747	0.747	0.747	0.747	0.747	0.747	0.747	0.747
IESW008	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586
IESW009	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
IESW010	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
IESW011	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
IESW012	0.871	0.871	0.871	0.871	0.871	0.871	0.871	0.871	0.871	0.871	0.871	0.871
IESW014	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319	0.319
IESW015	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
IESW016	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.104	0.104	0.104	0.104	0.104	0.104	0.104	0.104	0.104	0.104	0.104	0.104
IESW022	0.437	0.437	0.437	0.437	0.437	0.437	0.437	0.437	0.437	0.437	0.437	0.437
IESW025	0.374	0.374	0.374	0.374	0.374	0.374	0.374	0.374	0.374	0.374	0.374	0.374
IESW027	0.046	0.046	0.046	0.046	0.046	0.046	0.046	0.046	0.046	0.046	0.046	0.046
IESW028	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285
IESW029	0.085	0.085	0.085	0.085	0.085	0.085	0.085	0.085	0.085	0.085	0.085	0.085
IESW030	0.446	0.446	0.446	0.446	0.446	0.446	0.446	0.446	0.446	0.446	0.446	0.446
IESW032	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
IESW034	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603
IESW035	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083
IESW036	0.063	0.063	0.063	0.063	0.063	0.063	0.063	0.063	0.063	0.063	0.063	0.063
IESW037	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267
IESW038	0.279	0.279	0.279	0.279	0.279	0.279	0.279	0.279	0.279	0.279	0.279	0.279
IESW039	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291
IESW040	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582	0.582
IESW044	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57
IESW055	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011
IESW056	0.476	0.476	0.476	0.476	0.476	0.476	0.476	0.476	0.476	0.476	0.476	0.476
IESW057	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694
IESW058	0.175	0.175	0.175	0.175	0.175	0.175	0.175	0.175	0.175	0.175	0.175	0.175
IESW059	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223

ENTITY_ID	SP049	SP050	SP051	SP052	SP053	SP054	SP055	SP056	SP057	SP058	SP059	SP060
IEGW501	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36
IEGW502	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262
IEGW503	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895
IEGW504	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983	0.983
IEGW505	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988
IEGW506	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834
IEGW507	0.726	0.726	0.726	0.726	0.726	0.726	0.726	0.726	0.726	0.726	0.726	0.726
IEGW508	0.706	0.706	0.706	0.706	0.706	0.706	0.706	0.706	0.706	0.706	0.706	0.706
IEGW509	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.424	0.424	0.424	0.424	0.424	0.424	0.424	0.424	0.424	0.424	0.424	0.424
IESW001	0.394	0.394	0.394	0.394	0.394	0.394	0.394	0.394	0.394	0.394	0.394	0.394
IESW002	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868
IESW005	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763
IESW008	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602
IESW009	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082	0.082
IESW010	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33
IESW011	0.492	0.492	0.492	0.492	0.492	0.492	0.492	0.492	0.492	0.492	0.492	0.492
IESW012	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872
IESW014	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352
IESW015	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004
IESW016	0.381	0.381	0.381	0.381	0.381	0.381	0.381	0.381	0.381	0.381	0.381	0.381
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
IESW022	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49
IESW025	0.431	0.431	0.431	0.431	0.431	0.431	0.431	0.431	0.431	0.431	0.431	0.431
IESW027	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092
IESW028	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351
IESW029	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.101	0.101
IESW030	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504
IESW032	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
IESW034	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
IESW035	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11
IESW036	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077
IESW037	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305	0.305
IESW038	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272
IESW039	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285	0.285
IESW040	0.637	0.637	0.637	0.637	0.637	0.637	0.637	0.637	0.637	0.637	0.637	0.637
IESW044	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
IESW055	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015
IESW056	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484
IESW057	0.712	0.712	0.712	0.712	0.712	0.712	0.712	0.712	0.712	0.712	0.712	0.712
IESW058	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185
IESW059	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236

ENTITY_ID	SP061	SP062	SP063	SP064	SP065	SP066	SP067	SP068	SP069	SP070	SP071	SP072
IEGW501	0.414	0.414	0.414	0.414	0.414	0.414	0.414	0.414	0.414	0.414	0.414	0.414
IEGW502	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278
IEGW503	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
IEGW504	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984
IEGW505	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
IEGW506	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849
IEGW507	0.761	0.761	0.761	0.761	0.761	0.761	0.761	0.761	0.761	0.761	0.761	0.761
IEGW508	0.751	0.751	0.751	0.751	0.751	0.751	0.751	0.751	0.751	0.751	0.751	0.751
IEGW509	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449	0.449
IESW001	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436	0.436
IESW002	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879
IESW005	0.779	0.779	0.779	0.779	0.779	0.779	0.779	0.779	0.779	0.779	0.779	0.779
IESW008	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618
IESW009	0.098	0.098	0.098	0.098	0.098	0.098	0.098	0.098	0.098	0.098	0.098	0.098
IESW010	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
IESW011	0.505	0.505	0.505	0.505	0.505	0.505	0.505	0.505	0.505	0.505	0.505	0.505
IESW012	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873
IESW014	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385	0.385
IESW015	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006
IESW016	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504	0.504
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147	0.147
IESW022	0.543	0.543	0.543	0.543	0.543	0.543	0.543	0.543	0.543	0.543	0.543	0.543
IESW025	0.487	0.487	0.487	0.487	0.487	0.487	0.487	0.487	0.487	0.487	0.487	0.487
IESW027	0.138	0.138	0.138	0.138	0.138	0.138	0.138	0.138	0.138	0.138	0.138	0.138
IESW028	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417
IESW029	0.117	0.117	0.117	0.117	0.117	0.117	0.117	0.117	0.117	0.117	0.117	0.117
IESW030	0.563	0.563	0.563	0.563	0.563	0.563	0.563	0.563	0.563	0.563	0.563	0.563
IESW032	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36
IESW034	0.647	0.647	0.647	0.647	0.647	0.647	0.647	0.647	0.647	0.647	0.647	0.647
IESW035	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136	0.136
IESW036	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092
IESW037	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344
IESW038	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265
IESW039	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
IESW040	0.691	0.691	0.691	0.691	0.691	0.691	0.691	0.691	0.691	0.691	0.691	0.691
IESW044	0.076	0.076	0.076	0.076	0.076	0.076	0.076	0.076	0.076	0.076	0.076	0.076
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
IESW055	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.018
IESW056	0.491	0.491	0.491	0.491	0.491	0.491	0.491	0.491	0.491	0.491	0.491	0.491
IESW057	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73
IESW058	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195
IESW059	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249

ENTITY_ID	SP073	SP074	SP075	SP076	SP077	SP078	SP079	SP080	SP081	SP082	SP083	SP084
IEGW501	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467
IEGW502	0.294	0.294	0.294	0.294	0.294	0.294	0.294	0.294	0.294	0.294	0.294	0.294
IEGW503	0.905	0.905	0.905	0.905	0.905	0.905	0.905	0.905	0.905	0.905	0.905	0.905
IEGW504	0.985	0.985	0.985	0.985	0.985	0.985	0.985	0.985	0.985	0.985	0.985	0.985
IEGW505	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991
IEGW506	0.865	0.865	0.865	0.865	0.865	0.865	0.865	0.865	0.865	0.865	0.865	0.865
IEGW507	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795
IEGW508	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795
IEGW509	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.474	0.474	0.474	0.474	0.474	0.474	0.474	0.474	0.474	0.474	0.474	0.474
IESW001	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478
IESW002	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889
IESW005	0.794	0.794	0.794	0.794	0.794	0.794	0.794	0.794	0.794	0.794	0.794	0.794
IESW008	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634
IESW009	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114
IESW010	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0.51
IESW011	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517
IESW012	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874
IESW014	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417	0.417
IESW015	0.008	0.008	0.008	0.008	0.008	0.008	0.008	0.008	0.008	0.008	0.008	0.008
IESW016	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168
IESW022	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597
IESW025	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544
IESW027	0.184	0.184	0.184	0.184	0.184	0.184	0.184	0.184	0.184	0.184	0.184	0.184
IESW028	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484	0.484
IESW029	0.134	0.134	0.134	0.134	0.134	0.134	0.134	0.134	0.134	0.134	0.134	0.134
IESW030	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621
IESW032	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
IESW034	0.668	0.668	0.668	0.668	0.668	0.668	0.668	0.668	0.668	0.668	0.668	0.668
IESW035	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163
IESW036	0.106	0.106	0.106	0.106	0.106	0.106	0.106	0.106	0.106	0.106	0.106	0.106
IESW037	0.382	0.382	0.382	0.382	0.382	0.382	0.382	0.382	0.382	0.382	0.382	0.382
IESW038	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258
IESW039	0.275	0.275	0.275	0.275	0.275	0.275	0.275	0.275	0.275	0.275	0.275	0.275
IESW040	0.746	0.746	0.746	0.746	0.746	0.746	0.746	0.746	0.746	0.746	0.746	0.746
IESW044	0.088	0.088	0.088	0.088	0.088	0.088	0.088	0.088	0.088	0.088	0.088	0.088
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
IESW055	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022
IESW056	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499
IESW057	0.749	0.749	0.749	0.749	0.749	0.749	0.749	0.749	0.749	0.749	0.749	0.749
IESW058	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205
IESW059	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262

ENTITY_ID	SP085	SP086	SP087	SP088	SP089	SP090	SP091	SP092	SP093	SP094	SP095	SP096
IEGW501	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52
IEGW502	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
IEGW503	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
IEGW504	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986
IEGW505	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992
IEGW506	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IEGW507	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83
IEGW508	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84
IEGW509	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499	0.499
IESW001	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52
IESW002	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
IESW005	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81
IESW008	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
IESW009	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
IESW010	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
IESW011	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
IESW012	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
IESW014	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45
IESW015	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
IESW016	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
IESW022	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
IESW025	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
IESW027	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
IESW028	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
IESW029	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
IESW030	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68
IESW032	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
IESW034	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69
IESW035	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
IESW036	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
IESW037	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
IESW044	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61
IESW055	0.026	0.026	0.026	0.026	0.026	0.026	0.026	0.026	0.026	0.026	0.026	0.026
IESW056	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507
IESW057	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767
IESW058	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215	0.215
IESW059	0.274	0.274	0.274	0.274	0.274	0.274	0.274	0.274	0.274	0.274	0.274	0.274

ENTITY_ID	SP097	SP098	SP099	SP100	SP101	SP102	SP103	SP104	SP105	SP106	SP107	SP108
IEGW501	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553	0.553
IEGW502	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326
IEGW503	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915
IEGW504	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986	0.986
IEGW505	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993
IEGW506	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887
IEGW507	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845
IEGW508	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
IEGW509	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.511	0.511	0.511	0.511	0.511	0.511	0.511	0.511	0.511	0.511	0.511	0.511
IESW001	0.551	0.551	0.551	0.551	0.551	0.551	0.551	0.551	0.551	0.551	0.551	0.551
IESW002	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904
IESW005	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824
IESW008	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
IESW009	0.141	0.141	0.141	0.141	0.141	0.141	0.141	0.141	0.141	0.141	0.141	0.141
IESW010	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627	0.627
IESW011	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536
IESW012	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
IESW014	0.469	0.469	0.469	0.469	0.469	0.469	0.469	0.469	0.469	0.469	0.469	0.469
IESW015	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011
IESW016	0.762	0.762	0.762	0.762	0.762	0.762	0.762	0.762	0.762	0.762	0.762	0.762
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.197	0.197	0.197	0.197	0.197	0.197	0.197	0.197	0.197	0.197	0.197	0.197
IESW022	0.673	0.673	0.673	0.673	0.673	0.673	0.673	0.673	0.673	0.673	0.673	0.673
IESW025	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62
IESW027	0.245	0.245	0.245	0.245	0.245	0.245	0.245	0.245	0.245	0.245	0.245	0.245
IESW028	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583
IESW029	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168
IESW030	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71
IESW032	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
IESW034	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
IESW035	0.208	0.208	0.208	0.208	0.208	0.208	0.208	0.208	0.208	0.208	0.208	0.208
IESW036	0.126	0.126	0.126	0.126	0.126	0.126	0.126	0.126	0.126	0.126	0.126	0.126
IESW037	0.458	0.458	0.458	0.458	0.458	0.458	0.458	0.458	0.458	0.458	0.458	0.458
IESW038	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244
IESW039	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265
IESW040	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824	0.824
IESW044	0.112	0.112	0.112	0.112	0.112	0.112	0.112	0.112	0.112	0.112	0.112	0.112
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614
IESW055	0.029	0.029	0.029	0.029	0.029	0.029	0.029	0.029	0.029	0.029	0.029	0.029
IESW056	0.512	0.512	0.512	0.512	0.512	0.512	0.512	0.512	0.512	0.512	0.512	0.512
IESW057	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776
IESW058	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
IESW059	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28

ENTITY_ID	SP109	SP110	SP111	SP112	SP113	SP114	SP115	SP116	SP117	SP118	SP119	SP120
IEGW501	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586	0.586
IEGW502	0.341	0.341	0.341	0.341	0.341	0.341	0.341	0.341	0.341	0.341	0.341	0.341
IEGW503	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
IEGW504	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987
IEGW505	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994
IEGW506	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895	0.895
IEGW507	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
IEGW508	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IEGW509	0.832	0.832	0.832	0.832	0.832	0.832	0.832	0.832	0.832	0.832	0.832	0.832
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.522	0.522	0.522	0.522	0.522	0.522	0.522	0.522	0.522	0.522	0.522	0.522
IESW001	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583
IESW002	0.907	0.907	0.907	0.907	0.907	0.907	0.907	0.907	0.907	0.907	0.907	0.907
IESW005	0.838	0.838	0.838	0.838	0.838	0.838	0.838	0.838	0.838	0.838	0.838	0.838
IESW008	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681
IESW009	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152
IESW010	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653
IESW011	0.542	0.542	0.542	0.542	0.542	0.542	0.542	0.542	0.542	0.542	0.542	0.542
IESW012	0.876	0.876	0.876	0.876	0.876	0.876	0.876	0.876	0.876	0.876	0.876	0.876
IESW014	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488	0.488
IESW015	0.012	0.012	0.012	0.012	0.012	0.012	0.012	0.012	0.012	0.012	0.012	0.012
IESW016	0.773	0.773	0.773	0.773	0.773	0.773	0.773	0.773	0.773	0.773	0.773	0.773
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204
IESW022	0.695	0.695	0.695	0.695	0.695	0.695	0.695	0.695	0.695	0.695	0.695	0.695
IESW025	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
IESW027	0.261	0.261	0.261	0.261	0.261	0.261	0.261	0.261	0.261	0.261	0.261	0.261
IESW028	0.616	0.616	0.616	0.616	0.616	0.616	0.616	0.616	0.616	0.616	0.616	0.616
IESW029	0.186	0.186	0.186	0.186	0.186	0.186	0.186	0.186	0.186	0.186	0.186	0.186
IESW030	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739	0.739
IESW032	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66
IESW034	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71
IESW035	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225
IESW036	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132
IESW037	0.495	0.495	0.495	0.495	0.495	0.495	0.495	0.495	0.495	0.495	0.495	0.495
IESW038	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237
IESW039	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259
IESW040	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849	0.849
IESW044	0.124	0.124	0.124	0.124	0.124	0.124	0.124	0.124	0.124	0.124	0.124	0.124
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618
IESW055	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032
IESW056	0.518	0.518	0.518	0.518	0.518	0.518	0.518	0.518	0.518	0.518	0.518	0.518
IESW057	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785
IESW058	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225	0.225
IESW059	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286	0.286

ENTITY_ID	SP121	SP122	SP123	SP124	SP125	SP126	SP127	SP128	SP129	SP130	SP131	SP132
IEGW501	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62
IEGW502	0.357	0.357	0.357	0.357	0.357	0.357	0.357	0.357	0.357	0.357	0.357	0.357
IEGW503	0.924	0.924	0.924	0.924	0.924	0.924	0.924	0.924	0.924	0.924	0.924	0.924
IEGW504	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987	0.987
IEGW505	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995
IEGW506	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902
IEGW507	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874
IEGW508	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
IEGW509	0.842	0.842	0.842	0.842	0.842	0.842	0.842	0.842	0.842	0.842	0.842	0.842
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
IESW001	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614	0.614
IESW002	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911
IESW005	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852
IESW008	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697
IESW009	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163
IESW010	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68
IESW011	0.548	0.548	0.548	0.548	0.548	0.548	0.548	0.548	0.548	0.548	0.548	0.548
IESW012	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877
IESW014	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507	0.507
IESW015	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013
IESW016	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785	0.785
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211	0.211
IESW022	0.718	0.718	0.718	0.718	0.718	0.718	0.718	0.718	0.718	0.718	0.718	0.718
IESW025	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66
IESW027	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276
IESW028	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648	0.648
IESW029	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204	0.204
IESW030	0.769	0.769	0.769	0.769	0.769	0.769	0.769	0.769	0.769	0.769	0.769	0.769
IESW032	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69
IESW034	0.721	0.721	0.721	0.721	0.721	0.721	0.721	0.721	0.721	0.721	0.721	0.721
IESW035	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243
IESW036	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137
IESW037	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
IESW038	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
IESW039	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254
IESW040	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873	0.873
IESW044	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137	0.137
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.622	0.622	0.622	0.622	0.622	0.622	0.622	0.622	0.622	0.622	0.622	0.622
IESW055	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035	0.035
IESW056	0.524	0.524	0.524	0.524	0.524	0.524	0.524	0.524	0.524	0.524	0.524	0.524
IESW057	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795	0.795
IESW058	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229	0.229
IESW059	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291	0.291

ENTITY_ID	SP133	SP134	SP135	SP136	SP137	SP138	SP139	SP140	SP141	SP142	SP143	SP144
IEGW501	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653	0.653
IEGW502	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373
IEGW503	0.929	0.929	0.929	0.929	0.929	0.929	0.929	0.929	0.929	0.929	0.929	0.929
IEGW504	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988	0.988
IEGW505	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996
IEGW506	0.909	0.909	0.909	0.909	0.909	0.909	0.909	0.909	0.909	0.909	0.909	0.909
IEGW507	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889	0.889
IEGW508	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
IEGW509	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544	0.544
IESW001	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645
IESW002	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915	0.915
IESW005	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
IESW008	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713
IESW009	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174
IESW010	0.707	0.707	0.707	0.707	0.707	0.707	0.707	0.707	0.707	0.707	0.707	0.707
IESW011	0.554	0.554	0.554	0.554	0.554	0.554	0.554	0.554	0.554	0.554	0.554	0.554
IESW012	0.878	0.878	0.878	0.878	0.878	0.878	0.878	0.878	0.878	0.878	0.878	0.878
IESW014	0.526	0.526	0.526	0.526	0.526	0.526	0.526	0.526	0.526	0.526	0.526	0.526
IESW015	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014
IESW016	0.797	0.797	0.797	0.797	0.797	0.797	0.797	0.797	0.797	0.797	0.797	0.797
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219	0.219
IESW022	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74
IESW025	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68
IESW027	0.292	0.292	0.292	0.292	0.292	0.292	0.292	0.292	0.292	0.292	0.292	0.292
IESW028	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681	0.681
IESW029	0.222	0.222	0.222	0.222	0.222	0.222	0.222	0.222	0.222	0.222	0.222	0.222
IESW030	0.799	0.799	0.799	0.799	0.799	0.799	0.799	0.799	0.799	0.799	0.799	0.799
IESW032	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72
IESW034	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731	0.731
IESW035	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
IESW036	0.143	0.143	0.143	0.143	0.143	0.143	0.143	0.143	0.143	0.143	0.143	0.143
IESW037	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57	0.57
IESW038	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223	0.223
IESW039	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249	0.249
IESW040	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897
IESW044	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626
IESW055	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038
IESW056	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
IESW057	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804
IESW058	0.234	0.234	0.234	0.234	0.234	0.234	0.234	0.234	0.234	0.234	0.234	0.234
IESW059	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297	0.297

ENTITY_ID	SP145	SP146	SP147	SP148	SP149	SP150	SP151	SP152	SP153	SP154	SP155	SP156
IEGW501	0.686	0.686	0.686	0.686	0.686	0.686	0.686	0.686	0.686	0.686	0.686	0.686
IEGW502	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389	0.389
IEGW503	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934
IEGW504	0.989	0.989	0.989	0.989	0.989	0.989	0.989	0.989	0.989	0.989	0.989	0.989
IEGW505	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997
IEGW506	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917
IEGW507	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904	0.904
IEGW508	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
IEGW509	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555
IESW001	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676	0.676
IESW002	0.919	0.919	0.919	0.919	0.919	0.919	0.919	0.919	0.919	0.919	0.919	0.919
IESW005	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IESW008	0.729	0.729	0.729	0.729	0.729	0.729	0.729	0.729	0.729	0.729	0.729	0.729
IESW009	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185
IESW010	0.733	0.733	0.733	0.733	0.733	0.733	0.733	0.733	0.733	0.733	0.733	0.733
IESW011	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
IESW012	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879	0.879
IESW014	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545	0.545
IESW015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015	0.015
IESW016	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808	0.808
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.226	0.226	0.226	0.226	0.226	0.226	0.226	0.226	0.226	0.226	0.226	0.226
IESW022	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763	0.763
IESW025	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
IESW027	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307	0.307
IESW028	0.714	0.714	0.714	0.714	0.714	0.714	0.714	0.714	0.714	0.714	0.714	0.714
IESW029	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
IESW030	0.828	0.828	0.828	0.828	0.828	0.828	0.828	0.828	0.828	0.828	0.828	0.828
IESW032	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
IESW034	0.741	0.741	0.741	0.741	0.741	0.741	0.741	0.741	0.741	0.741	0.741	0.741
IESW035	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278	0.278
IESW036	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149	0.149
IESW037	0.608	0.608	0.608	0.608	0.608	0.608	0.608	0.608	0.608	0.608	0.608	0.608
IESW038	0.216	0.216	0.216	0.216	0.216	0.216	0.216	0.216	0.216	0.216	0.216	0.216
IESW039	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243	0.243
IESW040	0.921	0.921	0.921	0.921	0.921	0.921	0.921	0.921	0.921	0.921	0.921	0.921
IESW044	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161
IESW051	0	0	0	0	0	0	0	0	0	0	0	0
IESW052	0	0	0	0	0	0	0	0	0	0	0	0
IESW053	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
IESW055	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041	0.041
IESW056	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536	0.536
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239
IESW059	0.303	0.303	0.303	0.303	0.303	0.303	0.303	0.303	0.303	0.303	0.303	0.303

ENTITY_ID	SP169	SP170	SP171	SP172	SP173	SP174	SP175	SP176	SP177	SP178	SP179	SP180
IEGW501	0.696	0.696	0.696	0.696	0.696	0.696	0.696	0.696	0.696	0.696	0.696	0.696
IEGW502	0.433	0.433	0.433	0.433	0.433	0.433	0.433	0.433	0.433	0.433	0.433	0.433
IEGW503	0.944	0.944	0.944	0.944	0.944	0.944	0.944	0.944	0.944	0.944	0.944	0.944
IEGW504	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
IEGW505	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998
IEGW506	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928
IEGW507	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
IEGW508	0.949	0.949	0.949	0.949	0.949	0.949	0.949	0.949	0.949	0.949	0.949	0.949
IEGW509	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.577	0.577	0.577	0.577	0.577	0.577	0.577	0.577	0.577	0.577	0.577	0.577
IESW001	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69
IESW002	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923
IESW005	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902
IESW008	0.757	0.757	0.757	0.757	0.757	0.757	0.757	0.757	0.757	0.757	0.757	0.757
IESW009	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199	0.199
IESW010	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78
IESW011	0.572	0.572	0.572	0.572	0.572	0.572	0.572	0.572	0.572	0.572	0.572	0.572
IESW012	0.886	0.886	0.886	0.886	0.886	0.886	0.886	0.886	0.886	0.886	0.886	0.886
IESW014	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583	0.583
IESW015	0.019	0.019	0.019	0.019	0.019	0.019	0.019	0.019	0.019	0.019	0.019	0.019
IESW016	0.829	0.829	0.829	0.829	0.829	0.829	0.829	0.829	0.829	0.829	0.829	0.829
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239	0.239
IESW022	0.798	0.798	0.798	0.798	0.798	0.798	0.798	0.798	0.798	0.798	0.798	0.798
IESW025	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74
IESW027	0.328	0.328	0.328	0.328	0.328	0.328	0.328	0.328	0.328	0.328	0.328	0.328
IESW028	0.748	0.748	0.748	0.748	0.748	0.748	0.748	0.748	0.748	0.748	0.748	0.748
IESW029	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272
IESW030	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
IESW032	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786
IESW034	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765
IESW035	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311	0.311
IESW036	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161	0.161
IESW037	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765	0.765
IESW038	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
IESW039	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254	0.254
IESW040	0.953	0.953	0.953	0.953	0.953	0.953	0.953	0.953	0.953	0.953	0.953	0.953
IESW044	0.217	0.217	0.217	0.217	0.217	0.217	0.217	0.217	0.217	0.217	0.217	0.217
IESW051	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016
IESW052	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016
IESW053	0.636	0.636	0.636	0.636	0.636	0.636	0.636	0.636	0.636	0.636	0.636	0.636
IESW055	0.048	0.048	0.048	0.048	0.048	0.048	0.048	0.048	0.048	0.048	0.048	0.048
IESW056	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248	0.248
IESW059	0.314	0.314	0.314	0.314	0.314	0.314	0.314	0.314	0.314	0.314	0.314	0.314

ENTITY_ID	SP181	SP182	SP183	SP184	SP185	SP186	SP187	SP188	SP189	SP190	SP191	SP192
IEGW501	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
IEGW502	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455	0.455
IEGW503	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
IEGW504	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991
IEGW505	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998
IEGW506	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934
IEGW507	0.914	0.914	0.914	0.914	0.914	0.914	0.914	0.914	0.914	0.914	0.914	0.914
IEGW508	0.954	0.954	0.954	0.954	0.954	0.954	0.954	0.954	0.954	0.954	0.954	0.954
IEGW509	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874	0.874
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.588	0.588	0.588	0.588	0.588	0.588	0.588	0.588	0.588	0.588	0.588	0.588
IESW001	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697	0.697
IESW002	0.925	0.925	0.925	0.925	0.925	0.925	0.925	0.925	0.925	0.925	0.925	0.925
IESW005	0.912	0.912	0.912	0.912	0.912	0.912	0.912	0.912	0.912	0.912	0.912	0.912
IESW008	0.771	0.771	0.771	0.771	0.771	0.771	0.771	0.771	0.771	0.771	0.771	0.771
IESW009	0.206	0.206	0.206	0.206	0.206	0.206	0.206	0.206	0.206	0.206	0.206	0.206
IESW010	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803	0.803
IESW011	0.578	0.578	0.578	0.578	0.578	0.578	0.578	0.578	0.578	0.578	0.578	0.578
IESW012	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
IESW014	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602	0.602
IESW015	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021
IESW016	0.839	0.839	0.839	0.839	0.839	0.839	0.839	0.839	0.839	0.839	0.839	0.839
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246	0.246
IESW022	0.815	0.815	0.815	0.815	0.815	0.815	0.815	0.815	0.815	0.815	0.815	0.815
IESW025	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76
IESW027	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339	0.339
IESW028	0.766	0.766	0.766	0.766	0.766	0.766	0.766	0.766	0.766	0.766	0.766	0.766
IESW029	0.288	0.288	0.288	0.288	0.288	0.288	0.288	0.288	0.288	0.288	0.288	0.288
IESW030	0.884	0.884	0.884	0.884	0.884	0.884	0.884	0.884	0.884	0.884	0.884	0.884
IESW032	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804	0.804
IESW034	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776	0.776
IESW035	0.327	0.327	0.327	0.327	0.327	0.327	0.327	0.327	0.327	0.327	0.327	0.327
IESW036	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168	0.168
IESW037	0.843	0.843	0.843	0.843	0.843	0.843	0.843	0.843	0.843	0.843	0.843	0.843
IESW038	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237	0.237
IESW039	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259	0.259
IESW040	0.969	0.969	0.969	0.969	0.969	0.969	0.969	0.969	0.969	0.969	0.969	0.969
IESW044	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244
IESW051	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024
IESW052	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024
IESW053	0.639	0.639	0.639	0.639	0.639	0.639	0.639	0.639	0.639	0.639	0.639	0.639
IESW055	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052	0.052
IESW056	0.557	0.557	0.557	0.557	0.557	0.557	0.557	0.557	0.557	0.557	0.557	0.557
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253
IESW059	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32

ENTITY_ID	SP193	SP194	SP195	SP196	SP197	SP198	SP199	SP200	SP201	SP202	SP203	SP204
IEGW501	0.705	0.705	0.705	0.705	0.705	0.705	0.705	0.705	0.705	0.705	0.705	0.705
IEGW502	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478	0.478
IEGW503	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955
IEGW504	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991	0.991
IEGW505	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
IEGW506	0.939	0.939	0.939	0.939	0.939	0.939	0.939	0.939	0.939	0.939	0.939	0.939
IEGW507	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917
IEGW508	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958
IEGW509	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877	0.877
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599
IESW001	0.703	0.703	0.703	0.703	0.703	0.703	0.703	0.703	0.703	0.703	0.703	0.703
IESW002	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928	0.928
IESW005	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923
IESW008	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786	0.786
IESW009	0.213	0.213	0.213	0.213	0.213	0.213	0.213	0.213	0.213	0.213	0.213	0.213
IESW010	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827
IESW011	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584
IESW012	0.894	0.894	0.894	0.894	0.894	0.894	0.894	0.894	0.894	0.894	0.894	0.894
IESW014	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621	0.621
IESW015	0.023	0.023	0.023	0.023	0.023	0.023	0.023	0.023	0.023	0.023	0.023	0.023
IESW016	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253	0.253
IESW022	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
IESW025	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78
IESW027	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349
IESW028	0.783	0.783	0.783	0.783	0.783	0.783	0.783	0.783	0.783	0.783	0.783	0.783
IESW029	0.304	0.304	0.304	0.304	0.304	0.304	0.304	0.304	0.304	0.304	0.304	0.304
IESW030	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903
IESW032	0.822	0.822	0.822	0.822	0.822	0.822	0.822	0.822	0.822	0.822	0.822	0.822
IESW034	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788
IESW035	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344
IESW036	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174	0.174
IESW037	0.922	0.922	0.922	0.922	0.922	0.922	0.922	0.922	0.922	0.922	0.922	0.922
IESW038	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244	0.244
IESW039	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265	0.265
IESW040	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984	0.984
IESW044	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272	0.272
IESW051	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032
IESW052	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032
IESW053	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642
IESW055	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
IESW056	0.564	0.564	0.564	0.564	0.564	0.564	0.564	0.564	0.564	0.564	0.564	0.564
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258	0.258
IESW059	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326	0.326

ENTITY_ID	SP205	SP206	SP207	SP208	SP209	SP210	SP211	SP212	SP213	SP214	SP215	SP216
IEGW501	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71
IEGW502	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
IEGW503	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
IEGW504	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992	0.992
IEGW505	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
IEGW506	0.945	0.945	0.945	0.945	0.945	0.945	0.945	0.945	0.945	0.945	0.945	0.945
IEGW507	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
IEGW508	0.963	0.963	0.963	0.963	0.963	0.963	0.963	0.963	0.963	0.963	0.963	0.963
IEGW509	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61
IESW001	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71
IESW002	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
IESW005	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934
IESW008	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
IESW009	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22
IESW010	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
IESW011	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
IESW012	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897
IESW014	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
IESW015	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025
IESW016	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
IESW022	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85
IESW025	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
IESW027	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36
IESW028	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
IESW029	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32	0.32
IESW030	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923
IESW032	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84
IESW034	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
IESW035	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36
IESW036	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
IESW051	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
IESW052	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04
IESW053	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645	0.645
IESW055	0.059	0.059	0.059	0.059	0.059	0.059	0.059	0.059	0.059	0.059	0.059	0.059
IESW056	0.571	0.571	0.571	0.571	0.571	0.571	0.571	0.571	0.571	0.571	0.571	0.571
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.263	0.263	0.263	0.263	0.263	0.263	0.263	0.263	0.263	0.263	0.263	0.263
IESW059	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333

ENTITY_ID	SP217	SP218	SP219	SP220	SP221	SP222	SP223	SP224	SP225	SP226	SP227	SP228
IEGW501	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713
IEGW502	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517	0.517
IEGW503	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965
IEGW504	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993
IEGW505	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
IEGW506	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
IEGW507	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923	0.923
IEGW508	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965
IEGW509	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618	0.618
IESW001	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713	0.713
IESW002	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932
IESW005	0.946	0.946	0.946	0.946	0.946	0.946	0.946	0.946	0.946	0.946	0.946	0.946
IESW008	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW009	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23
IESW010	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
IESW011	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597	0.597
IESW012	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897
IESW014	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66
IESW015	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027
IESW016	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267
IESW022	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867	0.867
IESW025	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82
IESW027	0.367	0.367	0.367	0.367	0.367	0.367	0.367	0.367	0.367	0.367	0.367	0.367
IESW028	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW029	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353	0.353
IESW030	0.937	0.937	0.937	0.937	0.937	0.937	0.937	0.937	0.937	0.937	0.937	0.937
IESW032	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
IESW034	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81
IESW035	0.377	0.377	0.377	0.377	0.377	0.377	0.377	0.377	0.377	0.377	0.377	0.377
IESW036	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185	0.185
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323
IESW051	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
IESW052	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
IESW053	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
IESW055	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064	0.064
IESW056	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267	0.267
IESW059	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338	0.338

ENTITY_ID	SP229	SP230	SP231	SP232	SP233	SP234	SP235	SP236	SP237	SP238	SP239	SP240
IEGW501	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717
IEGW502	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
IEGW503	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
IEGW504	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993	0.993
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955	0.955
IEGW507	0.927	0.927	0.927	0.927	0.927	0.927	0.927	0.927	0.927	0.927	0.927	0.927
IEGW508	0.968	0.968	0.968	0.968	0.968	0.968	0.968	0.968	0.968	0.968	0.968	0.968
IEGW509	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887	0.887
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626	0.626
IESW001	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717	0.717
IESW002	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934	0.934
IESW005	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958	0.958
IESW008	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827
IESW009	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
IESW010	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
IESW011	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603	0.603
IESW012	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897
IESW014	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68
IESW015	0.028	0.028	0.028	0.028	0.028	0.028	0.028	0.028	0.028	0.028	0.028	0.028
IESW016	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.273	0.273	0.273	0.273	0.273	0.273	0.273	0.273	0.273	0.273	0.273	0.273
IESW022	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883
IESW025	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84
IESW027	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373
IESW028	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827	0.827
IESW029	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387
IESW030	0.951	0.951	0.951	0.951	0.951	0.951	0.951	0.951	0.951	0.951	0.951	0.951
IESW032	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IESW034	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82
IESW035	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393
IESW036	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.347	0.347	0.347	0.347	0.347	0.347	0.347	0.347	0.347	0.347	0.347	0.347
IESW051	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
IESW052	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
IESW053	0.655	0.655	0.655	0.655	0.655	0.655	0.655	0.655	0.655	0.655	0.655	0.655
IESW055	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068	0.068
IESW056	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.271	0.271	0.271	0.271	0.271	0.271	0.271	0.271	0.271	0.271	0.271	0.271
IESW059	0.343	0.343	0.343	0.343	0.343	0.343	0.343	0.343	0.343	0.343	0.343	0.343

ENTITY_ID	SP241	SP242	SP243	SP244	SP245	SP246	SP247	SP248	SP249	SP250	SP251	SP252
IEGW501	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72
IEGW502	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55
IEGW503	0.975	0.975	0.975	0.975	0.975	0.975	0.975	0.975	0.975	0.975	0.975	0.975
IEGW504	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994	0.994
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
IEGW507	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
IEGW508	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
IEGW509	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634	0.634
IESW001	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72
IESW002	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936	0.936
IESW005	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
IESW008	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84
IESW009	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
IESW010	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
IESW011	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61
IESW012	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897
IESW014	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
IESW015	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
IESW016	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
IESW022	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
IESW025	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
IESW027	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38
IESW028	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84
IESW029	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
IESW030	0.966	0.966	0.966	0.966	0.966	0.966	0.966	0.966	0.966	0.966	0.966	0.966
IESW032	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
IESW034	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83
IESW035	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41
IESW036	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37
IESW051	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
IESW052	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07
IESW053	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66
IESW055	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072
IESW056	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584	0.584
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276
IESW059	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349	0.349

ENTITY_ID	SP253	SP254	SP255	SP256	SP257	SP258	SP259	SP260	SP261	SP262	SP263	SP264
IEGW501	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723
IEGW502	0.567	0.567	0.567	0.567	0.567	0.567	0.567	0.567	0.567	0.567	0.567	0.567
IEGW503	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98
IEGW504	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995	0.995
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965	0.965
IEGW507	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
IEGW508	0.972	0.972	0.972	0.972	0.972	0.972	0.972	0.972	0.972	0.972	0.972	0.972
IEGW509	0.893	0.893	0.893	0.893	0.893	0.893	0.893	0.893	0.893	0.893	0.893	0.893
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642	0.642
IESW001	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723	0.723
IESW002	0.938	0.938	0.938	0.938	0.938	0.938	0.938	0.938	0.938	0.938	0.938	0.938
IESW005	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982	0.982
IESW008	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853
IESW009	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
IESW010	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
IESW011	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617	0.617
IESW012	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897	0.897
IESW014	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72
IESW015	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032	0.032
IESW016	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.287	0.287	0.287	0.287	0.287	0.287	0.287	0.287	0.287	0.287	0.287	0.287
IESW022	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917	0.917
IESW025	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
IESW027	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387	0.387
IESW028	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853	0.853
IESW029	0.453	0.453	0.453	0.453	0.453	0.453	0.453	0.453	0.453	0.453	0.453	0.453
IESW030	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98
IESW032	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
IESW034	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84
IESW035	0.427	0.427	0.427	0.427	0.427	0.427	0.427	0.427	0.427	0.427	0.427	0.427
IESW036	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393	0.393
IESW051	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
IESW052	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08
IESW053	0.665	0.665	0.665	0.665	0.665	0.665	0.665	0.665	0.665	0.665	0.665	0.665
IESW055	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077
IESW056	0.589	0.589	0.589	0.589	0.589	0.589	0.589	0.589	0.589	0.589	0.589	0.589
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
IESW059	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354	0.354

ENTITY_ID	SP265	SP266	SP267	SP268	SP269	SP270	SP271	SP272	SP273	SP274	SP275	SP276
IEGW501	0.725	0.725	0.725	0.725	0.725	0.725	0.727	0.727	0.727	0.727	0.727	0.727
IEGW502	0.573	0.573	0.573	0.573	0.573	0.573	0.581	0.581	0.581	0.581	0.581	0.581
IEGW503	0.982	0.982	0.982	0.982	0.982	0.982	0.985	0.985	0.985	0.985	0.985	0.985
IEGW504	0.995	0.995	0.995	0.995	0.995	0.995	0.996	0.996	0.996	0.996	0.996	0.996
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.967	0.967	0.967	0.967	0.967	0.967	0.97	0.97	0.97	0.97	0.97	0.97
IEGW507	0.935	0.935	0.935	0.935	0.935	0.935	0.937	0.937	0.937	0.937	0.937	0.937
IEGW508	0.973	0.973	0.973	0.973	0.973	0.973	0.974	0.974	0.974	0.974	0.974	0.974
IEGW509	0.895	0.895	0.895	0.895	0.895	0.895	0.897	0.897	0.897	0.897	0.897	0.897
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.648	0.648	0.648	0.648	0.648	0.648	0.652	0.652	0.652	0.652	0.652	0.652
IESW001	0.725	0.725	0.725	0.725	0.725	0.725	0.727	0.727	0.727	0.727	0.727	0.727
IESW002	0.94	0.94	0.94	0.94	0.94	0.94	0.941	0.941	0.941	0.941	0.941	0.941
IESW005	0.989	0.989	0.989	0.989	0.989	0.989	0.995	0.995	0.995	0.995	0.995	0.995
IESW008	0.86	0.86	0.86	0.86	0.86	0.86	0.866	0.866	0.866	0.866	0.866	0.866
IESW009	0.265	0.265	0.265	0.265	0.265	0.265	0.269	0.269	0.269	0.269	0.269	0.269
IESW010	0.944	0.944	0.944	0.944	0.944	0.944	0.953	0.953	0.953	0.953	0.953	0.953
IESW011	0.619	0.619	0.619	0.619	0.619	0.619	0.622	0.622	0.622	0.622	0.622	0.622
IESW012	0.899	0.899	0.899	0.899	0.899	0.899	0.9	0.9	0.9	0.9	0.9	0.9
IESW014	0.734	0.734	0.734	0.734	0.734	0.734	0.743	0.743	0.743	0.743	0.743	0.743
IESW015	0.032	0.032	0.032	0.032	0.032	0.032	0.033	0.033	0.033	0.033	0.033	0.033
IESW016	0.905	0.905	0.905	0.905	0.905	0.905	0.909	0.909	0.909	0.909	0.909	0.909
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.289	0.289	0.289	0.289	0.289	0.289	0.292	0.292	0.292	0.292	0.292	0.292
IESW022	0.928	0.928	0.928	0.928	0.928	0.928	0.936	0.936	0.936	0.936	0.936	0.936
IESW025	0.894	0.894	0.894	0.894	0.894	0.894	0.903	0.903	0.903	0.903	0.903	0.903
IESW027	0.389	0.389	0.389	0.389	0.389	0.389	0.392	0.392	0.392	0.392	0.392	0.392
IESW028	0.86	0.86	0.86	0.86	0.86	0.86	0.866	0.866	0.866	0.866	0.866	0.866
IESW029	0.469	0.469	0.469	0.469	0.469	0.469	0.485	0.485	0.485	0.485	0.485	0.485
IESW030	0.985	0.985	0.985	0.985	0.985	0.985	0.992	0.992	0.992	0.992	0.992	0.992
IESW032	0.934	0.934	0.934	0.934	0.934	0.934	0.943	0.943	0.943	0.943	0.943	0.943
IESW034	0.845	0.845	0.845	0.845	0.845	0.845	0.849	0.849	0.849	0.849	0.849	0.849
IESW035	0.433	0.433	0.433	0.433	0.433	0.433	0.441	0.441	0.441	0.441	0.441	0.441
IESW036	0.202	0.202	0.202	0.202	0.202	0.202	0.205	0.205	0.205	0.205	0.205	0.205
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.396	0.396	0.396	0.396	0.396	0.396	0.407	0.407	0.407	0.407	0.407	0.407
IESW051	0.085	0.085	0.085	0.085	0.085	0.085	0.089	0.089	0.089	0.089	0.089	0.089
IESW052	0.085	0.085	0.085	0.085	0.085	0.085	0.089	0.089	0.089	0.089	0.089	0.089
IESW053	0.667	0.667	0.667	0.667	0.667	0.667	0.67	0.67	0.67	0.67	0.67	0.67
IESW055	0.078	0.078	0.078	0.078	0.078	0.078	0.08	0.08	0.08	0.08	0.08	0.08
IESW056	0.593	0.593	0.593	0.593	0.593	0.593	0.595	0.595	0.595	0.595	0.595	0.595
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.284	0.284	0.284	0.284	0.284	0.284	0.286	0.286	0.286	0.286	0.286	0.286
IESW059	0.358	0.358	0.358	0.358	0.358	0.358	0.361	0.361	0.361	0.361	0.361	0.361

ENTITY_ID	SP277	SP278	SP279	SP280	SP281	SP282	SP283	SP284	SP285	SP286	SP287	SP288
IEGW501	0.728	0.728	0.728	0.728	0.728	0.728	0.73	0.73	0.73	0.73	0.73	0.73
IEGW502	0.589	0.589	0.589	0.589	0.589	0.589	0.597	0.597	0.597	0.597	0.597	0.597
IEGW503	0.987	0.987	0.987	0.987	0.987	0.987	0.989	0.989	0.989	0.989	0.989	0.989
IEGW504	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996	0.996
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.972	0.972	0.972	0.972	0.972	0.972	0.974	0.974	0.974	0.974	0.974	0.974
IEGW507	0.939	0.939	0.939	0.939	0.939	0.939	0.94	0.94	0.94	0.94	0.94	0.94
IEGW508	0.975	0.975	0.975	0.975	0.975	0.975	0.976	0.976	0.976	0.976	0.976	0.976
IEGW509	0.899	0.899	0.899	0.899	0.899	0.899	0.9	0.9	0.9	0.9	0.9	0.9
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.656	0.656	0.656	0.656	0.656	0.656	0.66	0.66	0.66	0.66	0.66	0.66
IESW001	0.729	0.729	0.729	0.729	0.729	0.729	0.73	0.73	0.73	0.73	0.73	0.73
IESW002	0.942	0.942	0.942	0.942	0.942	0.942	0.943	0.943	0.943	0.943	0.943	0.943
IESW005	1	1	1	1	1	1	1	1	1	1	1	1
IESW008	0.873	0.873	0.873	0.873	0.873	0.873	0.879	0.879	0.879	0.879	0.879	0.879
IESW009	0.274	0.274	0.274	0.274	0.274	0.274	0.279	0.279	0.279	0.279	0.279	0.279
IESW010	0.963	0.963	0.963	0.963	0.963	0.963	0.973	0.973	0.973	0.973	0.973	0.973
IESW011	0.626	0.626	0.626	0.626	0.626	0.626	0.629	0.629	0.629	0.629	0.629	0.629
IESW012	0.901	0.901	0.901	0.901	0.901	0.901	0.902	0.902	0.902	0.902	0.902	0.902
IESW014	0.753	0.753	0.753	0.753	0.753	0.753	0.763	0.763	0.763	0.763	0.763	0.763
IESW015	0.033	0.033	0.033	0.033	0.033	0.033	0.034	0.034	0.034	0.034	0.034	0.034
IESW016	0.914	0.914	0.914	0.914	0.914	0.914	0.919	0.919	0.919	0.919	0.919	0.919
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.296	0.296	0.296	0.296	0.296	0.296	0.299	0.299	0.299	0.299	0.299	0.299
IESW022	0.944	0.944	0.944	0.944	0.944	0.944	0.952	0.952	0.952	0.952	0.952	0.952
IESW025	0.913	0.913	0.913	0.913	0.913	0.913	0.923	0.923	0.923	0.923	0.923	0.923
IESW027	0.396	0.396	0.396	0.396	0.396	0.396	0.399	0.399	0.399	0.399	0.399	0.399
IESW028	0.873	0.873	0.873	0.873	0.873	0.873	0.879	0.879	0.879	0.879	0.879	0.879
IESW029	0.501	0.501	0.501	0.501	0.501	0.501	0.517	0.517	0.517	0.517	0.517	0.517
IESW030	0.999	0.999	0.999	0.999	0.999	0.999	1	1	1	1	1	1
IESW032	0.953	0.953	0.953	0.953	0.953	0.953	0.963	0.963	0.963	0.963	0.963	0.963
IESW034	0.854	0.854	0.854	0.854	0.854	0.854	0.859	0.859	0.859	0.859	0.859	0.859
IESW035	0.449	0.449	0.449	0.449	0.449	0.449	0.457	0.457	0.457	0.457	0.457	0.457
IESW036	0.207	0.207	0.207	0.207	0.207	0.207	0.209	0.209	0.209	0.209	0.209	0.209
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.418	0.418	0.418	0.418	0.418	0.418	0.429	0.429	0.429	0.429	0.429	0.429
IESW051	0.094	0.094	0.094	0.094	0.094	0.094	0.099	0.099	0.099	0.099	0.099	0.099
IESW052	0.094	0.094	0.094	0.094	0.094	0.094	0.099	0.099	0.099	0.099	0.099	0.099
IESW053	0.672	0.672	0.672	0.672	0.672	0.672	0.674	0.674	0.674	0.674	0.674	0.674
IESW055	0.082	0.082	0.082	0.082	0.082	0.082	0.085	0.085	0.085	0.085	0.085	0.085
IESW056	0.597	0.597	0.597	0.597	0.597	0.597	0.599	0.599	0.599	0.599	0.599	0.599
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.288	0.288	0.288	0.288	0.288	0.288	0.29	0.29	0.29	0.29	0.29	0.29
IESW059	0.364	0.364	0.364	0.364	0.364	0.364	0.366	0.366	0.366	0.366	0.366	0.366

ENTITY_ID	SP289	SP290	SP291	SP292	SP293	SP294	SP295	SP296	SP297	SP298	SP299	SP300
IEGW501	0.731	0.731	0.731	0.731	0.731	0.731	0.733	0.733	0.733	0.733	0.733	0.733
IEGW502	0.605	0.605	0.605	0.605	0.605	0.605	0.613	0.613	0.613	0.613	0.613	0.613
IEGW503	0.992	0.992	0.992	0.992	0.992	0.992	0.994	0.994	0.994	0.994	0.994	0.994
IEGW504	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997	0.997
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.977	0.977	0.977	0.977	0.977	0.977	0.979	0.979	0.979	0.979	0.979	0.979
IEGW507	0.942	0.942	0.942	0.942	0.942	0.942	0.943	0.943	0.943	0.943	0.943	0.943
IEGW508	0.978	0.978	0.978	0.978	0.978	0.978	0.979	0.979	0.979	0.979	0.979	0.979
IEGW509	0.902	0.902	0.902	0.902	0.902	0.902	0.903	0.903	0.903	0.903	0.903	0.903
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.664	0.664	0.664	0.664	0.664	0.664	0.668	0.668	0.668	0.668	0.668	0.668
IESW001	0.732	0.732	0.732	0.732	0.732	0.732	0.733	0.733	0.733	0.733	0.733	0.733
IESW002	0.944	0.944	0.944	0.944	0.944	0.944	0.945	0.945	0.945	0.945	0.945	0.945
IESW005	1	1	1	1	1	1	1	1	1	1	1	1
IESW008	0.886	0.886	0.886	0.886	0.886	0.886	0.892	0.892	0.892	0.892	0.892	0.892
IESW009	0.284	0.284	0.284	0.284	0.284	0.284	0.289	0.289	0.289	0.289	0.289	0.289
IESW010	0.982	0.982	0.982	0.982	0.982	0.982	0.992	0.992	0.992	0.992	0.992	0.992
IESW011	0.632	0.632	0.632	0.632	0.632	0.632	0.635	0.635	0.635	0.635	0.635	0.635
IESW012	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903	0.903
IESW014	0.772	0.772	0.772	0.772	0.772	0.772	0.782	0.782	0.782	0.782	0.782	0.782
IESW015	0.035	0.035	0.035	0.035	0.035	0.035	0.036	0.036	0.036	0.036	0.036	0.036
IESW016	0.924	0.924	0.924	0.924	0.924	0.924	0.929	0.929	0.929	0.929	0.929	0.929
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.302	0.302	0.302	0.302	0.302	0.302	0.305	0.305	0.305	0.305	0.305	0.305
IESW022	0.961	0.961	0.961	0.961	0.961	0.961	0.969	0.969	0.969	0.969	0.969	0.969
IESW025	0.932	0.932	0.932	0.932	0.932	0.932	0.942	0.942	0.942	0.942	0.942	0.942
IESW027	0.402	0.402	0.402	0.402	0.402	0.402	0.405	0.405	0.405	0.405	0.405	0.405
IESW028	0.886	0.886	0.886	0.886	0.886	0.886	0.892	0.892	0.892	0.892	0.892	0.892
IESW029	0.533	0.533	0.533	0.533	0.533	0.533	0.549	0.549	0.549	0.549	0.549	0.549
IESW030	1	1	1	1	1	1	1	1	1	1	1	1
IESW032	0.972	0.972	0.972	0.972	0.972	0.972	0.982	0.982	0.982	0.982	0.982	0.982
IESW034	0.864	0.864	0.864	0.864	0.864	0.864	0.869	0.869	0.869	0.869	0.869	0.869
IESW035	0.465	0.465	0.465	0.465	0.465	0.465	0.473	0.473	0.473	0.473	0.473	0.473
IESW036	0.212	0.212	0.212	0.212	0.212	0.212	0.214	0.214	0.214	0.214	0.214	0.214
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.44	0.44	0.44	0.44	0.44	0.44	0.451	0.451	0.451	0.451	0.451	0.451
IESW051	0.104	0.104	0.104	0.104	0.104	0.104	0.109	0.109	0.109	0.109	0.109	0.109
IESW052	0.104	0.104	0.104	0.104	0.104	0.104	0.109	0.109	0.109	0.109	0.109	0.109
IESW053	0.677	0.677	0.677	0.677	0.677	0.677	0.679	0.679	0.679	0.679	0.679	0.679
IESW055	0.087	0.087	0.087	0.087	0.087	0.087	0.089	0.089	0.089	0.089	0.089	0.089
IESW056	0.601	0.601	0.601	0.601	0.601	0.601	0.604	0.604	0.604	0.604	0.604	0.604
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.292	0.292	0.292	0.292	0.292	0.292	0.294	0.294	0.294	0.294	0.294	0.294
IESW059	0.369	0.369	0.369	0.369	0.369	0.369	0.372	0.372	0.372	0.372	0.372	0.372

ENTITY_ID	SP301	SP302	SP303	SP304	SP305	SP306	SP307	SP308	SP309	SP310	SP311	SP312
IEGW501	0.735	0.735	0.735	0.735	0.735	0.735	0.736	0.736	0.736	0.736	0.736	0.736
IEGW502	0.621	0.621	0.621	0.621	0.621	0.621	0.629	0.629	0.629	0.629	0.629	0.629
IEGW503	0.997	0.997	0.997	0.997	0.997	0.997	0.999	0.999	0.999	0.999	0.999	0.999
IEGW504	0.997	0.997	0.997	0.997	0.997	0.997	0.998	0.998	0.998	0.998	0.998	0.998
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.982	0.982	0.982	0.982	0.982	0.982	0.984	0.984	0.984	0.984	0.984	0.984
IEGW507	0.945	0.945	0.945	0.945	0.945	0.945	0.947	0.947	0.947	0.947	0.947	0.947
IEGW508	0.98	0.98	0.98	0.98	0.98	0.98	0.981	0.981	0.981	0.981	0.981	0.981
IEGW509	0.905	0.905	0.905	0.905	0.905	0.905	0.907	0.907	0.907	0.907	0.907	0.907
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.672	0.672	0.672	0.672	0.672	0.672	0.676	0.676	0.676	0.676	0.676	0.676
IESW001	0.735	0.735	0.735	0.735	0.735	0.735	0.737	0.737	0.737	0.737	0.737	0.737
IESW002	0.946	0.946	0.946	0.946	0.946	0.946	0.947	0.947	0.947	0.947	0.947	0.947
IESW005	1	1	1	1	1	1	1	1	1	1	1	1
IESW008	0.898	0.898	0.898	0.898	0.898	0.898	0.905	0.905	0.905	0.905	0.905	0.905
IESW009	0.293	0.293	0.293	0.293	0.293	0.293	0.298	0.298	0.298	0.298	0.298	0.298
IESW010	1	1	1	1	1	1	1	1	1	1	1	1
IESW011	0.638	0.638	0.638	0.638	0.638	0.638	0.642	0.642	0.642	0.642	0.642	0.642
IESW012	0.904	0.904	0.904	0.904	0.904	0.904	0.905	0.905	0.905	0.905	0.905	0.905
IESW014	0.792	0.792	0.792	0.792	0.792	0.792	0.801	0.801	0.801	0.801	0.801	0.801
IESW015	0.037	0.037	0.037	0.037	0.037	0.037	0.037	0.037	0.037	0.037	0.037	0.037
IESW016	0.933	0.933	0.933	0.933	0.933	0.933	0.938	0.938	0.938	0.938	0.938	0.938
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.308	0.308	0.308	0.308	0.308	0.308	0.312	0.312	0.312	0.312	0.312	0.312
IESW022	0.977	0.977	0.977	0.977	0.977	0.977	0.985	0.985	0.985	0.985	0.985	0.985
IESW025	0.952	0.952	0.952	0.952	0.952	0.952	0.961	0.961	0.961	0.961	0.961	0.961
IESW027	0.408	0.408	0.408	0.408	0.408	0.408	0.412	0.412	0.412	0.412	0.412	0.412
IESW028	0.898	0.898	0.898	0.898	0.898	0.898	0.905	0.905	0.905	0.905	0.905	0.905
IESW029	0.565	0.565	0.565	0.565	0.565	0.565	0.581	0.581	0.581	0.581	0.581	0.581
IESW030	1	1	1	1	1	1	1	1	1	1	1	1
IESW032	0.992	0.992	0.992	0.992	0.992	0.992	1	1	1	1	1	1
IESW034	0.873	0.873	0.873	0.873	0.873	0.873	0.878	0.878	0.878	0.878	0.878	0.878
IESW035	0.481	0.481	0.481	0.481	0.481	0.481	0.489	0.489	0.489	0.489	0.489	0.489
IESW036	0.217	0.217	0.217	0.217	0.217	0.217	0.219	0.219	0.219	0.219	0.219	0.219
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.462	0.462	0.462	0.462	0.462	0.462	0.473	0.473	0.473	0.473	0.473	0.473
IESW051	0.113	0.113	0.113	0.113	0.113	0.113	0.118	0.118	0.118	0.118	0.118	0.118
IESW052	0.113	0.113	0.113	0.113	0.113	0.113	0.118	0.118	0.118	0.118	0.118	0.118
IESW053	0.682	0.682	0.682	0.682	0.682	0.682	0.684	0.684	0.684	0.684	0.684	0.684
IESW055	0.091	0.091	0.091	0.091	0.091	0.091	0.093	0.093	0.093	0.093	0.093	0.093
IESW056	0.606	0.606	0.606	0.606	0.606	0.606	0.608	0.608	0.608	0.608	0.608	0.608
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.296	0.296	0.296	0.296	0.296	0.296	0.298	0.298	0.298	0.298	0.298	0.298
IESW059	0.374	0.374	0.374	0.374	0.374	0.374	0.377	0.377	0.377	0.377	0.377	0.377

ENTITY_ID	SP313	SP314	SP315	SP316	SP317	SP318	SP319	SP320	SP321	SP322	SP323	SP324
IEGW501	0.738	0.738	0.738	0.738	0.738	0.738	0.739	0.739	0.739	0.739	0.739	0.739
IEGW502	0.637	0.637	0.637	0.637	0.637	0.637	0.645	0.645	0.645	0.645	0.645	0.645
IEGW503	1	1	1	1	1	1	1	1	1	1	1	1
IEGW504	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998	0.998
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.986	0.986	0.986	0.986	0.986	0.986	0.989	0.989	0.989	0.989	0.989	0.989
IEGW507	0.948	0.948	0.948	0.948	0.948	0.948	0.95	0.95	0.95	0.95	0.95	0.95
IEGW508	0.982	0.982	0.982	0.982	0.982	0.982	0.983	0.983	0.983	0.983	0.983	0.983
IEGW509	0.908	0.908	0.908	0.908	0.908	0.908	0.91	0.91	0.91	0.91	0.91	0.91
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.68	0.68	0.68	0.68	0.68	0.68	0.683	0.683	0.683	0.683	0.683	0.683
IESW001	0.738	0.738	0.738	0.738	0.738	0.738	0.74	0.74	0.74	0.74	0.74	0.74
IESW002	0.948	0.948	0.948	0.948	0.948	0.948	0.949	0.949	0.949	0.949	0.949	0.949
IESW005	1	1	1	1	1	1	1	1	1	1	1	1
IESW008	0.911	0.911	0.911	0.911	0.911	0.911	0.918	0.918	0.918	0.918	0.918	0.918
IESW009	0.303	0.303	0.303	0.303	0.303	0.303	0.308	0.308	0.308	0.308	0.308	0.308
IESW010	1	1	1	1	1	1	1	1	1	1	1	1
IESW011	0.645	0.645	0.645	0.645	0.645	0.645	0.648	0.648	0.648	0.648	0.648	0.648
IESW012	0.906	0.906	0.906	0.906	0.906	0.906	0.907	0.907	0.907	0.907	0.907	0.907
IESW014	0.811	0.811	0.811	0.811	0.811	0.811	0.821	0.821	0.821	0.821	0.821	0.821
IESW015	0.038	0.038	0.038	0.038	0.038	0.038	0.039	0.039	0.039	0.039	0.039	0.039
IESW016	0.943	0.943	0.943	0.943	0.943	0.943	0.948	0.948	0.948	0.948	0.948	0.948
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.315	0.315	0.315	0.315	0.315	0.315	0.318	0.318	0.318	0.318	0.318	0.318
IESW022	0.993	0.993	0.993	0.993	0.993	0.993	1	1	1	1	1	1
IESW025	0.971	0.971	0.971	0.971	0.971	0.971	0.981	0.981	0.981	0.981	0.981	0.981
IESW027	0.415	0.415	0.415	0.415	0.415	0.415	0.418	0.418	0.418	0.418	0.418	0.418
IESW028	0.911	0.911	0.911	0.911	0.911	0.911	0.918	0.918	0.918	0.918	0.918	0.918
IESW029	0.597	0.597	0.597	0.597	0.597	0.597	0.613	0.613	0.613	0.613	0.613	0.613
IESW030	1	1	1	1	1	1	1	1	1	1	1	1
IESW032	1	1	1	1	1	1	1	1	1	1	1	1
IESW034	0.883	0.883	0.883	0.883	0.883	0.883	0.888	0.888	0.888	0.888	0.888	0.888
IESW035	0.497	0.497	0.497	0.497	0.497	0.497	0.505	0.505	0.505	0.505	0.505	0.505
IESW036	0.221	0.221	0.221	0.221	0.221	0.221	0.224	0.224	0.224	0.224	0.224	0.224
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.484	0.484	0.484	0.484	0.484	0.484	0.495	0.495	0.495	0.495	0.495	0.495
IESW051	0.123	0.123	0.123	0.123	0.123	0.123	0.128	0.128	0.128	0.128	0.128	0.128
IESW052	0.123	0.123	0.123	0.123	0.123	0.123	0.128	0.128	0.128	0.128	0.128	0.128
IESW053	0.686	0.686	0.686	0.686	0.686	0.686	0.689	0.689	0.689	0.689	0.689	0.689
IESW055	0.095	0.095	0.095	0.095	0.095	0.095	0.097	0.097	0.097	0.097	0.097	0.097
IESW056	0.61	0.61	0.61	0.61	0.61	0.61	0.612	0.612	0.612	0.612	0.612	0.612
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.3	0.3	0.3	0.3	0.3	0.3	0.302	0.302	0.302	0.302	0.302	0.302
IESW059	0.38	0.38	0.38	0.38	0.38	0.38	0.382	0.382	0.382	0.382	0.382	0.382

ENTITY_ID	SP325	SP326	SP327	SP328	SP329	SP330	SP331	SP332	SP333	SP334	SP335	SP336
IEGW501	0.741	0.741	0.741	0.741	0.741	0.741	0.743	0.743	0.743	0.743	0.743	0.743
IEGW502	0.653	0.653	0.653	0.653	0.653	0.653	0.661	0.661	0.661	0.661	0.661	0.661
IEGW503	1	1	1	1	1	1	1	1	1	1	1	1
IEGW504	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
IEGW505	1	1	1	1	1	1	1	1	1	1	1	1
IEGW506	0.991	0.991	0.991	0.991	0.991	0.991	0.994	0.994	0.994	0.994	0.994	0.994
IEGW507	0.951	0.951	0.951	0.951	0.951	0.951	0.953	0.953	0.953	0.953	0.953	0.953
IEGW508	0.984	0.984	0.984	0.984	0.984	0.984	0.985	0.985	0.985	0.985	0.985	0.985
IEGW509	0.911	0.911	0.911	0.911	0.911	0.911	0.913	0.913	0.913	0.913	0.913	0.913
IEGW600	1	1	1	1	1	1	1	1	1	1	1	1
IESW000	0.687	0.687	0.687	0.687	0.687	0.687	0.691	0.691	0.691	0.691	0.691	0.691
IESW001	0.741	0.741	0.741	0.741	0.741	0.741	0.743	0.743	0.743	0.743	0.743	0.743
IESW002	0.95	0.95	0.95	0.95	0.95	0.95	0.951	0.951	0.951	0.951	0.951	0.951
IESW005	1	1	1	1	1	1	1	1	1	1	1	1
IESW008	0.924	0.924	0.924	0.924	0.924	0.924	0.93	0.93	0.93	0.93	0.93	0.93
IESW009	0.313	0.313	0.313	0.313	0.313	0.313	0.317	0.317	0.317	0.317	0.317	0.317
IESW010	1	1	1	1	1	1	1	1	1	1	1	1
IESW011	0.651	0.651	0.651	0.651	0.651	0.651	0.654	0.654	0.654	0.654	0.654	0.654
IESW012	0.907	0.907	0.907	0.907	0.907	0.907	0.908	0.908	0.908	0.908	0.908	0.908
IESW014	0.831	0.831	0.831	0.831	0.831	0.831	0.84	0.84	0.84	0.84	0.84	0.84
IESW015	0.04	0.04	0.04	0.04	0.04	0.04	0.041	0.041	0.041	0.041	0.041	0.041
IESW016	0.953	0.953	0.953	0.953	0.953	0.953	0.957	0.957	0.957	0.957	0.957	0.957
IESW018	1	1	1	1	1	1	1	1	1	1	1	1
IESW019	1	1	1	1	1	1	1	1	1	1	1	1
IESW020	0.321	0.321	0.321	0.321	0.321	0.321	0.324	0.324	0.324	0.324	0.324	0.324
IESW022	1	1	1	1	1	1	1	1	1	1	1	1
IESW025	0.991	0.991	0.991	0.991	0.991	0.991	1	1	1	1	1	1
IESW027	0.421	0.421	0.421	0.421	0.421	0.421	0.424	0.424	0.424	0.424	0.424	0.424
IESW028	0.924	0.924	0.924	0.924	0.924	0.924	0.93	0.93	0.93	0.93	0.93	0.93
IESW029	0.629	0.629	0.629	0.629	0.629	0.629	0.645	0.645	0.645	0.645	0.645	0.645
IESW030	1	1	1	1	1	1	1	1	1	1	1	1
IESW032	1	1	1	1	1	1	1	1	1	1	1	1
IESW034	0.893	0.893	0.893	0.893	0.893	0.893	0.897	0.897	0.897	0.897	0.897	0.897
IESW035	0.513	0.513	0.513	0.513	0.513	0.513	0.521	0.521	0.521	0.521	0.521	0.521
IESW036	0.226	0.226	0.226	0.226	0.226	0.226	0.229	0.229	0.229	0.229	0.229	0.229
IESW037	1	1	1	1	1	1	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1	1	1	1	1	1	1
IESW044	0.506	0.506	0.506	0.506	0.506	0.506	0.517	0.517	0.517	0.517	0.517	0.517
IESW051	0.133	0.133	0.133	0.133	0.133	0.133	0.137	0.137	0.137	0.137	0.137	0.137
IESW052	0.133	0.133	0.133	0.133	0.133	0.133	0.137	0.137	0.137	0.137	0.137	0.137
IESW053	0.691	0.691	0.691	0.691	0.691	0.691	0.694	0.694	0.694	0.694	0.694	0.694
IESW055	0.099	0.099	0.099	0.099	0.099	0.099	0.101	0.101	0.101	0.101	0.101	0.101
IESW056	0.615	0.615	0.615	0.615	0.615	0.615	0.617	0.617	0.617	0.617	0.617	0.617
IESW057	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.305	0.305	0.305	0.305	0.305	0.305	0.307	0.307	0.307	0.307	0.307	0.307
IESW059	0.385	0.385	0.385	0.385	0.385	0.385	0.388	0.388	0.388	0.388	0.388	0.388

ENTITY_ID	SP337	SP338	SP339	SP340	SP341	SP342
IEGW501	0.744	0.744	0.744	0.744	0.744	0.744
IEGW502	0.669	0.669	0.669	0.669	0.669	0.669
IEGW503	1	1	1	1	1	1
IEGW504	0.999	0.999	0.999	0.999	0.999	0.999
IEGW505	1	1	1	1	1	1
IEGW506	0.996	0.996	0.996	0.996	0.996	0.996
IEGW507	0.955	0.955	0.955	0.955	0.955	0.955
IEGW508	0.986	0.986	0.986	0.986	0.986	0.986
IEGW509	0.915	0.915	0.915	0.915	0.915	0.915
IEGW600	1	1	1	1	1	1
IESW000	0.695	0.695	0.695	0.695	0.695	0.695
IESW001	0.745	0.745	0.745	0.745	0.745	0.745
IESW002	0.952	0.952	0.952	0.952	0.952	0.952
IESW005	1	1	1	1	1	1
IESW008	0.937	0.937	0.937	0.937	0.937	0.937
IESW009	0.322	0.322	0.322	0.322	0.322	0.322
IESW010	1	1	1	1	1	1
IESW011	0.658	0.658	0.658	0.658	0.658	0.658
IESW012	0.909	0.909	0.909	0.909	0.909	0.909
IESW014	0.85	0.85	0.85	0.85	0.85	0.85
IESW015	0.041	0.041	0.041	0.041	0.041	0.041
IESW016	0.962	0.962	0.962	0.962	0.962	0.962
IESW018	1	1	1	1	1	1
IESW019	1	1	1	1	1	1
IESW020	0.328	0.328	0.328	0.328	0.328	0.328
IESW022	1	1	1	1	1	1
IESW025	1	1	1	1	1	1
IESW027	0.428	0.428	0.428	0.428	0.428	0.428
IESW028	0.937	0.937	0.937	0.937	0.937	0.937
IESW029	0.661	0.661	0.661	0.661	0.661	0.661
IESW030	1	1	1	1	1	1
IESW032	1	1	1	1	1	1
IESW034	0.902	0.902	0.902	0.902	0.902	0.902
IESW035	0.529	0.529	0.529	0.529	0.529	0.529
IESW036	0.231	0.231	0.231	0.231	0.231	0.231
IESW037	1	1	1	1	1	1
IESW038	0.251	0.251	0.251	0.251	0.251	0.251
IESW039	0.27	0.27	0.27	0.27	0.27	0.27
IESW040	1	1	1	1	1	1
IESW044	0.528	0.528	0.528	0.528	0.528	0.528
IESW051	0.142	0.142	0.142	0.142	0.142	0.142
IESW052	0.142	0.142	0.142	0.142	0.142	0.142
IESW053	0.696	0.696	0.696	0.696	0.696	0.696
IESW055	0.103	0.103	0.103	0.103	0.103	0.103
IESW056	0.619	0.619	0.619	0.619	0.619	0.619
IESW057	0.813	0.813	0.813	0.813	0.813	0.813
IESW058	0.309	0.309	0.309	0.309	0.309	0.309
IESW059	0.39	0.39	0.39	0.39	0.39	0.39